

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT

ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	F1	ECR-14-018880	17DEC2014	GK	HMR

REPLACED BY OCEAN STYLE APPLICATOR PART
NUMBER 2266508-1





FOR REPLACEMENT PARTS FOR APPLICATOR 466469
REFER TO ADDITIONAL PAGE(S). SPARE PARTS KIT (IF LISTED)
WILL REMAIN AVAILABLE.

THE REPLACEMENT OCEAN STYLE APPLICATOR HAS THE
SAME TERMINATOR/PRESS INTERFACE AS APPLICATOR
466469


THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	GOPALAKRISHNA HV		 TE Connectivity			
		CHK	RAGHAVENDRA					
DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD	NAME			
		0 PLC ± 1 PLC ± 2 PLC ± 3 PLC ± 4 PLC ± ANGLES ±		RAGHAVENDRA		MINIATURE QUICK CHANGE APPLICATOR SIDE FEED		
				PRODUCT SPEC				
				APPLICATION SPEC				
MATERIAL		FINISH		WEIGHT	SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
					A3		©- 466469	
CUSTOMER DRAWING				SCALE	SHEET 1 OF 2	REV F1		

THIS DRAWING IS UNPUBLISHED.
RELEASED FOR PUBLICATION
BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

PART NUMBER	REV	FIRST USED
466469-1	F	-
466469-2	F	-
466469-3	F	-



1. RECOMMENDED SPARE PARTS.
2. GREASE LIGHTLY.
3. GUARD MUST BE IN PLACE WHEN OPERATING APPLICATOR IN A BENCH MACHINE.
4. LUBRICATE DAILY USING NO. 20 MACHINE OIL.
5. ITEMS WITH QTY OF REF SPECIFIED (EXCEPT ITEMS 78 AND 79) ARE USED ON ITEM 46.
6. CUT TO LENGTH AT ASSY



TERMINAL NAME: .093 PIN RECEPTACLE					
CRIMPING DATA					
PAD LTR	CRIMP HEIGHT		WIRE SIZE		
A	.051 ± .002		18		
B	.046 ± .002		20		
C	.043 ± .002		22		
D	NOT		USED		
CRIMP	SIZE	TYPE	RANGE		
WIRE	.070	F	22-18		
INSUL	.120	0	.060-.110		
WIRE STRIP LENGTH	TERM APPL SPEC	FEED	APPL INSTRUCTION	SET UP GAGE	LAYOUT
.125-.155	114-1008	.405	AI 8040	458637-1	234

2	2	2	-	4-354779-2	PIN, WIRE DISC (.3200)C	149
2	2	2	-	3-354779-6	PIN, WIRE DISC (.3170)B	148
2	2	2	-	2-354779-6	PIN, WIRE DISC (.3120)A	147
						146
REF	REF	REF	-	21045-3	RING,RET "C"(Ø.187)FD FING PIN	145
						144
REF	REF	REF	-	5-21028-1	PIN,SLT SPR(Ø.125x.50)ADJ ROD	143
1	1	1	-	4-21028-0	PIN,SLT SPR(Ø.093x.75)STR G PLATE	142
REF	REF	REF	-	1-21030-1	PIN,DOWEL(Ø.187x.50)LEVER	141
REF	REF	REF	-	1-21030-6	PIN,DOWEL(Ø.187x1.25)HOUSING	140
						139
1	1	1	-	21024-5	WASHER, LOCK(#10)ADJ BLOCK	138
REF	REF	REF	-	21024-5	WASHER,LOCK(#10)ADJ PLATE	137
REF	REF	REF	-	21024-5	WASHER,LOCK(#10)FEED GDE ROD	136
3	3	3	-	21057-2	WASHER,LOCK(#4)FRONT STP GUIDE	135
1	1	1	-	21024-4	WASHER,LOCK(#8)FEED FINGER	134
2	2	2	-	21024-4	WASHER,LOCK(#8)DEPRESSOR	133
1	1	1	-	21024-4	WASHER,LOCK(#8)STRIPPER	132
REF	REF	REF	-	21899-4	WASHER,FLAT(Ø5/16)SCREW ADJ	131
						130
1	1	1	-	21068-5	NUT,HEX(6-32)HOLDDOWN	129
REF	REF	REF	-	21068-5	NUT,HEX(6-32)FEED ADJ	128
						127
						126
1	1	1	-	986950-1	WASHER, FLAT PRECISION	125
1	1	1	-	21009-2	SCR,SKT SET(1/4-20x.25 LW)RAM	124
						123
REF	REF	REF	-	3-21064-2	SCR,ROD HD(6-32x1.50)FEED ADJ	122
2	2	2	-	21017-2	SCR,DRIVE(#2x.19)ID PLATE	121
2	2	2	-	5-21006-6	SCR,SET(10-32x.75)DRAG	120
1	1	1	-	22733-8	SCR,BHC(8-32x.38 LW)ANVIL	119
REF	REF	REF	-	2-21002-9	SCR,BHC(10-32x.75)CAP	118
REF	REF	REF	-	1-24073-9	SCR,BHC(1/4-20x.75)HOUSING	117
REF	REF	REF	-	2-21002-7	SCR,BHC(10-32x.50)SG ADJ BLOCK	116
2	2	2	-	2-21002-2	SCR,BHC(8-32x.50)SHEAR	115
2	2	2	-	2-21002-2	SCR,BHC(8-32x.50)R STRIP GUIDE	114
1	1	1	-	461264-1	PLATE, IDENTIFICATION	113
1	1	1	-	1-21002-7	SCR,BHC(6-32x.38)CAM	112
						111
1	1	1	-	23030-1	SCR,SHC(6-32x.25)LOC-WEL)CP DISC	110
						109
2	2	2	-	2-21000-7	SCR,SHC(8-32x.48)DEP-HOLD	108
1	1	1	-	2-22603-0	SCR,HEX HD(8-32x.31)FEED FINGER	107
3	3	3	-	1-21000-3	SCR,SHC(4-40x.25)F ST GUIDE	106
1	1	1	-	2-21000-7	SCR,SHC(8-32x.50)STRIPPER	105
REF	REF	REF	-	3-21000-7	SCR,SHC(10-32x.75)FEED ROD GD	104
REF	REF	REF	-	3-21000-6	SCR,SHC(10-32x.62)FD ADJ BLK	103
1	1	1	-	3-21000-4	SCR,SHC(10-32x.38)SG ADJ BL	102
REF	REF	REF	-	3-21000-4	SCR,SHC(10-32x.38)PIVOT BLK	101
						100
-	REF	-	-	455749-1	GUARD, WINDOW	79
REF	-	-	-	679532-1	INSERT, GUARD	78
						77
						76
						75
REF	REF	REF	-	458109-1	WASHER, SPECIAL	74
						73
1	1	1	-	690603-1	SPRING, ASSIST	72
REF	REF	REF	-	690517-1	SPACER	71
-3	-2	-1	U/M	PART NO	DESCRIPTION	ITEM NO
PARTS LIST						
QTY REQD	PER ASSY					

REVISIONS					
LOC	DIST	P	LTR	DESCRIPTION	DATE
A	66	F		ECR-07-018521	8-2007
REF	REF	REF	REF	REF	REF
REF	REF	REF	-	22594-8	NUT,HEX(1/2-20)
REF	REF	REF	-	240628-1	PLATE, ADJUSTMENT
REF	REF	REF	-	240626-1	SHAFT, PIVOT
REF	REF	REF	-	240633-1	BUSHING
REF	REF	REF	-	455680-1	LEVER, INTERMEDIATE
REF	REF	REF	-	240629-1	BLOCK, PIVOT
REF	REF	REF	-	240632-2	SCREW, ADJ FEED ROD
REF	REF	REF	-	240659-3	PIN, CAM ROLLER
REF	REF	REF	-	240658-1	ROLLER, CAM
REF	REF	REF	-	454398-2	ROD, FEED
REF	REF	REF	-	454178-1	GUIDE, FEED ROD
REF	REF	REF	-	454220-1	CAP, RAM
REF	REF	REF	-	454485-1	HOUSING
					57
1	1	1	-	458537-2	PAWL, FEED
REF	REF	REF	-	240624-1	PIN, FEED FINGER
REF	REF	REF	-	691499-1	SPRING, FEED FINGER
REF	REF	REF	-	690541-1	HOLDER, FEED FINGER
REF	REF	REF	-	455679-2	LEVER, TERMINAL FEED ARM
					51
1	1	1	-	811242-2	BUMPER, HOLDDOWN
1	1	1	-	690753-1	SPACER, TONKER
1	-	-	-	690602-6	CAM, PRE-FEED 1 5/8 ST
-	1	-	-	690602-5	CAM, PRE-FEED 1 1/8 ST
-	-	1	-	690501-4	CAM, POST-FEED 1 5/8 ST
1	1	1	-	459456-2	APPLICATOR, BASIC (SUBASSY)
1	1	1	-	690191-1	PLUG, NYLON
1	1	1	-	455673-1	RAM
1	1	1	-	690125-1	WASHER, LAMINATED
1	1	1	-	690124-1	WASHER, RAM
1	1	1	-	7-21002-9	BOLT, CRIMPER
1	1	1	-	23241-6	BALL, STEEL
1	1	1	-	690170-1	SPRING, COMPRESSION
1	1	1	-	690142-1	DISC, INSULATION
1	1	1	-	354777-1	DISC, WIRE, PLASTIC
1	1	1	-	22480-5	WASHER, SPRING
1	1	1	-	690212-1	POST, RAM
					34
REF	REF	REF	-	455675-1	PLATE, BASE
1	1	1	-	690432-3	SCREW, ADJUSTMENT
					31
REF	REF	REF	-	455689-1	BLOCK, STRIP GUIDE ADJ
1	1	1	-	455671-1	STRIP GUIDE PLATE ASSY
1	1	1	-	1-455888-2	SPACER, FRONT SHEAR DEP
2	2	2	-	1-22284-0	SPRING, DRAG
1	1	1	-	690546-1	LEVER, DRAG RELEASE
1	1	1	-	240792-1	DRAG, TERMINAL
1	1	1	-	690504-9	GUIDE, STRIP (REAR)
1	1	1	-	690438-1	GUIDE, STRIP (FRONT)
-	REF	REF	-	690472-2	STRIPPER
REF	REF	REF	-	4-22284-9	SPRING, FEED RETURN
					21
1	1	-	-	691353-1	STRIPPER
					19
					18
					17
1	1	1	-	691667-1	GUARD, CHIP, FRONT
					15
					14
					13
1	1	1	-	3-22280-3	SPRING, SHEAR
1	1	1	-	690461-1	STOP, SHEAR
1	1	1	-	690459-1	HOLDER, SHEAR (FRONT)
1	1	1	-	454276-1	SHEAR, FLOAT (FRONT)
1	1	1	-	3-690471-6	ANVIL
					8
					7
					6
1	1	1	-	1-455889-4	DEPRESSOR, SHEAR (FRONT)
1	1	1	-	238011-5	SPACER, BLOCK CRIMPER
1	1	1	-	6-456135-0	CRIMPER, INSULATION
1	1	1	-	455888-6	SPACER, CRIMPER
1	1	1	-	1-456404-8	CRIMPER, WIRE
					1
-3	-2	-1	U/M	PART NO	DESCRIPTION
PARTS LIST					
QTY REQD	PER ASSY				

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9