


REVISIONS			
LTR	DESCRIPTION	DATE	APPROVED
J1	REVISED PER ECO-11-005139	29MAR11	HMR

NOTES:



DK-621-X413 NOT INCLUDED.

IF THIS DOCUMENT IS PRINTED IT BECOMES UNCONTROLLED.
CHECK FOR THE LATEST REVISION.

KIT		PCN NO.	CONNECTOR	CONTACT	USAF NO.	
DK-621-0411		228389	PLUG	-----	N/A	
DK-621-0411-P		902973	PLUG	PIN	8340709-00-01	
DK-621-0411-UP		980023	PLUG	PIN	N/A	
DK-621-0411-S		191045	PLUG	SOCKET	8340709-00-02	
DK-621-0411-US		580047	PLUG	SOCKET	N/A	
DK-621-0412		149527	JACK	-----	N/A	
DK-621-0412-P		118345	JACK	PIN	8340711-00-01	
DK-621-0412-UP		734977	JACK	PIN	N/A	
DK-621-0412-S		503123	JACK	SOCKET	8340711-00-02	
DK-621-0412-US		682615	JACK	SOCKET	N/A	
DK-621-0414		341103	JACK	-----	N/A	
DK-621-0414-P		046369	JACK	PIN	N/A	
DK-621-0414-S		875101	JACK	SOCKET	N/A	

NOT AVAILABLE FOR NEW ORDERS					
ORDER EQUIVALENT DK-621-041X(-XX) CONNECTOR					
DK-621-1411		459727	PLUG	-----	
DK-621-1411-P		856385	PLUG	PIN	
DK-621-1411-UP		054769	PLUG	PIN	
DK-621-1411-S		824175	PLUG	SOCKET	
DK-621-1411-US		087739	PLUG	SOCKET	
DK-621-1412		171793	JACK	-----	
DK-621-1412-P		839897	JACK	PIN	
DK-621-1412-UP		650513	JACK	PIN	
DK-621-1412-S		051167	JACK	SOCKET	
DK-621-1412-US		544577	JACK	SOCKET	

SPECIFICATION CONTROL DRAWING

UNLESS OTHERWISE SPECIFIED
DIMENSIONS ARE IN INCHES.
METRIC DIMENSIONS ARE
IN BRACKETS.

DECIMALS



.XXX ± mm
.XX ± mm

ANGLES

.X —± —

WEIGHT

— lbs [— g]


DRAWN	J.B.K.	92 MAR 3	 TE Connectivity 300 Constitution Drive Menlo Park, CA. 94025 U.S.A. 	
CHECKED				
APPROVED				
APPROVED	Z.TEMAN	92 MAR 3		
CAD NAME			004990-1	
THIRD ANGLE PROJECTION				
SIZE	CODE IDENT. NO.	DWG. NO.	DO NOT SCALE THIS DRAWING	
A	06090	DK-621-X411/X414[-XX]		
TITLE			KITS FOR D-621 THREADED 400 SERIES TRIAXIAL CONNECTORS (FOR TWINAXIAL CABLES)	
REVISIONS			SHEET 1 OF 2	
REV			J1	

NOTES: (CONTINUED)

- 2

USAF No.: PLUG - 8340709-00-0X
JACK - 8340711-00-0X

PRINTED ON STRAIN RELIEF OF
DK-621-04YY SERIES.
3. D-600-0030 BRAID TERMINATOR REPLACES D-600-0055 AND D-600-0056.



PLUG CONNECTOR
ASSEMBLY

JACK CONNECTOR
ASSEMBLY

REQUIREMENTS:

1.0 REFER TO THE FOLLOWING RAYCHEM SPECIFICATION CONTROL DRAWINGS (SCD) FOR INDIVIDUAL COMPONENT DETAILS:

D-621-0411	CONNECTOR, TRIAXIAL, SUBMINIATURE	
D-621-0412		
D-621-0414		
D-602-0126		
D-602-0127	CONTACT, PIN	NOT SHOWN
D-600-0030	CONTACT, SOCKET	NOT SHOWN
	BRAID TERMINATOR	NOT USED WITH DK-621-0414(-X)
D-600-0019	STRAIN RELIEF	

2.0 CONNECTORS ARE QUALIFIED TO RAYCHEM SPECIFICATION D-6025.

3.0 TERMINATION PROCEDURE: RAYCHEM ES 61162

IF THIS DOCUMENT IS PRINTED IT BECOMES UNCONTROLLED.
CHECK FOR THE LATEST REVISION.

CAD NAME: 004990-2		DRAWN	J.B.K.	92 MAR 3	SIZE	CODE IDENT. NO.	DWG. NO.	REV
ISSUED					A	06090	DK-621-X411/X414[-XX]	J1
DO NOT SCALE THIS DRAWING					SHEET 2 OF 2			

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9