

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT

ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD

D

C

B

A


REPLACED BY OCEAN STYLE APPLICATOR PART NUMBER

FOR REPLACEMENT PARTS FOR APPLICATOR REFER TO ADDITIONAL PAGE(S). SPARE PARTS KIT (IF LISTED) WILL REMAIN AVAILABLE.

THE REPLACEMENT OCEAN STYLE APPLICATOR HAS THE SAME TERMINATOR/PRESS INTERFACE AS APPLICATOR

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:



TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC	±
1 PLC	±
2 PLC	±
3 PLC	±
4 PLC	±
ANGLES	±

MATERIAL

FINISH

DWN

CHK

APVD

PRODUCT SPEC

APPLICATION SPEC

WEIGHT

TE Connectivity

NAME

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

A3

C-

SCALE

SHEET OF

REV

1470-19 (3/11)

Pro/ENGINEER DRAWING

1528381

1528381

/home/eb003420/edmod

DRAWING MADE IN THIRD ANGLE PROJECTION

PART NUMBER	REV	FIRST USED	TERMINATOR	FEED TYPE	DESCRIPTION
1528381-1	A	-	LEADMAKER	MECH POST FEED	CUTS CARRIER
1528381-2	A	-	BENCH	MECH PRE FEED	CUTS CARRIER
1528381-6	A	-	LEADMAKER	MECH POST FEED	CONTINUOUS CARRIER
7-1528381-1	A	-	LEADMAKER	MECH POST FEED	-1 AND SPARE PARTS
7-1528381-2	A	-	BENCH	MECH PRE FEED	-2 AND SPARE PARTS
7-1528381-6	A	-	LEADMAKER	MECH POST FEED	-6 AND SPARE PARTS
7-1528381-7	A	-	-	-	SPARE PARTS KIT

CRIMP DATA

AMP TERMINAL AMP CRIMP SPECS

TERMINAL NAME: AMP MCP2.8 FLAT TYPE RECEPTACLE

CRIMP	SIZE	TYPE	RANGE
WIRE	1.57 [0.062 IN]	F	0.20-0.50mm ²
INSUL	2.29 [0.090 IN]	0	1.20-1.40 [0.047-.055 IN]

WIRE STRIP LENGTH

3.30-3.90 [0.130-.154 IN]

APPL INSTRUCTION

408-8322 & 408-8490

TERMINAL

APPL SPEC

114-18148-1

FEED

12.00 [0.472 IN]

TERMINALS APPLIED

968880	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-

WIRE SIZE

mm² AWG

CRIMP HEIGHT

mm

REF SETTING

mm

0.50mm ²	1.14 ±0.05 [0.045 ±.002 IN]	B1
0.35mm ²	1.07 ±0.05 [0.042 ±.002 IN]	B7
0.25mm ²	1.02 ±0.05 [0.040 ±.002 IN]	C1
0.20mm ²	1.00 ±0.05 [0.039 ±.002 IN]	C3
-	-	-
-	-	-
-	-	-
-	-	-
-	-	-
-	-	-
-	-	-
-	-	-
-	-	-

1

RECOMMENDED SPARE PARTS.

2

GREASE RAM, CAM, CAM FOLLOWER AND FEED ROD LIGHTLY.

3

LUBRICATE DAILY PER THE APPLICATOR INSTRUCTION SHEET SUPPLIED WITH THE APPLICATOR.

VIEW B ROTATED 180°

POST FEED 40 mm STROKE

POST FEED 30 mm STROKE

PRE FEED 30 mm STROKE

PRE FEED 40 mm STROKE

LOC A

DIST 66

3

WARNING:

ON INSTALLATION, SET WIRE DISC TO LARGEST WIRE SIZE SETTING. USE OF SETTINGS BELOW MIN REQUIRED CRIMP HEIGHT SETTING WILL CAUSE DAMAGE TO CRIMP TOOLING.

ITEM 34 LOCATION

8 REF

34 REF

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

29 REF

30

31

32

33

34

37

38

39

40

41

42

43

44

45

46

46 REF

47

48

49

50

51

52

53

54

55

56

59

60

61

62

63

64

65

66

67

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

29 REF

30

31

32

33

34

37

38

39

40

41

42

43

44

45

46

46 REF

47

48

49

50

51

52

53

54

55

56

59

60

61

62

63

64

65

66

67

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

29 REF

30

31

32

33

34

37

38

39

40

41

42

43

44

45

46

46 REF

47

48

49

50

51

52

53

54

55

56

59

60

61

62

63

64

65

66

67

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

29 REF

30

31

32

33

34

37

38

39

40

41

42

43

44

45

46

46 REF

47

48

49

50

51

52

53

54

55

56

59

60

61

62

63

64

65

66

67

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

29 REF

30

31

32

33

34

37

38

39

40

41

42

43

44

45

46

46 REF

47

48

49

50

51

52

53

54

55

56

59

60

61

62

63

64

65

66

67

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

29 REF

30

31

32

33

34

37

38

39

40

41

42

43

44

45

46

46 REF

47

48

49

50

51

52

53

54

55

56

59

60

61

62

63

64

65

66

67

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

29 REF

30

31

32

33

34

37

38

39

40

41

42

43

44

45

46

46 REF

47

48

49

50

51

52

53

54

55

56

59

60

61

62

63

64

65

66

67

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

29 REF

30

31

32

33

34

37

38

39

40

41

42

43

44

45

46

46 REF

47

48

49

50

51

52

53

54

55

56

59

60

61

62

63

64

65

66

67

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

29 REF

30

31

32

33

34

37

38

39

40

41

42

43

44

45

46

46 REF

47

48

49

50

51

52

53

54

55

56

59

60

61

62

63

64

65

66

67

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

29 REF

30

31

32

33

34

37

38

39

40

41

42

43

44

45

46

46 REF

47

48

49

50

51

52

53

54

55

56

59

60

61

62

63

64

65

66

67

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

29 REF

30

31

32

33

34

37

38

39

40

41

42

43

44

45

46

46 REF

47

48

49

50

51

52

53

54

55

56

59

60

61

62

63

64

65

66

67

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

29 REF

30

31

32

33

34

37

38

39

40

41

42

43

44

45

46

46 REF

47

48

49

50

51

52

53

54

55

56

59

60

61

62

63

64

65

66

67

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

29 REF

30

31

32

33

34

37

38

39

40

41

42

43

44

45

46

46 REF

47

48

49

50

51

52

53

54

55

56

59

60

61

62

63

64

65

66

67

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

29 REF

30

31

32

33

34

37

38

39

40

41

42

43

44

45

46

46 REF

47

48

49

50

51

52

53

54

55

56

59

60

61

62

63

64

65

66

67

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

29 REF

30

31

32

33

34

37

38

39

40

41

42

43

44

45

46

46 REF

47

48

49

50

51

52

53

54

55

56

59

60

61

62

63

64

65

66

67

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

29 REF

30

31

32

33

34

37

38

39

40

41

42

43

44

45

46

46 REF

47

48

49

50

51

52

53

54

55

56

59

60

61

62

63

64

65

66

67

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

29 REF

30

31

32

33

34

37

38

39

40

41

42

43

44

45

46

46 REF

47

48

49

50

51

52

53

54

55

56

59

60

61

62

63

64

65

66

67

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

29 REF

30

31

32

33

34

37

38

39

40

41

42

43

44

45

46

46 REF

47

48

49

50

51

52

53

54

55

56

59

60

61

62

63

64

65

66

67

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

29 REF

30

31

32

33

34

37

38

39

40

41

42

43

44

45

46

46 REF

47

48

49

50

51

52

53

54

55

56

59

60

61

62

63

64

65

66

67

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

29 REF

30

31

32

33

34

37

38

39

40

41

42

43

44

45

46

46 REF

47

48

49

50

51

52

53

54

55

56

59

60

61

62

63

64

65

66

67

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

29 REF

30

31

32

33

34

37

38

39

40

41

42

43

44

45

46

46 REF

47

48

49

50

51

52

53

54

55

56

59

60

61

62

63

64

65

66

67

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

29 REF

30

31

32

33

34

37

38

39

40

41

42

43

44

45

46

46 REF

47

48

49

50

51

52

53

54

55

56

59

60

61

62

63

64

65

66

67

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

29 REF

30

31

32

33

34

37

38

39

40

41

42

43

44

45

46

46 REF

47</

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9