








LOC		DIST		REVISIONS					
ES	00	P	LTR	DESCRIPTION			DATE	DWN	APVD
			G1	REVISED PER ECO-11-005027			14MAR2011	RK	HMR




- PART COMPATABLE WITH XFP MSA. REFER TO THE SFP MSA FOR DIMENSIONS NOT SHOWN ON THIS PRINT.
- HOUSING: HIGH TEMPERATURE LCP, UL 94V-0 RATED, BLACK. CONTACT: PHOSPHOR BRONZE.
- CONTACTS: 0.00038 MIN GOLD IN CONTACT AREA, 0.00013 MIN GOLD ON SOLDER AREA, OVER 0.0038 MIN NICKEL UNDERPLATE ON ENTIRE CONTACT.
- PACKAGED PIECES PER REEL.
- GROUND, POWER AND SIGNAL PAD ARRANGEMENT TO BE DETERMINED BY CUSTOMER.
- DATUMS AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.
- CONTACTS: 0.00076 MIN GOLD IN CONTACT AREA, 0.00013 MIN GOLD ON SOLDER AREA, OVER 0.0038 MIN NICKEL UNDERPLATE ON ENTIRE CONTACT.
- SOLDER MASK KEEP OUT AREA.
- CONTACTS: 0.00127 MIN GOLD IN CONTACT AREA, 0.00013 MIN GOLD ON SOLDER AREA, OVER 0.0038 MIN NICKEL UNDERPLATE ON ENTIRE CONTACT.




9	788862-3
7	788862-2
3	788862-1
FINISH	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.				OWN J. GERACE 15JAN02	 TE Connectivity							
DIMENSIONS:				CHK J. KOPPENHEFFER 15JAN02								
mm		TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD M. WALMSLEY 15JAN02	NAME PT CONNECTOR ASSEMBLY, 30 POSITION, XFP, RTANG, 0.8MM PITCH -							
		9 PLC		±					PRODUCT SPEC			
		3 PLC		±0.10					108-1949			
		3 PLC		±					APPLICATION SPEC			
		4 PLC		±					114-13017			
		ANGLES		±					WEIGHT			
MATERIAL		FINISH		SIZE CAGE CODE DRAWING NO					RESTRICTED TO			
		SEE TABLE		A100779C=788862					-			
CUSTOMER DRAWING				SCALE 8:1					SHEET 1 OF 2		REV G	


LOC		DIST		REVISIONS			
ES	00	F	LYR	DESCRIPTION	DATE	OWN	APVD
				SEE SHEET 1	-	-	-



RECOMMENDED PCB LAYOUT DETAIL
CONNECTOR MOUNTING SIDE
SCALE 8:1



TOP VIEW



BOTTOM VIEW

RECOMMENDED LAYOUT DETAIL
MATING PCB

SCALE 12:1

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	J. GERACE	15JAN02	TE Connectivity		
		CHK	J. KOPPENHEFFER	15JAN02			
		APVD	M. WALMSLEY	15JAN02	NAME		
					PT CONNECTOR ASSEMBLY, 30 POSITION, XFP, RTANG, 0.8MM PITCH		
DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:			PRODUCT SPEC		
mm					108-1949		
					APPLICATION SPEC		
					114-13017		
MATERIAL		FINISH			WEIGHT		
					A100779C=788862		
					CUSTOMER DRAWING		
					SCALE 8:1 SHEET 2 OF 2 REV G1		

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9