

F

E

D

C

B

A

F




E

D

C

B

A



- NOTES:
1. RETRACTORS ARE 100% INSPECTED & PRE-TENSIONED AT FACTORY.
 2. HOUSINGS ARE MADE OF GENERAL PURPOSE ABS TO MEET HARSH INDUSTRIAL ENVIRONMENTS.
 3. ALWAYS READ INSTRUCTIONS MANUAL BEFORE USING RETRACTORS.
 4. RETRACTORS ARE NOT TO BE USED AS BALANCERS THEIR MAIN PURPOSE BEING TO RETRACT A LOAD AND NOT TO BALANCE ONE.
 5. OVERALL DIMENSIONS ARE FOR REFERENCE ONLY.
 6. STANDARD CATALOG RETRACTORS ARE NOT EQUIPED WITH SAFETY CHAIN, BUT IF APPLICATION REQUIRES A SAFETY CHAIN ADD "SC" SUFFIX TO STANDARD BALANCER P/N. EXAMPLE RF6SC. ON MAIN MATERIAL NUMBERS TABLE.
 7. RETRACTORS COME WITH A CLEVIS PIN & A COTTER PIN

RELEASE TO GSM EC NO.: WNA2010-0605 DRWN.: RHOTCA 2010/03/30 CH"KD.: DT APPR.: DTITUS 2010/04/01 A		DESCRIPTION REV	QUALITY SYMBOLS ▽=0 ▽C=0	GENERAL TOLERANCES (UNLESS SPECIFIED)			DIMENSION STYLE IN/MM		SCALE NTS	DESIGN UNITS INCH	◎ □ THIRD ANGLE PROJECTION		
					mm	INCH	DRAWN BY RHOTCA		DATE 2010/03/30			TITLE RF" SERIES OF RETRACTORS ----	
				4 PLACES	±-	±-	CHECKED BY DT		DATE 2010/03/30				
				3 PLACES	±-	±-	APPROVED BY DTITUS		DATE 2010/03/31			moLEX MOLEX INCORPORATED	
				2 PLACES	±-	±-							
1 PLACE	±-	±-	MATERIAL NO. SEE TABLE		DOCUMENT NO. SD-130173-002		SHEET NO. 1 OF 2						
			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			SIZE B	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION						

	10	9	8	7	6	5	4	3	2	1																																																																									
F	<table><tr><td>Material Number:</td><td>Engineering Number:</td><td>Description:</td><td>Weight Range in (KG):</td><td>Cable Travel in (M):</td><td>Weight Range in (LB):</td><td>Cable Travel in (FT):</td><td>Color:</td></tr><tr><td>1301730055</td><td>RF6</td><td>RF6 RETRACTOR[4-6LB/1.8-2.7KG], 6.6FT</td><td>1.8 - 2.7</td><td>2.0</td><td>4.0 - 6.0</td><td>6.6</td><td>PUTTY</td></tr><tr><td>1301730061</td><td>RF8</td><td>RF8 RETRACTOR[6-8LB/2.7-3.6KG], 6.6FT</td><td>2.7 - 3.6</td><td>2.0</td><td>6.0 - 8.0</td><td>6.6</td><td>PUTTY</td></tr><tr><td>1301730069</td><td>RFL6</td><td>RF6 [4-6LB/1.8-2.7KG] W/RATCHET LOCK</td><td>1.8 - 2.7</td><td>2.0</td><td>4.0 - 6.0</td><td>6.6</td><td>PUTTY</td></tr><tr><td>1301730074</td><td>RFL8</td><td>RF8 [6-8LB/2.7-3.6KG] W/RATCHET LOCK</td><td>2.7 - 3.6</td><td>2.0</td><td>6.0 - 8.0</td><td>6.6</td><td>PUTTY</td></tr><tr><td>1301730057</td><td>RF6SC</td><td>RF6 [4-6LB/1.8-2.7KG] W/SAFETY CHAIN</td><td>1.8 - 2.7</td><td>2.0</td><td>4.0 - 6.0</td><td>6.6</td><td>PUTTY</td></tr><tr><td>1301730065</td><td>RF8SC</td><td>RF8 [6-8LB/2.7-3.6KG] W/SAFETY CHAIN</td><td>2.7 - 3.6</td><td>2.0</td><td>6.0 - 8.0</td><td>6.6</td><td>PUTTY</td></tr><tr><td>1301730071</td><td>RFL6SC</td><td>RFL6 [4-6LB/1.8-2.7KG] W/SAFETY CHAIN</td><td>1.8 - 2.7</td><td>2.0</td><td>4.0 - 6.0</td><td>6.6</td><td>PUTTY</td></tr><tr><td>1301730086</td><td>RFL8SC</td><td>RFL8 [6-8LB/2.7-3.6KG] W/SAFETY CHAIN</td><td>2.7 - 3.6</td><td>2.0</td><td>6.0 - 8.0</td><td>6.6</td><td>PUTTY</td></tr></table>										Material Number:	Engineering Number:	Description:	Weight Range in (KG):	Cable Travel in (M):	Weight Range in (LB):	Cable Travel in (FT):	Color:	1301730055	RF6	RF6 RETRACTOR[4-6LB/1.8-2.7KG], 6.6FT	1.8 - 2.7	2.0	4.0 - 6.0	6.6	PUTTY	1301730061	RF8	RF8 RETRACTOR[6-8LB/2.7-3.6KG], 6.6FT	2.7 - 3.6	2.0	6.0 - 8.0	6.6	PUTTY	1301730069	RFL6	RF6 [4-6LB/1.8-2.7KG] W/RATCHET LOCK	1.8 - 2.7	2.0	4.0 - 6.0	6.6	PUTTY	1301730074	RFL8	RF8 [6-8LB/2.7-3.6KG] W/RATCHET LOCK	2.7 - 3.6	2.0	6.0 - 8.0	6.6	PUTTY	1301730057	RF6SC	RF6 [4-6LB/1.8-2.7KG] W/SAFETY CHAIN	1.8 - 2.7	2.0	4.0 - 6.0	6.6	PUTTY	1301730065	RF8SC	RF8 [6-8LB/2.7-3.6KG] W/SAFETY CHAIN	2.7 - 3.6	2.0	6.0 - 8.0	6.6	PUTTY	1301730071	RFL6SC	RFL6 [4-6LB/1.8-2.7KG] W/SAFETY CHAIN	1.8 - 2.7	2.0	4.0 - 6.0	6.6	PUTTY	1301730086	RFL8SC	RFL8 [6-8LB/2.7-3.6KG] W/SAFETY CHAIN	2.7 - 3.6	2.0	6.0 - 8.0	6.6	PUTTY	F
Material Number:	Engineering Number:	Description:	Weight Range in (KG):	Cable Travel in (M):	Weight Range in (LB):	Cable Travel in (FT):	Color:																																																																												
1301730055	RF6	RF6 RETRACTOR[4-6LB/1.8-2.7KG], 6.6FT	1.8 - 2.7	2.0	4.0 - 6.0	6.6	PUTTY																																																																												
1301730061	RF8	RF8 RETRACTOR[6-8LB/2.7-3.6KG], 6.6FT	2.7 - 3.6	2.0	6.0 - 8.0	6.6	PUTTY																																																																												
1301730069	RFL6	RF6 [4-6LB/1.8-2.7KG] W/RATCHET LOCK	1.8 - 2.7	2.0	4.0 - 6.0	6.6	PUTTY																																																																												
1301730074	RFL8	RF8 [6-8LB/2.7-3.6KG] W/RATCHET LOCK	2.7 - 3.6	2.0	6.0 - 8.0	6.6	PUTTY																																																																												
1301730057	RF6SC	RF6 [4-6LB/1.8-2.7KG] W/SAFETY CHAIN	1.8 - 2.7	2.0	4.0 - 6.0	6.6	PUTTY																																																																												
1301730065	RF8SC	RF8 [6-8LB/2.7-3.6KG] W/SAFETY CHAIN	2.7 - 3.6	2.0	6.0 - 8.0	6.6	PUTTY																																																																												
1301730071	RFL6SC	RFL6 [4-6LB/1.8-2.7KG] W/SAFETY CHAIN	1.8 - 2.7	2.0	4.0 - 6.0	6.6	PUTTY																																																																												
1301730086	RFL8SC	RFL8 [6-8LB/2.7-3.6KG] W/SAFETY CHAIN	2.7 - 3.6	2.0	6.0 - 8.0	6.6	PUTTY																																																																												
E											E																																																																								
D											D																																																																								
C											C																																																																								
B											B																																																																								
A	<table><tr><td rowspan="7">RELEASE TO GSM EC NO: WNA2010-0605 DRWN: RHOTCA 2010/03/30 CHKD: DT APPR: DTITUS 2010/04/01</td><td rowspan="7">DESCRIPTION REV</td><td rowspan="7">QUALITY SYMBOLS ▽=0 ▽C=0</td><td colspan="3">GENERAL TOLERANCES (UNLESS SPECIFIED)</td><td colspan="2">DIMENSION STYLE IN/MM</td><td>SCALE NTS</td><td>DESIGN UNITS INCH</td><td rowspan="2"> THIRD ANGLE PROJECTION</td></tr><tr><td></td><td>mm</td><td>INCH</td><td>DRAWN BY RHOTCA</td><td>DATE 2010/03/30</td><td colspan="2" rowspan="2">RF" SERIES OF RETRACTORS ----</td></tr><tr><td>4 PLACES</td><td>±-</td><td>±-</td><td>CHECKED BY DT</td><td>DATE 2010/03/30</td></tr><tr><td>3 PLACES</td><td>±-</td><td>±-</td><td colspan="2" rowspan="2">APPROVED BY DTITUS</td><td rowspan="2">DATE 2010/03/31</td><td rowspan="2"> MOLEX INCORPORATED</td></tr><tr><td>2 PLACES</td><td>±-</td><td>±-</td></tr><tr><td>1 PLACE</td><td>±-</td><td>±-</td><td colspan="2">MATERIAL NO. SEE TABLE</td><td>DOCUMENT NO. SD-130173-002</td><td>SHEET NO. 2 OF 2</td></tr><tr><td>A</td><td colspan="2">DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</td><td>SIZE B</td><td colspan="3">THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION</td></tr></table>										RELEASE TO GSM EC NO: WNA2010-0605 DRWN: RHOTCA 2010/03/30 CHKD: DT APPR: DTITUS 2010/04/01	DESCRIPTION REV	QUALITY SYMBOLS ▽=0 ▽C=0	GENERAL TOLERANCES (UNLESS SPECIFIED)			DIMENSION STYLE IN/MM		SCALE NTS	DESIGN UNITS INCH	THIRD ANGLE PROJECTION		mm	INCH	DRAWN BY RHOTCA	DATE 2010/03/30	RF" SERIES OF RETRACTORS ----		4 PLACES	±-	±-	CHECKED BY DT	DATE 2010/03/30	3 PLACES	±-	±-	APPROVED BY DTITUS		DATE 2010/03/31	MOLEX INCORPORATED	2 PLACES	±-	±-	1 PLACE	±-	±-	MATERIAL NO. SEE TABLE		DOCUMENT NO. SD-130173-002	SHEET NO. 2 OF 2	A	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SIZE B	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			A																									
RELEASE TO GSM EC NO: WNA2010-0605 DRWN: RHOTCA 2010/03/30 CHKD: DT APPR: DTITUS 2010/04/01	DESCRIPTION REV	QUALITY SYMBOLS ▽=0 ▽C=0	GENERAL TOLERANCES (UNLESS SPECIFIED)			DIMENSION STYLE IN/MM		SCALE NTS	DESIGN UNITS INCH	THIRD ANGLE PROJECTION																																																																									
				mm	INCH	DRAWN BY RHOTCA	DATE 2010/03/30	RF" SERIES OF RETRACTORS ----																																																																											
			4 PLACES	±-	±-	CHECKED BY DT	DATE 2010/03/30																																																																												
			3 PLACES	±-	±-	APPROVED BY DTITUS		DATE 2010/03/31	MOLEX INCORPORATED																																																																										
			2 PLACES	±-	±-																																																																														
			1 PLACE	±-	±-	MATERIAL NO. SEE TABLE		DOCUMENT NO. SD-130173-002	SHEET NO. 2 OF 2																																																																										
			A	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SIZE B	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																																																																												
	10	9	8	7	6	5	4	3	2	1																																																																									

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9