



REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	T3	REVISED PER ECO-11-004587	11MAR11	RK	HMR
	U	REVISED PER ECO-17-002583	08APR2017	RS	MM



1. .00038[.000015] GOLD IN THE CONTACT AREA,
.00254[.000100] MATTE TIN-LEAD ON REMAINDER OF CONTACT,
ALL OVER .00127[.000050] NICKEL.
2. POINT OF MEASUREMENT FOR PLATING THICKNESS.
3. THE NOTED DIMENSIONS APPLY AT THE INTERSECTION
OF THE POST AND THE HOUSING.
4. ON ASSEMBLIES WITH FOUR OR MORE POSITIONS,
TWO POLARIZATION SLOTS.
ON ASSEMBLIES WITH TWO OR THREE POSITIONS,
ONE POLARIZATION SLOT.
5. AMP TRADEMARK MOLDED ON THIS SURFACE.
6. FOR USE WITH 1.57±0.20[.062±.008] PRINTED CIRCUIT BOARD.
7. .00038[.000015] GOLD IN THE CONTACT AREA,
.00254[.000100] MATTE TIN ON REMAINDER OF CONTACT,
ALL OVER .00127[.000050] NICKEL.
8. PRELIMINARY PART – NOT RELEASED FOR PRODUCTION.
9. HIGH TEMPERATURE CONFIGURATION.
10. OBSOLETE PARTS: OBSOLETE CIS STREAMLINING PER D.RENAUD/D.SINISI



RECOMMENDED HOLE LAYOUT

SEE SHEET 2 FOR PART NUMBER TABLES

THIS DRAWING IS A CONTROLLED DOCUMENT.			DWN S. SHUEY	05MAR91	 TE Connectivity									
			CHK J. GESFORD	05MAR91										
DIMENSIONS: mm [INCHES]		TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD J. GESFORD	05MAR91	NAME	HDR ASSY, RTANG, SINGLE ROW 2.54[.100] C/L 0.641[.025] SQ. POST. WITH PLZN & HOLD DOWNS, AMPMODU MTE							
		0 P/LC ± -		PRODUCT SPEC		SIZE A1			CAGE CODE 00779		DRAWING NO 103673		RESTRICTED TO -	
		1 P/LC ± -		108-25034										
		2 P/LC ± 0.1%[.005]		APPLICATION SPEC										
		4 P/LC ± -		114-25026										
MATERIAL -		FINISH SEE TABLE		WEIGHT										
				CUSTOMER DRAWING		SCALE 4:1								
						SHEET 1 OF 2								
						REV U								

8

7

6

5

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

ALL RIGHTS RESERVED.

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
		SEE SHEET 1	-	-	-

△9	△7	64.01 [2.520]	65.91 [2.595]	24	25	7-103673-4	OBSOLETE	△10
△9	△7	61.47 [2.420]	63.37 [2.495]	23	24	7-103673-3		
△9	△7	58.93 [2.320]	60.83 [2.395]	22	23	7-103673-2	OBSOLETE	△10
△9	△7	56.39 [2.220]	58.29 [2.295]	21	22	7-103673-1	OBSOLETE	△10
△9	△7	53.85 [2.120]	55.75 [2.195]	20	21	7-103673-0	OBSOLETE	△10
△9	△7	51.31 [2.020]	53.21 [2.095]	19	20	6-103673-9		
△9	△7	48.77 [1.920]	50.67 [1.995]	18	19	6-103673-8	OBSOLETE	△10
△9	△7	46.23 [1.820]	48.13 [1.895]	17	18	6-103673-7	OBSOLETE	△10
△9	△7	43.69 [1.720]	45.59 [1.795]	16	17	6-103673-6		
△9	△7	41.15 [1.620]	43.05 [1.695]	15	16	6-103673-5		
△9	△7	38.61 [1.520]	40.51 [1.595]	14	15	6-103673-4		
△9	△7	36.07 [1.420]	37.97 [1.495]	13	14	6-103673-3		
△9	△7	33.53 [1.320]	35.43 [1.395]	12	13	6-103673-2	OBSOLETE	△10
△9	△7	30.99 [1.220]	32.89 [1.295]	11	12	6-103673-1		
△9	△7	28.45 [1.120]	30.35 [1.195]	10	11	6-103673-0		
△9	△7	25.91 [1.020]	27.81 [1.095]	9	10	5-103673-9		
△9	△7	23.37 [.920]	25.27 [0.995]	8	9	5-103673-8		
△9	△7	20.83 [.820]	22.73 [.895]	7	8	5-103673-7		
△9	△7	18.29 [.720]	20.19 [.795]	6	7	5-103673-6		
△9	△7	15.75 [.620]	17.65 [.695]	5	6	5-103673-5		
△9	△7	13.21 [.520]	15.11 [.595]	4	5	5-103673-4		
△9	△7	10.67 [.420]	12.57 [.495]	3	4	5-103673-3		
△9	△7	8.13 [.320]	10.03 [.395]	2	3	5-103673-2		
△9	△7	5.59 [.220]	7.49 [.295]	1	2	5-103673-1		
REMARKS	PLATING	C	B	A	NO. OF POSN	PART NO.		

△8

△8

△9

△7	41.15 [1.620]	43.05 [1.695]	15	16	2-103673-6	
△7	18.29 [.720]	20.19 [.795]	6	7	2-103673-5	
△1	64.01 [2.520]	65.91 [2.595]	24	25	2-103673-4	
△1	61.47 [2.420]	63.37 [2.495]	23	24	2-103673-3	
△1	58.93 [2.320]	60.83 [2.395]	22	23	2-103673-2	OBSOLETE
△1	56.39 [2.220]	58.29 [2.295]	21	22	2-103673-1	
△1	53.85 [2.120]	55.75 [2.195]	20	21	2-103673-0	OBSOLETE
△1	51.31 [2.020]	53.21 [2.095]	19	20	1-103673-9	
△1	48.77 [1.920]	50.67 [1.995]	18	19	1-103673-8	OBSOLETE
△1	46.23 [1.820]	48.13 [1.895]	17	18	1-103673-7	
△1	43.69 [1.720]	45.59 [1.795]	16	17	1-103673-6	
△1	41.15 [1.620]	43.05 [1.695]	15	16	1-103673-5	
△1	38.61 [1.520]	40.51 [1.595]	14	15	1-103673-4	
△1	36.07 [1.420]	37.97 [1.495]	13	14	1-103673-3	
△1	33.53 [1.320]	35.43 [1.395]	12	13	1-103673-2	OBSOLETE
△1	30.99 [1.220]	32.89 [1.295]	11	12	1-103673-1	
△1	28.45 [1.120]	30.35 [1.195]	10	11	1-103673-0	
△1	25.91 [1.020]	27.81 [1.095]	9	10	103673-9	
△1	23.37 [.920]	25.27 [0.995]	8	9	103673-8	
△1	20.83 [.820]	22.73 [.895]	7	8	103673-7	
△1	18.29 [.720]	20.19 [.795]	6	7	103673-6	
△1	15.75 [.620]	17.65 [.695]	5	6	103673-5	
△1	13.21 [.520]	15.11 [.595]	4	5	103673-4	
△1	10.67 [.420]	12.57 [.495]	3	4	103673-3	
△1	8.13 [.320]	10.03 [.395]	2	3	103673-2	
△1	5.59 [.220]	7.49 [.295]	1	2	103673-1	
REMARKS	PLATING	C	B	A	NO. OF POSN	PART NO.

4805 (1/15)

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
mm [INCHES]

0

1

2

3

4

PLC
PLC
PLC
PLC
PLC

± -
± -
± 0.13[.005]
± -
± -

ANGLES
± -

MATERIAL

-

SEE TABLE

DWN
S. SHUEY

OSMAR91

CHK
J. GESFORD

OSMAR91

APVD
J. GESFORD

OSMAR91

NAME

HDR ASSY, RTANG, SINGLE ROW
2.54[.100] C/L 0.641[.025] SQ. POST,
WITH PLZN & HOLD DOWNS, AMPMODU MTE

PRODUCT SPEC

108-25034

APPLICATION SPEC

114-25026

SIZE

A1

CAGE CODE

00779

DRAWING NO

103673

RESTRICTED TO

-

WEIGHT

CUSTOMER DRAWING

SCALE

4:1

SHEET

2

OF

2

REV

U

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9