

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT

ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS


P	LTR	DESCRIPTION	DATE	DWN	APVD
	B1	ECR-14-001601	04FEB2014	GK	HMR

REPLACED BY OCEAN STYLE APPLICATOR PART
NUMBER 2151749-1

FOR REPLACEMENT PARTS FOR APPLICATOR 1855224
REFER TO ADDITIONAL PAGE(S). SPARE PARTS KIT (IF LISTED)
WILL REMAIN AVAILABLE.

THE REPLACEMENT OCEAN STYLE APPLICATOR HAS THE
SAME TERMINATOR/PRESS INTERFACE AS APPLICATOR
1855224

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	GOPALAKRISHNA HV		
		CHK	RAGHAVENDRA		
		APVD	RAGHAVENDRA		
		PRODUCT SPEC			
		APPLICATION SPEC			
		WEIGHT			
		CUSTOMER DRAWING			SCALE
		SHEET 1 OF 2			REV B1

DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:	
		0 PLC	±
		1 PLC	±
		2 PLC	±
		3 PLC	±
		4 PLC	±
		ANGLES	±
MATERIAL		FINISH	


NAME		FINE ADJUST SIDE FEED HDM APPLICATOR	
SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A3		©- 1855224	

TE Connectivity	
-----------------	--

PART NUMBER		REV	FIRST USED	POWER UNIT	FEED TYPE	DESCRIPTION
1855224-1	B	122500-1	LEADMAKER	POST FEED	CUTS CARRIER	
1855224-2	B	565435-5	BENCH MODEL K	PRE FEED	CUTS CARRIER	
1855224-3	B	354500-1	BENCH MODEL G	PRE FEED	CUTS CARRIER	
1855224-6	B	122500-1	LEADMAKER	POST FEED	CONTINUOUS CARRIER	
7-1855224-7	A	-	-	-	-	SPARE PARTS


- △ RECOMMENDED SPARE PARTS
△ GREASE LIGHTLY
△ GUARD MUST BE IN PLACE WHEN OPERATING APPLICATOR IN A BENCH MACHINE

*** WARNING**
ON INSTALLATION, SET WIRE DISC TO LARGEST WIRE SIZE SETTING. USE OF SETTINGS BELOW MIN. REQUIRED CRIMP HEIGHT SETTING WILL CAUSE DAMAGE TO CRIMP TOOLING.




TERMINAL NAME: 480 FEMALE TERMINAL			
TERM PN	MFR PN	PACKARD TERMINAL-PACKARD CRIMP SPECS	
1572145	12015860		
2-1393884-2	-	CRIMP HEIGHT	WIRE SIZE
-	-	1.40±0.05mm [.055±.002]	1mm2
-	-	1.35±0.05mm [.053±.002]	18AWG or 0.8mm2
-	-	1.25±0.05mm [.049±.002]	0.5mm2
-	-	-	-
-	-	CRIMP	SIZE TYPE RANGE
-	-	WIRE	2.39mm [.094] F 0.5-0.8mm2 OR 18
-	-	INSUL	3.43mm [.135] O .080-.123
WIRE STRIP LENGTH 5.16-5.94mm	TERM APPL SPEC NONE	FEED 15.24mm	APPLICATOR INSTRUCTIONS 408-8040 SET UP GAGE 458637-1

LOC		DIST		REV		DESCRIPTION		DATE	BY	APPV
A	66	P	LTR	1	RELEASED	29MAR2007	J.K.	-		
		A	RELEASED	18APR2007	BH	BH				
		B	ECR-07-012228	23MAY2007	MY	GB				



△	-	-	-	REF	-	..	455749-1	GUARD WINDOW	116
3	-	-	REF	-	-	..	679532-1	INSERT, GUARD	115
	-	1	1	1	1	-	1-21002-7	SCR, BTN SKT HD CAP 6-32 X .375	91
	-	1	1	1	1	-	318563-1	GUARD, FRONT CHIP	89
	-	1	1	1	1	-	4088040	SF APPL INST 408-8040	72
	-	1	1	1	1	-	217238-1	GENERAL INSTRUCTION PKG	71
	-	1	1	1	1	-	461264-5	PLATE, IDENTIFICATION	67
	-	2	2	2	2	-	21017-2	SCREW, DRIVE	66
	-	1	1	1	1	-	21009-2	SCR, SET, SELF LOCKING 1/4-20 X .250	63
	-	1	1	1	1	-	22733-8	SCR, BHSC, SELF-LOCKING, 8-32 X .375	60
	-	1	1	1	1	-	2-22603-0	SCR, HEX HD CAP 8-32 X .312	59
	-	1	1	1	1	-	458537-2	PAWL, FEED	56
	-	4	4	4	4	-	2-21002-2	SCR, BTN SKT HD CAP 8-32 X .500	54
	-	2	2	2	2	-	2-21000-7	SCR, SKT HD CAP 8-32 X .500	53
	-	1	1	1	1	-	21018-5	NUT, HEX, REG 6-32	52
	-	1	1	1	1	-	811242-2	BUMPER, HOLD DOWN	51
	-	1	1	1	1	-	690753-1	SPACER, TONKER	50
	-	-	-	-	-	..	690602-6	CAM, PRE FEED, 1 5/8	49
	-	-	-	-	-	..	690602-5	CAM, PRE FEED, 1 1/8	48
	-	1	-	-	-	-	690501-4	CAM, POST FEED, 1 5/8	47
	-	1	1	1	1	-	459456-1	APPL. BASIC SUB ASSY (SIDE WISE MOCA)	46
	-	1	1	1	1	-	690191-1	PLUG, NYLON	45
	-	1	1	1	1	-	819307-1	RAM, SIDE FEED	44
	-	1	1	1	1	-	7-21002-9	SCR, BTN SKT HD CAP 5/16-24 X 1.00	41
	-	1	1	1	1	-	690125-1	SHIM SUB-ASSY	39
	-	1	1	1	1	-	1-469367-2	SHIM	38
	-	1	1	1	1	-	879103-3	FINE ADJUST HEAD ASSEMBLY	37
	-	1	1	1	1	-	690786-1	TERMINAL SUPPORT	34
	-	2	2	2	2	-	2-21002-4	SCR, BTN SKT HD CAP 8-32 X .750	33
	-	1	1	1	1	-	21024-5	WASHER, SPRG LOCK, REG NO 10	32
	-	1	1	1	1	-	3-21000-4	SCR, SKT HD CAP 10-32 X .375	31
	-	1	1	1	1	-	1-1320908-0	SPACER, STRIP GUIDE	30
	-	1	1	1	1	-	1633091-1	ASSEMBLY, STRIP GUIDE	29
	-	1	1	1	1	-	455888-9	SPACER, CRIMPER	28
	-	1	1	1	1	-	1320928-2	PLATE, STRIP GUIDE	24
	-	1	-	-	-	-	690472-2	STRIPPER	22
	-	1	1	1	1	-	2-21000-7	SCR, SKT HD CAP 8-32 X .500	21
	-	4	4	4	4	-	21024-4	WASHER, SPRG LOCK, REG NO 8	20
	-	-	-	-	-	-	691353-1	STRIPPER	19
△	-	1	-	-	-	-	679625-1	SHEAR HOLDER, FRONT (NO CUT)	17
	-	1	1	1	1	-	3-22280-3	SPRING, COMPRESSION	12
	-	1	1	1	1	-	690461-1	STOP, SHEAR	11
△	-	-	-	-	-	-	690459-1	SHEAR HOLDER, FRONT	10
△	-	1	1	1	1	-	454276-1	FLOATING SHEAR, FRONT	9
△	1	1	1	1	1	-	1-1424534-8	ANVIL, COMBINATION	8
	-	1	1	1	1	-	1-240641-7	SPACER	7
	-	1	1	1	1	-	1-455889-8	DEPRESSOR, SHEAR	5
	-	1	1	1	1	-	3-238011-1	BLOCK, CRIMPER SPACER	4
△	1	1	1	1	1	-	7-683453-6	CRIMPER, INSULATION PREMIUM	3
	-	1	1	1	1	-	1-455888-1	SPACER, CRIMPER	2
△	1	1	1	1	1	-	2-1490019-6	CRIMPER, WIRE PREMIUM	1



DIMENSIONS: INCHES		TOLERANCES UNLESS OTHERWISE SPECIFIED:		PRODUCT SPEC		APPLICATION SPEC	
0 PLC		±.01		-		-	
1 PLC		±.01		-		-	
2 PLC		±.01		-		-	
3 PLC		±.001		-		-	
4 PLC		±.001		-		-	
ANGLES		°		-		-	
FINISH		-		-		-	
MATERIAL		-		-		-	
WEIGHT		-		-		-	
CUSTOMER DRAWING		-		-		-	

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9