






REVISIONS					
#	LYR	DESCRIPTION	DATE	DWN	APVD
F34		REVISED PER ECO-17-007768	30MAY2017	DLD	DCM
F35		REVISED PER ECO-17-014872	24OCT2017	JMS	CM
F36		REVISED PER ECO-18-005691	16APR2018	JMS	CM
F37		ECO-18-013134	13SEP2018	KP	CM



1. PRINT PART NUMBER (5S4T-14A464-L*-***, 5S4T-14A464-M*-***, 5S4T-14A464-N*-***) AND TRACEABILITY (YY : 2 DIGIT YEAR, JJJ = JULIAN DATE, HH = 2 DIGIT MILITARY HOUR CODE IN THE LOCATION AT ASSEMBLY. SEE SHEET 3 THRU 7 (-*)) PART NUMBERS.
2. APPLICABLE MOLEX (1.5) POWER TERMINAL PART NUMBERS:
33012-0002 TIN 0.50-1.50mm²
3. CAM LEVER AND SPACER ARE SHIPPED IN THEIR PRE-ASSEMBLED POSITIONS.
4. REFERENCE TE CONNECTIVITY INSTRUCTION SHEET 408-8893.
5. COMPANY LOGO.





APPLICABLE COMPONENTS (FOR REFERENCE ONLY)						
DESCRIPTION	NOMINAL TERMINAL SIZE	COLOR/ PLATING	FORD COMPONENT PART NUMBER	SUPPLIER PART NUMBER	MATERIAL/SPECIFICATION NUMBER	SAE WIRE SIZE
TERMINAL - FEMALE (Ag)	0.64 (CAT. 0)	SILVER	7S4T-14474-AA	I393366-2	COPPER ALLOY/SILVER PLATE	20AWG
						18AWG
TERMINAL - FEMALE (Ag)	0.64 (CAT. 0)	SILVER	7S4T-14474-BA	I393367-2	COPPER ALLOY/SILVER PLATE	22AWG
TERMINAL - FEMALE (Sn)	0.64 (CAT. 0)	TIN	1L2T-14474-AA	I393366-1	COPPER ALLOY/TIN PLATE	20AWG
						18AWG
TERMINAL - FEMALE (Sn)	0.64 (CAT. 0)	TIN	1L2T-14474-BA	I393367-1	COPPER ALLOY/TIN PLATE	22AWG
TERMINAL - FEMALE (Au)	0.64 (CAT. 0)	GOLD	1L2T-14474-CA	I393365-1	COPPER ALLOY/GOLD PLATE	20AWG
						18AWG
TERMINAL - FEMALE (Au)	0.64 (CAT. 0)	GOLD	1L2T-14474-DA	I393364-1	COPPER ALLOY/GOLD PLATE	22AWG


ANY DESIGN CHANGES ON THIS ASSEMBLY MAY ALSO BE REQUIRED ON ASSEMBLY DRAWING 1438691

THIS DRAWING IS A CONTROLLED DOCUMENT.			SEE TABLES SHEETS 3 THRU 7 PART NUMBER	
DWN R. VESTAL 15APR2005 CHK T. VALASEK 15APR2005 APVD T. VALASEK 15APR2005			NAME 50-WAY HARNESS ASSEMBLY, PCM	
DIMENSIONS: mm TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±.3 1 PLC ±0.10 2 PLC ±.1 3 PLC ±.1 4 PLC ±.1 ANGLES ±1°			PRODUCT SPEC APPLICATION SPEC WEIGHT CUSTOMER DRAWING	
MATERIAL FINISH			SIZE A100779C=1438129 CAGE CODE DRAWING NO RESTRICTED TO	
			SCALE 1:1 SHEET 1 OF 10 REV F37	


REVISIONS					
P	LYR	DESCRIPTION	DATE	DWN	APVD
-	-	SEE SHEET 1	-	-	-




1438129-1
KEYING OPTION "A"




1438129-2
KEYING OPTION "B"




1438129-3
KEYING OPTION "C"



1438129-4
KEYING OPTION "D"



1438129-5
KEYING OPTION "E"



1438129-6
KEYING OPTION "F"

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN R. VESTAL	15APR2005	TE Connectivity	NAME 50-WAY HARNESS ASSEMBLY, PCM
DIMENSIONS:		CHK T. VALASEK	15APR2005		
mm		APVD T. VALASEK	15APR2005		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		PRODUCT SPEC			
0 PLC ±		APPLICATION SPEC		SIZE	CAGE CODE
1 PLC ±0.3				A1	00779
2 PLC ±0.10		WEIGHT		SCALE	2:1
3 PLC ±		CUSTOMER DRAWING		SHEET	2
4 PLC ±				OF	10
ANGLES ±°				REV	F37
FINISH					

CSIAL	15APR2005	 TE Connectivity				
ALASEK	15APR2005					
ALASEK SPEC	15APR2005					
ION SPEC		NAME	50-WAY HARNESS ASSEMBLY, PCM -			
-	SIZE	CAGE CODE	DRAWING NO		RESTRICTED TO	
ER DRAWING		A1	00779	C=1438129	-	
SCALE		1:1		SHEET	3	OF 10
REV		F37				

KEYING OPTION B

CAVITIES WITH A NUMERIC SYMBOL INDICATES CLOSED TERMINAL LOCATIONS

BLANK CAVITIES INDICATES OPEN TERMINAL LOCATIONS

TERMINAL HOLE POSITION

5S4T-14A464-M* PIN-OUT CHART

REVISIONS				
#	LYR	DESCRIPTION	DATE	DWN
-	-	SEE SHEET 1	-	-

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN
R. VESTAL

CHK
T. VALASEK

APVD
T. VALASEK

15APR2005

15APR2005

15APR2005

DIMENSIONS:
mm

0 PLC
1 PLC
2 PLC
3 PLC
4 PLC

±0.3
±0.10
±
±

ANGLES
FINISH

±1°

MATERIAL

-
-

TOLERANCES UNLESS OTHERWISE SPECIFIED:

±0.3
±0.10
±
±

ANGLES
FINISH

±1°

WEIGHT

-

PRODUCT SPEC

-

APPLICATION SPEC

-

CUSTOMER DRAWING

-

NAME

50-WAY HARNESS ASSEMBLY, PCM

SIZE

CAGE CODE

DRAWING NO

100779

RESTRICTED TO

-

SCALE

1:1

SHEET

4

OF

10

REV

F37

4805 (3/13)

REVISIONS				
#	LYR	DESCRIPTION	DATE	DWN
-	-	SEE SHEET 1	-	-

KEYING OPTION C

CAVITIES WITH A NUMERIC SYMBOL INDICATES CLOSED TERMINAL LOCATIONS

BLANK CAVITIES INDICATES OPEN TERMINAL HOLE LOCATIONS

TERMINAL HOLE POSITION

5S4T-14A464-N* PIN-OUT CHART

ASSEMBLY PART NUMBER

FORD PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
mm

MATERIAL
-
-

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ±.3
1 PLC ±0.3
2 PLC ±0.10
3 PLC ±.
4 PLC ±.
ANGLES ±1°
FINISH
-

DWN R. VESTAL 15APR2005
CHK T. VALASEK 15APR2005
APVD T. VALASEK 15APR2005

PRODUCT SPEC
-
APPLICATION SPEC
-
WEIGHT
-

CUSTOMER DRAWING

TE Connectivity

NAME
50-WAY HARNESS ASSEMBLY, FCM
-

SIZE
A1

CAGE CODE
100779

DRAWING NO
C=1438129

RESTRICTED TO
-

SCALE
1:1

SHEET
6

OF
10

REV
F37

4805 (3/13)

REVISIONS				
#	LYR	DESCRIPTION	DATE	DWN
-	-	SEE SHEET 1	-	-

KEYING OPTION C

CAVITIES WITH A NUMERIC SYMBOL INDICATES CLOSED TERMINAL LOCATIONS

BLANK CAVITIES INDICATES OPEN TERMINAL HOLE LOCATIONS

TERMINAL HOLE POSITION

5S4T-14A464-N* PIN-OUT CHART

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
mm

MATERIAL
-
-

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ±.3
1 PLC ±0.10
2 PLC ±.1
3 PLC ±.
4 PLC ±.
ANGLES ±1°
FINISH
-
-

DWN R. VESTAL 15APR2005
CHK T. VALASEK 15APR2005
APVD T. VALASEK 15APR2005

PRODUCT SPEC
-
APPLICATION SPEC
-
WEIGHT
-
CUSTOMER DRAWING

TE Connectivity

NAME
50-WAY HARNESS ASSEMBLY, PCM
-

SIZE
A1

CAGE CODE
100779

DRAWING NO
C=1438129

RESTRICTED TO
-

SCALE
1:1

SHEET
7

OF
10

REV
F37


4805 (3/13)

P		LYR	DESCRIPTION	DATE	DWN	APVD
	-		SEE SHEET I	-	-	-



KEYING OPTION C

[illegible]


THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN R. VESTAL 15APR2005 CHK T. VALASEK 15APR2005 APVD T. VALASEK 15APR2005		 TE Connectivity	
DIMENSIONS: mm		TOLERANCES, UNLESS OTHERWISE SPECIFIED: 0 PLC ±. 1 PLC ±0.3 2 PLC ±0.10 3 PLC ±. 4 PLC ±. ANGLES ±1°		NAME 50-WAY HARNESS ASSEMBLY, PCM	
		PRODUCT SPEC APPLICATION SPEC		SIZE CAGE CODE DRAWING NO A100779C1438129	
MATERIAL FINISH		WEIGHT		RESTRICTED TO	
- - -		- - -		- - -	
CUSTOMER DRAWING				SCALE 1:1 SHEET 8 OF 10 REF 37	



SCALE 2:1




SECTION B-B



DETAIL E
SCALE 8:1

NOTES: UNLESS OTHERWISE SPECIFIED

- GENERAL TOLERANCE:
±0.3 ALL ONE PLACE DIMENSIONS
±0.10 ALL TWO PLACE DIMENSIONS
±1°00' ALL ANGULAR DIMENSIONS
- DRAFT ANGLE PERMISSIBLE ONLY WITHIN DRAWING TOLERANCE.
- SEALING SURFACE, NO WITNESS LINES OR DAMAGE PERMITTED.
- ALL UNMARKED RADIUS TO BE 0.5 MAX., UNLESS OTHERWISE SPECIFIED.
- VENT HOLE SIZE AND LOCATION IS OPTIONAL.
- THIS AREA TO REMAIN CLEAR FOR THE HARNESS ASSEMBLY.
- TERMINAL POSITION IDENTIFICATION.
- MATES WITH TYCO ELECTRONICS PART NUMBERS 1438129-★ & 1438950-★












SECTION A-A

THIS DRAWING IS A CONTROLLED DOCUMENT.				REVISIONS			
DWN R. VESTAL		15APR2005		P	LYR	DESCRIPTION	DATE
CMY T. VALASEK		15APR2005		-	-	SEE SHEET 1	DWN
APVD T. VALASEK		15APR2005		-	-		APVD
DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME			
mm		0 PLC ±.3		50-WAY HARNESS ASSEMBLY, PCM			
1 PLC ±0.10		2 PLC ±.3		SIZE			
3 PLC ±.3		4 PLC ±.3		CAGE CODE			
MATERIAL		FINISH		DRAWING NO			
-		-		A100779C=1438129			
-		-		RESTRICTED TO			
CUSTOMER DRAWING		WEIGHT		SCALE			
-		-		1:1			
				SHEET 9 OF 10			
				REV F37			

HEADER INTERFACE KEYING OPTIONS

REVISIONS					
#	LYR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN R. VESTAL CHK T. VALASEK APVD T. VALASEK	15APR2005 15APR2005 15APR2005
DIMENSIONS: mm		NAME 50-WAY HARNESS ASSEMBLY, PCM	
TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± 1 PLC ±0.3 2 PLC ±0.10 3 PLC ± 4 PLC ± ANGLES ±°		PRODUCT SPEC APPLICATION SPEC WEIGHT CUSTOMER DRAWING	
MATERIAL -		SIZE A100779	
SCALE 1:1		SHEET 10 OF 10	
REV F37		RESTRICTED TO -	

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9