THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION -.- .
© COPYRIGHT - BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC	DIST
A	66

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	AC	ECR-08-012261	5-2008	MY	TE

PART NUMBER	REV	FIRST USED	
853358-1	AC	-	CLS/AOM
853358-2	AC	-	K UNIT
853358-3	AC	-	G-TERM
853358-4	AC	-	LM-40 7
853358-5	AC	-	CLS/AOM 7
853358-6	AC	-	AMP ARA

1 RECOMMENDED SPARE PARTS.

2 ITEM NOT SHOWN. (SEE A.I.SHEET 8095)

3 TOL ±.25

4 THIS KIT IS REQUIRED TO RUN THIS APPLICATOR ON THE AMPOMATOR.

5 USE SEALANT PN 1-23419-5 AS SHOWN.

7 AFTER QUALIFICATION, DRILL AND PIN ITEM 2 TO ITEM 1 USING ITEM 172, 2 PLACES. (-4 & -5 ONLY)

8. SPRING LOADED TONKER (P/N 354853-1) MUST BE USED WHEN RUNNING THE APPLICATOR ON A LEADMAKER.

CRIMPING DATA				THIS APPLICATOR WILL APPLY
PAD LETTER	CRIMP HEIGHT	WIRE SIZE	STRIP LENGTH	TERMINAL P/N
A	.060	#16		520973
B	.053	#18		520982
C	.049	#20		521086
D	-	NOT USED	-	521149
CRIMP	SIZE TYPE	FEED		521225
WIRE	.090 F	.770		521284
INSL.	.140 F			521369
INSULATION RANGE	WIRE RANGE	SET UP GAGE -		521838
.090-.130	20-16	AI 8095 & 8098		521830
TERM APPL SPEC		114-2124		

QTY REQD PER ASSY							PARTS LIST		
-6	-5	-4	-3	-2	-1	U/M	PART NO	DESCRIPTION	ITEM NO
1	1	1	1	1	1	-	986950-1	WASHER, FLAT PRECISION	182
2	2	2	2	2	2	-	2-354779-2	PIN, WIRE DISC (.3100)C	181
2	2	2	2	2	2	-	1-354779-6	PIN, WIRE DISC (.3070)B	180
2	2	2	2	2	2	-	354779-1	PIN, WIRE DISC (.2995)A	179
-	-	1	-		-	-	852289-3	AIR FEED ASSY	178
-	-	1	-	-	-	-	23054-1	VALVE, FLOW CONTROL	177
-	-	-	REF	-	-	-	679532-1	GUARD, INSERT	176
2	2	2	2	2	2	-	21026-4	WASHER, STAR	175
									174
									173
-	2	2	-	-	-	-	21029-5	PIN, SLOTTED SPRING	172
2	2	2	2	2	2	-	21017-2	SCR.,DRIVE 2 X.19	171
1	1	1	1	1	1	-	461264-1	TAG, IDENTIFICATION	170
REF	REF	REF	REF	-	REF	-	852918-1	KIT,A.O.M.	169
-	-	-	-	1	-	-	28582-1	LUBRICATOR	168
-	-	-	-	2	-	-	22311-2	NIPPLE	167
-	-	-	-	1	-	-	28580-1	FILTER, MINATURE	166
-	-	-	-	1	-	-	23791-2	TEE, FEMALE BRANCH	165
-	-	-	-	1	-	-	22307-1	BUSHING, PIPE FITTING	164
									163
									162
2	2	2	2	1	2	-	26108-1	BODY,QUICK CONNECT	161
2	2	2	2	1	2	-	19832-1	TIE,WIRE	160
									159
									158
2	2	2	2	2	2	-	4-21000-3	SHCS, 10-32 X 2.00	157
2	2	2	2	2	2	-	21024-5	WASHER, LOCK, #10	156
									155
68	68	87	68	68	68	IN	27319-4	TUBING,NYLON .250 DIA	154
2	2	2	2	1	2	-	23238-1	INSERT,COUPLING	153
									152
-	-	-	-	1	-	-	455755-8	GUARD ASS'Y	151
									150
1	1	1	1	1	1	-	1-21018-6	NUT, HEX, 5/16-24	149
-	-	-	1	-	1	-	22374-7	VALVE, QUICK EXHAUST	148
									147
									146
1	1	1	1	1	1	-	21007-8	SCR,SOC.SET(1/4-20X.63)	145
1	1	1	1	1	1	-	459610-3	MOUNT,FEED BRACKET	144
1	1	1	1	1	1	-	23241-6	BALL,STEEL	143
1	1	1	1	1	1	-	690603-1	SPRING,ASSIST	142
1	1	1	1	1	1	-	690170-1	SPRING, COMPRESSION	141
5	5	5	5	5	5	-	1-21002-6	SCR,SOC HD CP 6-32 X .25	71
									72
1	1	1	1	1	1	-	4-22279-9	SPRING, COMP. LC-026B-9	73
1	1	1	1	1	1	-	852247-2	SLIDE,STRIPPER	74
									75
									76
3	3	3	3	2	3	-	980285-2	ELBOW,MALE,SWIVEL 1/8 X .25T	78
2	2	2	2	2	2	-	980282-3	CONNECTOR, MALE 1/8NPT X .25	80
									81
									82
									83
1	1	1	1	1	1	-	4-21000-5	SCR.,SOC HD 10-32 UNF X .50	101
1	1	1	1	1	1	-	454220-1	CAP, RAM	100
1	1	1	1	1	1	-	4-456406-7	CRIMPER, WIRE	99
1	1	1	1	1	1	-	4-683453-5	CRIMPER,INS "F"	98
1	1	1	1	1	1	-	238009-8	BLOCK, CRIMPER SPACER	97
									96
1	1	1	1	1	1	-	7-21002-7	SCR.,BUT. HD.5/16 UNF-24 X .75	95
1	-	-	-	-	-	-	354385-3	PNEUMATIC ASSY	94
1	1	1	1	1	1	-	1-22183-7	PIN, GROOVE TYP 67 .125 DIA X .63	93
1	1	1	1	1	1	-	2-22286-2	SPRING, EXT. LE-031B-2	92
1	1	1	1	1	1	-	1-21919-1	PIN,DOWEL .094 DIA X .375	91
1	1	1	1	1	1	-	852281-2	ROLLER	90
-	1	1	1	1	1	-	354385-2	PNEUMATIC ASSY	89
1	1	1	1	1	1	-	852287-1	PLATE, RETAINER	88
1	1	1	1	1	1	-	852286-1	LATCH, INSERT	87
2	2	2	2	2	2	-	852521-1	PIN, DOWEL MOD. .094 DIA X .49	86
1	1	1	1	1	1	-	852284-1	ARM, LATCH	85
1	1	1	1	1	1	-	1-21030-7	PIN, DOWEL .188 DIA X 1.50	84
									83
									82
									81
2	2	2	2	2	2	-	980282-3	CONNECTOR, MALE 1/8NPT X .25	80
									79
3	3	3	3	2	3	-	980285-2	ELBOW,MALE,SWIVEL 1/8 X .25T	78
									77
									76
									75
1	1	1	1	1	1	-	852247-2	SLIDE,STRIPPER	74
1	1	1	1	1	1	-	4-22279-9	SPRING, COMP. LC-026B-9	73
									72
5	5	5	5	5	5	-	1-21002-6	SCR,SOC HD CP 6-32 X .25	71
									70
									69
									68
1	1	1	1	1	1	-	852246-1	CAM,VALVE	67
									66
1	1	1	1	1	1	-	856287-2	RAM	65
									64
									63
									62
1	1	1	1	1	1	-	1-23619-6	PIN,GROOVED .188 DIA	61
1	1	1	1	1	1	-	852298-1	LINK	60
4	4	4	4	4	4	-	21045-3	CRESCENT RING	59
1		1	1	1	1	-	4-23619-0	PIN,GROOVED, .188 DIA	58
1	1	1	1	1	1	-	852296-1	CLEVIS	57
									56
5	5	5	5	5	5	-	6-21002-1	SCR., BUT HD 10-24 X .25	55
									54
1	1	1	1	1	1	-	852323-1	MOUNT,AIR CYL.	53
1	1	1	1	1	1	-	852297-1	ARM,PIVOT	52
1	1	1	1	1	1	-	354403-1	ANVIL	51
1	1	1	1	1	1	-	985314-1	AIR CYL., 3/4 BORE X 7/16 ST	50
1	1	1	1	1	1	-	852295-1	ROD,BACKUP	49
									48
1	1	1	1	1	1	-	21021-4	NUT,FLEXLOC 10-32	47
1	1	1	1	1	1	-	679166-1	BACKUP,TERMINAL	46
1	1	1	1	1	1	-	679166-2	BACKUP,TERMINAL	45
3	3	3	3	3	3	-	21899-2	WASHER #10	44
1	1	1	1	1	1	-	679166-3	BACKUP,TERMINAL	43
									42
									41
1	1	1	1	1	1	-	679157-1	GUIDE,FRONT STRIP	40
2	2	2	2	2	2	-	22354-7	STUD,8-32	39
1	1	1	1	1	1	-	852251-2	DRAG	38
2	2	2	2	2	2	-	2-22280-9	SPRING, COMP. LC-032C-6	37
2	2	2	2	2	2	-	21021-3	NUT,FLEXLOC 8-32	36
1	1	1	1	1	1	-	679158-1	GUIDE, REAR STRIP	35
4	4	4	4	4	4	-	1-21899-3	WASHER, FLAT, #8	34
									33
1	1	1	1	1	1	-	314864-1	SHEAR, LEFT	32
									31
1	1	1	1	1	1	-	853515-1	SHEAR, RIGHT	30
									29
2	2	2	2	2	2	-	2-21002-2	SCR., BUT.HD. 8-32X.50	28
1	1	1	1	1	1	-	856231-1	PLATE, STRIP GUIDE	27
-	-	-	1	-	1	-	22304-1	NIPPLE, HEX, 1/8 X 1/8	26
									25
									24
									23
									22
4	4	4	4	4	4	-	23030-2	SCR. SOC.HD. 6-32X.38 LOK-WEL	21
									20
									19
2	2	2	2	2	2	-	21026-3	WASHER, EXT LOCKING, #8	18
14	14	14	14	14	14	-	2-21002-1	SCR.,BUT.HD.8-32X.38	17
									16
									15
									14
1	1	1	1	1	1	-	354993-1	AIR CYL, 1 1/8 X .63	13
									12
1	1	1	1	1	1	-	5-21028-1	PIN, SPRING .125 DIA x .50	11
1	1	1	1	1	1	-	1-23470-7	SPRING, COMP. LC-035C-19	10
1	1	1	1	1	1	-	90777-1	GIB, HOUSING	9
1	1	1	1	1	1	-	318197-1	INSERTER, POD	8
1	1	1	1	1	1	-	22733-8	SCR.,BUT.HD.8-32X.38	7
1	1	1	1	1	1	-	90775-1	HOUSING, INSERT SLIDE	6
									5
1	1	1	1	1	1	-	1338955-2	HOLDDOWN, SPRING	4
3	3	3	3	3	3	-	2-22733-8	SCR. BUT HD 1/4-20 X .62	3
1	1	1	1	1	1	-	679159-1	PLATE, BASE	2
1	1	1	1	1	1	-	852221-1	HOUSING, APPLICATOR	1
-6	-5	-4	-3	-2	-1	U/M	PART NO	DESCRIPTION	ITEM NO

QTY REQD PER ASSY — PARTS LIST

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: INCHES

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ± -
1 PLC ± -
2 PLC ± -
3 PLC ± -
4 PLC ± -
ANGLES ± -

MATERIAL -
FINISH -

DWN	R O WILSON	4-2-90
CHK	L. KENSINGER	4/22/90
APVD	B. WOLFE	5-9-90
PRODUCT SPEC	-	
APPLICATION SPEC	-	
WEIGHT	-	

Tyco Electronics Corporation
Harrisburg, PA 17105-3608

NAME: ULTRA-POD APPLICATOR, .187 STRAIGHT
- -

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A1	00779	C-853358	-

CUSTOMER DRAWING | SCALE 1:1 | SHEET 1 OF 2 | REV AC

AMP 4805 REV 31MAR2000

14MAY2008 2:16pm

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION -,- .
© COPYRIGHT - BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC	DIST
A	66

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	—	SEE SHEET 1	-	—	—







DETAIL A



RIGHT SIDE VIEW OF DETAIL A











THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: INCHES

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ± -
1 PLC ± -
2 PLC ± -
3 PLC ± -
4 PLC ± -
ANGLES ± -

MATERIAL -

FINISH -

DWN	R O WILSON	4-2-90
CHK	L. KENSINGER	4/22/90
APVD	B. WOLFE	5-9-90
PRODUCT SPEC	—	
APPLICATION SPEC	—	
WEIGHT	—	

Tyco Electronics Corporation
Harrisburg, PA 17105-3608

NAME: ULTRA-POD APPLICATOR, .187 STRAIGHT
—

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A1	00779	C-853358	—

CUSTOMER DRAWING | SCALE 1:1 | SHEET 2 OF 2 | REV AC

Общество с ограниченной ответственностью «МосЧип» ИНН 7719860671 / КПП 771901001
Адрес: 105318, г.Москва, ул.Щербаковская д.3, офис 1107

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

http://moschip.ru/get-element

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:
moschip.ru
moschip.ru_4
moschip.ru_6
moschip.ru_9