


**CES-B16-SFFS-PLBK**

Order No.: 0801659

<http://catalog.phoenixcontact.net/phoenix/treeViewClick.do?UID=0801659>

Sealing frame with screw locking, size B16, with flat gasket, for 8 small sleeves

**Commercial data**

EAN	 4 046356 674133
sales group	B240
Pack	1 Pcs.
Customs tariff	85472000
Gross weight in pieces	0.1469 KG
Net weight per piece	0.1469 KG

**Product notes**WEEE/RoHS-compliant since:  
06/27/2011

<http://www.download.phoenixcontact.com>  
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

**Technical data****General data**

Material	PA
Inflammability class according to UL 94	V0
Color	black
Length	120 mm
Degree of protection	IP55

Ambient temperature (operation)	-40 °C ... 120 °C
Torque	2 Nm ... 4 Nm (Locking screw)
Installation instructions	M5 locking screw with 4 mm Allen screw head, 2 ... 4 Nm torque, one large sleeve requires the space of 4 small sleeves.

### Certificates / Approvals

Certification

Certifications applied for:

Certification Ex:

### Accessories


Item	Designation	Description
<b>General</b>		
0801726	CES-B16-WRG-BK	Flat gasket made of NBR, size B16
0801728	CES-SFFS-H	M4 replacement screw with 4 mm Allen screw head for sealing frame with screw locking
1212647	SF-BIT-HEX 3-50	Screw bit, hexagon, E6.3-1/4" drive, size: Hex 3 x 50 mm, hardened, suitable for holder according to DIN 3126-F6.3/ISO 1173

### Tools


1212070	SF-M BH	Bit screwdriver, with 1/4" quick-action chuck, handle length 119 mm, 2-component handle, with non-slip grip, suitable for bits according to DIN 3126-C 6.3 and E 6.3/ISO 1173, magnetic
---------	---------	---

### Drawings

Dimensioned drawing



Dimensional drawing



Panel cutout

**Address**

PHOENIX CONTACT Deutschland GmbH  
Flachmarktstr. 8  
32825 Blomberg, Germany  
Phone +49 5235 3 12000  
Fax +49 5235 3 41200  
<http://www.phoenixcontact.de>



© 2012 Phoenix Contact  
Technical modifications reserved;

## Данный компонент на территории Российской Федерации

### Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

### Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: [info@moschip.ru](mailto:info@moschip.ru)

Skype отдела продаж:

moschip.ru

moschip.ru\_4

moschip.ru\_6

moschip.ru\_9