

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT

ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	D1	ECR-14-003109	03MAR2014	GK	HMR

REPLACED BY OCEAN STYLE APPLICATOR PART
NUMBER 2151271-1

FOR REPLACEMENT PARTS FOR APPLICATOR 1528501
REFER TO ADDITIONAL PAGE(S). SPARE PARTS KIT (IF LISTED)
WILL REMAIN AVAILABLE.

THE REPLACEMENT OCEAN STYLE APPLICATOR HAS THE
SAME TERMINATOR/PRESS INTERFACE AS APPLICATOR
1528501

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN GOPALAKRISHNA HV		 TE Connectivity			
DIMENSIONS:		CHK RAGHAVENDRA					
		APVD RAGHAVENDRA		NAME FINE ADJ SIDE FD HD-I APPL			
		PRODUCT SPEC					
		APPLICATION SPEC					
MATERIAL		WEIGHT		SIZE A3	CAGE CODE	DRAWING NO C- 1528501	RESTRICTED TO
FINISH		CUSTOMER DRAWING		SCALE		SHEET 1 OF 2	REV D1

LOC	DIST	REVISIONS					
A	66	P	LTR	DESCRIPTION	DATE	DWN	APVD
			D	ECR-11-024214	30NOV2011	LZ	S.X

PART NUMBER	REV	FIRST USED	TERMINATOR	FEED TYPE	DESCRIPTION
1528501-1	D	-	LEADMAKER	MECH POST FEED	CUTS CARRIER
1528501-2	D	-	BENCH	MECH PRE FEED	CUTS CARRIER
1528501-6	D	-	LEADMAKER	MECH POST FEED	CONTINUOUS CARRIER
7-1528501-1	D	-	LEADMAKER	MECH POST FEED	-1 AND SPARE PARTS
7-1528501-2	D	-	BENCH	MECH PRE FEED	-2 AND SPARE PARTS
7-1528501-6	D	-	LEADMAKER	MECH POST FEED	-6 AND SPARE PARTS
7-1528501-7	A	-	-	-	SPARE PARTS KIT

CRIMP DATA (AMP TERMINAL)			
TERMINAL NAME: .040 SRS MULTILOCK RECEPTACLE.			
CRIMP	SIZE	TYPE	RANGE
WIRE	1.57 [.062 IN]	F	0.20–0.50mm ²
INSUL	1.78 [.070 IN]	S	1.20–1.80 [.047–.071 IN]
WIRE STRIP LENGTH		APPL INSTRUCTION	
4.00–4.50 [.157–.177 IN]		408–8322 & 408–8490	

TERMINAL	114-3123 (A)	-		FEED 
APPL SPEC	114-3122 (B)	-		11.00 [.433 IN]

[illegible]



SET UP GAGE 458637-3	LAYOUT L1426066
-------------------------	--------------------

- 
 1. RECOMMENDED SPARE PARTS.
 2. GREASE RAM, CAM, CAM FOLLOWER AND FEED ROD LIGHTLY.
 3. LUBRICATE DAILY PER THE APPLICATOR INSTRUCTION SHEET SUPPLIED WITH THE APPLICATOR.
 5. IF MORE THAN ONE TERMINAL IS APPLIED BY THIS APPLICATOR, FEED MAY REQUIRE ADJUSTMENT WHEN CHANGING FROM ONE TO ANOTHER.
 6. ADJUST TERMINAL SUPPORT POSITION TO SUIT TERMINAL APPLIED.

VIEW B ROTATED 180°

POST FEED 40 mm STROKE	POST FEED 30 mm STROKE	PRE FEED 30 mm STROKE	PRE FEED 40 mm STROKE

* WARNING:
ON INSTALLATION, SET WIRE
DISC TO LARGEST WIRE SIZE
SETTING. USE OF SETTINGS
BELOW MIN REQUIRED CRIMP
HEIGHT SETTING WILL CAUSE
DAMAGE TO CRIMP TOOLING.



	-	1	1	1	1	1	1	993111-8	PIN, SLOTTED SPRING 3.0X12.0	177
	-	2	2	2	2	2	2	3-22280-7	SPRING, COMPRESSION	176
		1	1	1	1	1	1	1752353-1	GUIDE PIN, HOLD DOWN	175
	-	1	1	1	1	1	1	1901680-1	GUIDE PIN, HOLD DOWN	174
	-	1	1	1	1	1	1	22278-7	SPRING, COMPRESSION	77
	-	1	1	1	1	1	1	854769-1	HOLDER INSULATION	74
	-	1	1	1	1	1	1	1528501	PRINT, APPLICATOR LOG SHEET	72
	-	1	1	1	1	1	1	1338705-3	DOCUMENTATION PACKAGE	71
	-	1	1	1	1	1	1	461264-5	PLATE, IDENTIFICATION	67
	-	2	2	2	2	2	2	21017-2	SCR,DRIVE(#2x.19)ID PLATE	66
										65
	-	1	1	1	1	1	1	3-18031-0	SCR,SKT SET(M6X6)RAM	63
										62
	-	2	2	2	2	2	2	2-18032-5	SCR,SKT,SET(M5X20)DRAG	61
	-	1	1	1	1	1	1	18024-7	SCR,BHC(M4X10)ANVIL	60
	-	1	1	1	1	1	1	5-18022-2	SCR,HEX(M4X8)FEED FINGER	59
	-	1	1	1	1	1	1	21028-2	PIN,SLOTTED,SPRING	58
										57
	-	1	1	1	1	1	1	1338685-1	PAWL, FEED	56
										55
	-	4	4	4	4	4	4	18024-8	SCR,BHC(M4x12)SHEAR HOLDER	54
										53
	-	1	1	1	1	1	1	1-18030-0	NUT, HEX, REG M3.5	52
	-	1	1	1	1	1	1	1901681-1	HOLD DOWN, TERMINAL	51
	-	1	1	1	1	1	1	1-1752354-8	STANDOFF, HOLD-DOWN	50
	-	1	1	1	1	1	1	18024-3	SCR,BHC(M3X10)CAM	49
	-	-	1	-	-	1	-	1338675-1	CAM, PRE FEED 30 & 40 mm ST	48
	-	1	-	1	1	-	1	1338676-1	CAM, POST FEED 30 & 40 mm ST	47
	-	1	1	1	1	1	1	1320999-3	APPLICATOR BASIC SUBASSY	46
	-	1	1	1	1	1	1	690191-1	PLUG, NYLON	45
	-	1	1	1	1	1	1	1633724-1	RAM	44
										43
										42
	-	1	1	1	1	1	1	2-18024-6	SCR,BHC(M8X25)RAM	41
										40
	-	1	1	1	1	1	1	690125-1	SHIM SUBASSY	39
	-	1	1	1	1	1	1	469367-8	SPACER, FINE ADJUST	38
	-	1	1	1	1	1	1	879103-3	FINE ADJUST HEAD SUBASSY	37
										36
										35
	-	1	1	1	1	1	1	1752356-3	SUPPORT, TERMINAL	34
	-	2	2	2	2	2	2	1-18024-0	SCR,BHC(M4X20)STRIP GUIDE	33
	-	1	1	1	1	1	1	18027-2	WASHER, FLAT(M4)	32
	-	1	1	1	1	1	1	1-18023-2	SCR,SKT CAP(M4X12)MOUNT BLOCK	31
	-	1	1	1	1	1	1	1320908-8	SPACER, STRIP GUIDE	30
	-	1	1	1	1	1	1	1633073-1	STRIP GUIDE PLATE ASSY	29
	-	1	1	1	1	1	1	455888-4	SPACER, FRONT SHEAR DEP	28
	-	2	2	2	2	2	2	1-22284-0	SPRING, DRAG	27
	-	1	1	1	1	1	1	356835-1	LEVER, DRAG RELEASE	26
	-	1	1	1	1	1	1	240792-1	DRAG, TERMINAL	25
	-	1	1	1	1	1	1	1320928-3	PLATE, STRIP GUIDE	24
	-	1	1	1	1	1	1	980371-4	SCR,SHC SHLD	23
	-	1	-	1	1	-	1	690472-2	STRIPPER	22
	-	1	1	1	1	1	1	1-18023-1	SCR,SHC(M4X10)STRIPPER	21
	-	2	2	2	2	2	2	18025-2	WASHER,LOCK(M4)STRIPPER	20
	-	-	1	-	-	1	-	690472-1	STRIPPER	19
										18
	-	1	-	-	1	-	-	1338684-1	HOLDER, SHEAR, FRONT (NO-CUT)	17
										16
										15
										14
										13
	-	1	1	1	1	1	1	3-22280-3	SPRING, SHEAR	12
	-	1	1	1	1	1	1	356885-4	STOP, SHEAR	11
	-	-	1	1	-	1	1	1320921-1	HOLDER, SHEAR, FRONT (CUT)	10
	-	1	1	1	1	1	1	462006-1	SHEAR, FLOAT (FRONT)	9
	1	2	2	2	1	1	1	1333202-8	ANVIL	8
										7
										6
	-	1	1	1	1	1	1	854772-1	DEPRESSOR, SHEAR (FRONT)	5
	-	1	1	1	1	1	1	238011-2	SPACER, BLOCK CRIMPER	4
	1	2	2	2	1	1	1	1-468282-0	CRIMPER, INSULATION	3
										2
	1	2	2	2	1	1	1	2-456403-6	CRIMPER, WIRE	1
-77	-76	-72	-71	-6	-2	-1		PART NO	DESCRIPTION	ITEM NO
								PARTS LIST		
								QTY REQD PER ASSY		

THIS DRAWING IS A CONTROLLED DOCUMENT.			DRAWN LOFTHOUSE	22APR05	 TE Connectivity Harrisburg, PA 17105-3608						
DIMENSIONS: INCHES		TOLERANCES UNLESS OTHERWISE SPECIFIED:	APPROVED F BACKHURST	22APR05			NAME				
		0 PLC ±	FINE ADJ SIDE FD HD-1 APPL								
		1 PLC ±	—								
		2 PLC ± 0.5 [02 IN]	—								
		3 PLC ±	—								
MATERIAL		FINISH	APPLICATION SPEC.		SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO			
—		—	WEIGHT		A1	00779	C=1528501	—			
CUSTOMER DRAWING					SCALE				SHEET	1 of 1	REV

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9