

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

AUG ,2006.

©

COPYRIGHT

-

BY TYCO ELECTRONICS CORPORATION.

ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

P

LTR

DESCRIPTION

DATE

DWN

APVD

E1

REVISED. ECR-12-013026

25MAR13

K.M

E.T



MATERIALS:

HOUSING- PPA RESIN, BLACK, MOLDING COMPOUND.
CONTACTS- PHOSPHOR BRONZE PLATED WITH
MINIMUM THICK (SEE TABLE) GOLD IN CONTACT
AREA AND 3.8μm [.000150] MINIMUM THICK
MATTE TIN ON SOLDER TINES OVER 1.27μm [.000050]
MINIMUM THICK NICKEL UNDERPLATE.

RETENTION LEG- BRASS PLATED WITH 3.8μm [.000150] MINIMUM
TIN-Cu OVER 1.3μm [.000051] MINIMUM
NICKEL UNDERPLATE.



G, J, AND H INDICATE NUMBER OF POSITION
MARKED ON ASSEMBLY. ALSO SEE TABLE.



ALL DIMENSIONS SHOWN ARE MAXIMUM UNLESS
OTHERWISE SPECIFIED.



4. 60 POSITION AS SHOWN.



RETENTION LEGS NOT PRESENT.



TOP OF RETENTION LEG MAY NOT PROTRUDE ABOVE THIS SURFACE.



HOUSING BOW UP TO 0.30 [.012] ALLOWED.



CONNECTOR WILL ACCOMMODATE MATING PRINTED
CIRCUIT BOARD OF 1.6±0.07 [.063±.003] THICKNESS.



ALWAYS RoHS/ELV COMPLIANT.



WAVE SOLDER CAPABLE TO 265 C PER TE SPEC 109-202, CONDITION B.




REMOVE CONTACT POSITION FROM #11~#17 AND #36~#42.







RECOMMEND CARD EDGE DIM. (PAGE2)
GOLD FLASH OVER
0.762μm [30μ"] MIN. PALLADIUM-NICKEL PLATED.



OBSOLETE



DATE CODE




SEE DETAIL

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:

MM

TOLERANCES UNLESS
OTHERWISE SPECIFIED:

0 PLC ± -
1 PLC ± -
2 PLC ± -
3 PLC ± -
4 PLC ± -
ANGLES ± -

MATERIAL

SEE NOTE

FINISH

SEE NOTE

DWN

F. YANG

31MAR2009

CHK

S. CHIEN

31MAR2009

APVD

W. KODAMA

31MAR2009

PRODUCT SPEC

108-57876

QUALIFICATION TEST REPORT

WEIGHT

CUSTOMER DRAWING



TE Connectivity

NAME

RECEPTACLE ASSEMBLY,
VERTICAL, BOARD-TO-BOARD,
CHAMP.050, SERIES I,

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

A3

00779

C=1734101

SCALE




SHEET

1 OF 4


REV

E1


LOC	DIST	REVISIONS			
DW		P	LTR	DESCRIPTION	DATE DWN APVD
				SEE SHEET 1.	




VERTICAL RECEPTACLE ASSEMBLY MATED TO VERTICAL PLUG ASSEMBLY




SECTION E-E
SCALE 8:1



VERTICAL RECEPTACLE ASSEMBLY MATED TO VERTICAL PLUG ASSEMBLY



DETAIL D
SCALE 8:1

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN		 TE Connectivity			
		CHK					
DIMENSIONS: MM		APVD		NAME RECEPTACLE ASSEMBLY, VERTICAL, BOARD-TO-BOARD, CHAMP.050, SERIES I,			
		TOLERANCES UNLESS OTHERWISE SPECIFIED:					
		PRODUCT SPEC					
		QUALIFICATION TEST REPORT					
MATERIAL		WEIGHT		SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
		-		A3	00779	C=1734101	-
CUSTOMER DRAWING				SCALE	SHEET	2 OF 4	REV
				-			F1

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

AUG .2006.

© COPYRIGHT

BY TYCO ELECTRONICS CORPORATION.

ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

P

LTR

DESCRIPTION

DATE

DWN

APVD

SEE SHEET 1.

TUBE

STOPPER

PE BAG

CARTON

162.4

419.1

162.4

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN

CHK

APVD

PRODUCT SPEC

QUALIFICATION TEST REPORT

WEIGHT

CUSTOMER DRAWING

DIMENSIONS:MM

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC

1 PLC

2 PLC

3 PLC

4 PLC

ANGLES

MATERIAL

FINISH

NAME

RECEPTACLE ASSEMBLY, VERTICAL, BOARD-TO-BOARD, CHAMP.050, SERIES I,

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

A300779

C=1734101

SCALE

SHEET

3 OF 4

REV

E1

OBSELETE

4.21

2.89

54

8

432

5-1734101-3

3-1734101-3

1-1734101-3

5-1734101-2

3-1734101-2

1-1734101-2

120

OBSELETE

6.84

4.92

54

16

864

5-1734101-1

3-1734101-1

1-1734101-1

5-1734101-0

3-1734101-0

1-1734101-0

100

OBSELETE

5.61

4.06

54

16

864

5-1734101-8

3-1734101-8

1-1734101-8

4-1734101-8

6-1734101-8

1734101-8

4-1734101-7

6-1734101-7

1734101-7

68

OBSELETE

5.05

3.63

54

16

864

4-1734101-6

6-1734101-6

1734101-6

2-1734101-7

5-1734101-7

3-1734101-7

1-1734101-7

4-1734101-5

6-1734101-5

1734101-5

60

OBSELETE

4.28

3.11

54

16

864

4-1734101-4

6-1734101-4

1734101-4

4-1734101-3

6-1734101-3

1734101-3

40

OBSELETE

4.72

3.42

54

24

1296

4-1734101-3

6-1734101-3

1734101-3

30

G.W./CARTON (KG)

N.W./CARTON (KG)

PCS/TUBE

TUBES/CARTON

QUANTITY/CARTON (PCS)

PART NUMBER

POS.

5.32

4.02

54

24

1296

4.42

3.37

54

24

1296

6.25

5.36

54

32

1728

AMP 1470-19 REV 31MAR2000

4


3

2

1

THIS DRAWING IS UNPUBLISHED.
RELEASED FOR PUBLICATION
AUG .2006.
© COPYRIGHT - BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC		DIST		REVISIONS				DATE		DWN		APVD	
P	LTR	DESCRIPTION											
		SEE SHEET 1.											



E1	OBSOLETE						5-1734101-6	200
							3-1734101-6	
		2.69	1.71	16	10	160	1-1734101-6	
							5-1734101-6	
							3-1734101-6	
E1	OBSOLETE						1-1734101-6	160
		2.37	1.39	16	10	160	5-1734101-4	
							3-1734101-4	
							1-1734101-4	
							4-1734101-9	
		2.48	1.50	32	10	320	6-1734101-9	80
							1734101-9	
		G.W./CARTON (KG)	N.W./CARTON (KG)	PCS/TRAY	TRAYS/CARTON	QUANTITY/CARTON (PCS)	PART NUMBER	POS.

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN		TE Connectivity	
		CHK			
DIMENSIONS: MM		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME	
		0 PLC ± -		PRODUCT SPEC	
		1 PLC ± -		QUALIFICATION TEST REPORT	
		2 PLC ± -		WEIGHT	
MATERIAL		FINISH		SIZE	
				A300779	
				DRAWING NO	
				C=1734101	
				RESTRICTED TO	
				SCALE	
				SHEET	
				4 of 4	
				REV E1	

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9