







spec ref	*	dr	Not Found DuWa	2010/04/28	projection	MM	size	A2	scale	1:1
tolerance std	-	eng	De-Ming Lu	2014/12/28		MM	ecn no	ELX-DG-19849-1	rel level	Released
ASME Y14.5	TOLERANCES UNLESS OTHERWISE SPECIFIED	chr	-	-						
surface	✓	appr	Pei-Ming Zheng	2014/12/29						
ASME Y14.5	linear	0.X	±0.5	0.XX	±0.25	0.XXX	±0.10	angular	0°	±2°
				title		VERT RECPT 12DC-24S-12DG		cat. no.		-
		www.fci.com		product family		HCI		rel level		Released
		dwg no		10084233		rev		C		
		Product - Customer Drw		sheet 1 of 4						

PDS: Rev :C


STATUS:Released

Printed: Dec 30, 2014




RECOMMENDED PCB LAYOUT COMPONENT SIDE

NOTE 6



DETAIL E
SCALE 4:1





DETAIL D
SCALE 4:1

dr	Not Found DuWa	2010/04/28	projection	MM	size	A2	scale	3:1
eng	De-Ming Lu	2014/12/28			ecn no	ELX-DG-19848-1		
chr	-	-			rel level	Released		
appr	Pei-Ming Zheng	2014/12/29	product family	HCI				
FCI		title		VERT RECPT 12DC-24S-12DG		dwg no		10084233
www.fci.com		cat. no.		-		Product - Customer Drw		sheet 2 of 4
PDS: Rev :C		STATUS:Released		Printed: Dec 30, 2014				


	1	2	3	4	5	6	7	8	
A									A
B	TOP LAYER DESCRIPTION	TABLE 1 (HCI POWER) PLATED THROUGH-HOLE REQUIREMENTS							
		DRILLED HOLE DIAMETER	COPPER THICKNESS	TIN-LEAD THICKNESS	NICKEL THICKNESS	GOLD THICKNESS	TIN THICKNESS	SILVER THICKNESS	FINISHED HOLE DIAMETER
	TIN-LEAD	0.81-0.86 (0.85 DRILL)	0.025 - 0.050	0.005 - 0.015	--	--	--	--	0.65 - 0.80
	IMMERSION TIN	0.81-0.86 (0.85 DRILL)	0.025 - 0.050	--	--	--	0.9 - 1.5um	--	0.70 - 0.80
	IMMERSION SILVER	0.81-0.86 (0.85 DRILL)	0.025 - 0.050	--	--	--	--	0.15 - 0.65um	0.70 - 0.80
	COPPER (SEE NOTE 9)	0.81-0.86 (0.85 DRILL)	0.025 - 0.050	--	--	--	--	--	0.70 - 0.80
C	GOLD	0.81-0.86 (0.85 DRILL)	0.025 - 0.050	--	0.003 - 0.007	FLASH UP TO 0.0002	--	--	0.69 - 0.80
									C
	TOP LAYER DESCRIPTION	TABLE 2 (HPC SIGNALS) PLATED THROUGH-HOLE REQUIREMENTS							
		DRILLED HOLE DIAMETER	COPPER THICKNESS	TIN-LEAD THICKNESS	FINISHED HOLE DIAMETER				
	TIN-LEAD	1.125-1.175 (Ø.0453±.0010)	0.025-0.050	0.005-0.015	0.94 - 1.10 (Ø.040±.003)				
D									D
E									E
F									F
		1	2	3	4	5	PDS: Rev :C	STATUS:Released	Printed: Dec 30, 2014

FCI

Copyright FCI.

dr	NotFound DuWa	2010/04/28	projection 	MM 	size	scale
eng	De-Ming Lu	2014/12/28			A2	3:1
chr	-	-			ecn no ELX-DG-19849-1	
appr	Pei-Ming Zheng	2014/12/29	product family HCI		rel level	Released
FCI www.fci.com		title VERT RECPT 12DC-24S-12DG HCI POWER CONNECTOR		dwg no 10084233	rev C	
cat. no.		-		Product - Customer Drw		sheet 3 of 4



dr	NotFound DuWa	2010/04/28	projection 	MM 	size	A2	scale	3:1
eng	De-Ming Lu	2014/12/28			ecn no	ELX-DG-19849-1		
chr	-	-						
appr	Pei-Ming Zheng	2014/12/29	product family		HCI	rel level		
	title	VERT RECPT 12DC-24S-12DG			dwg no	10084233		rev
		HCI POWER CONNECTOR						C
www.fci.com	cat. no.	-	Product - Customer Drw				sheet 3 of 4	

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9