


DESIGN KIT

Assembly Technique



Content:

Spacer Studs & Round Spacers
Spacers
Cable & Battery Holders

Order Code 700 999
Version 1.0

Assembly Technique



726 151 1x RJ 45 Plastic Caps	705 95x Spacer for 3 & 5 mm LED Type 2 Height: 6.4-19.1 mm	726 151 0x RJ11 Plastic Caps	700 97x Snap Rivet Diameter: 2.0-6.0 mm Length: 3.2-12.0 mm	709 440/441/442x Snap-In Spacer Reverse Mount 3.0/4.0 mm Distance: 2.5-16.0 mm	960x Round Plastic Spacers Distance: 2.0-50 mm	709 905 6x0 Snap-In Stop Spacer for Printed Circuit Boards Distance: 6.4-35.0 mm
726 181 x D-Sub Plastic Caps	726 85x HDMI Plastic Caps	705 99x Metric Spacer for 3 & 5 mm LED Type 3 Height: 2.0-30.0 mm	701 51x Snap-In Keyslot Snap locking on both ends 3.18/3.18 mm Distance: 3.2-38.1 mm	709 445/446/447x Snap-In Spacer Reverse Mount 4.0/5.5 mm Distance: 6.0-18.0 mm	709 95x Snap-In Spacer Screw Mount Distance: 6.4-29.0 mm	709 40x Snap-In Stop Spacer Distance: 3.5-34.9 mm
726 14x USB & Mini USB Plastic Caps	795 23x Battery Holder	795 271 41, 795 282 11 Battery Holder	701 52x Snap-In Keyslot Snap locking on both ends 4.0/4.0 mm Distance: 3.2-22.0 mm	709 650-654x Miniature Snap-In Spacer Snap locking on both ends 2.0/2.0 mm Distance: 2.2-12.5 mm	709 85x Snap-Rivet Mount Spacer Distance: 9.5- 25.4 mm	709 2x Snap-In Stop Spacer Self-Adhesive Distance: 5.4-16.3 mm
705 92x Spacer for 5 mm LED Height: 4.8-25.4 mm	747x Mounting Tabs	702 91x Self-Retaining Spacer 3.0 mm Distance: 2.0 -6.0 mm	702 92x Self-Retaining Spacer 4.0 mm Distance: 2.5 -6.0 mm	709 656/659x Miniature Snap-In Spacer Snap locking on both ends 3.5/3.5 mm Distance: 6.0-18.0 mm	709 610/611x Snap-In Stop Spacer Snap locking on both ends 4.0/4.0 mm Distance: 4.74-22.22 mm	709 613/614x Snap-In Stop Spacer Snap locking on both ends 4.8/4.8 mm Distance: 4.8-22.22 mm
705 93x Spacer with Fixing Fins for 5 mm LED Height: 3.1-22.9 mm	971xxxxx5 Hexagonal Plastic Spacer	702 93x Self-Retaining Spacer 4.8 mm Distance: 6.4-25.4 mm	702 94x Self-Retaining Spacer 5.9 mm Distance: 6.4-25.4 mm	709 62x Snap-In Spacer Snap locking on both ends 4.0/4.0 mm Distance: 3.0-34.0 mm	709 616/617/618x Snap-In Stop Spacer Snap locking on both ends 4.0/4.8 mm Distance: 4.6-28.6 mm	973x Plastic Spacer Stud with Metric Internal Thread/Clip

EMC COMPONENTS | INDUCTORS | TRANSFORMERS | RF COMPONENTS | CIRCUIT PROTECTION | EMC SHIELDING MATERIAL | CONNECTORS | SWITCHES | ASSEMBLY TECHNIQUE | POWER ELEMENTS

Important information: Würth Elektronik's design kits contain reference components. These components correspond with the current product development status on the day of supply. Exchange of the reference components to components with up-to-date product development status is not carried out automatically. No liability is taken for the use of these reference components. Therefore, please request new samples prior to releases for series production and product release.

Please check datasheets on www.we-online.com for specifications. Würth Elektronik eiSos GmbH & Co. KG, EMC & Inductive Solutions. © 2011

www.we-online.com

**All products
in stock!**

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9