






THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
 © COPYRIGHT 20 BY - ALL RIGHTS RESERVED.

REVISIONS				
P	LTR	DESCRIPTION	DATE	APVD
1		INITIAL RELEASE	22AUG2018	SH SH
2		ADDED APPLICATION SPEC	18DEC2018	SH SH
A		INITIAL RELEASE	12JUN2019	SH SH



- 1 CAGE ASSEMBLY: STAINLESS STEEL
HEAT SINK: ALUMINUM/ANODIZED BLACK
HEAT SINK CLIP: STAINLESS STEEL
EMI SPRING: COPPER ALLOY/ NICKEL PLATED
- 2 REFERENCE APPLICATION SPECIFICATION 114-60025 FOR RECOMMENDED DRILL HOLE DIAMETER AND PLATING THICKNESS. BOARD LAYOUT PER THIS PRINT.
- 3 DATUM AND BASIC DIMENSION ESTABLISHED BY CUSTOMER
- 4 DATE CODE (YYWW) MARKED APPROXIMATELY AS SHOWN.
- 5. MATES WITH QSFP-DD MSA COMPATIBLE TRANSCEIVER.
- 6. MINIMUM PC BOARD THICKNESS:
SINGLE SIDED: 1.57 MIN
DOUBLE SIDED: 3.0 MIN



DETAIL A
SCALE 8:1

SCALE 3:1

HS SPECIFICATION	DIM A	PART NUMBER	DESCRIPTION	ITEM
NET	23.00	2342886-3	CAGE ASSY WITH NET HS	3
SAN	16.00	2342886-2	CAGE ASSY WITH SAN HS	2
PCI	13.70	2342886-1	CAGE ASSY WITH PCI HS	1

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:	TOLERANCES UNLESS OTHERWISE SPECIFIED:	DWN	22AUG2018
mm	0 PLC ± 0.25	CHK	STEPHEN H
	1 PLC ± 0.25	CHK	SEAN HAN
	2 PLC ± 0.25	CHK	SEAN HAN
	3 PLC ± -	APVD	22AUG2018
	4 PLC ± -	NAME	SEAN HAN
	ANGLES ± 1	PRODUCT SPEC	
	FINISH -	APPLICATION SPEC	
MATERIAL	-	WEIGHT	-
	-	CUSTOMER DRAWING	

STE TE Connectivity





PRELIMINARY

CAGE ASSEMBLY WITH HEAT SINK FOR GM QSFP-DD, 1X3, EXTRUSION

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A2	-	2342886	-
SCALE	1:1	SHEET	1 OF 4
REV	A		

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
 © COPYRIGHT 20 BY - ALL RIGHTS RESERVED.


REVISIONS				
P	LTR	DESCRIPTION	DATE	APVD
-	-	SEE SHEET 1	-	-



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN STEPHEN HE 22AUG2018	TE Connectivity	
		CHK SEAN HAN 05JUL2018		
DIMENSIONS: mm		APVD SEAN HAN 22AUG2018	NAME CAGE ASSEMBLY WITH HEAT SINK FOR GM QSFP-DD, 1X3, EXTRUSION	
TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± 0.25 1 PLC ± 0.25 2 PLC ± 0.25 3 PLC ± - 4 PLC ± - ANGLES ± 1 FINISH -		PRODUCT SPEC -	SIZE A2	RESTRICTED TO -
MATERIAL -		APPLICATION SPEC -	CAGE CODE -	DRAWING NO. 2342886
		WEIGHT -	SCALE 1:1	SHEET 2 OF 4
		CUSTOMER DRAWING	REV A	

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
 © COPYRIGHT 20 BY - ALL RIGHTS RESERVED.

REVISIONS				
P	LTR	DESCRIPTION	DATE	APVD
-	-	SEE SHEET 1	-	-






2 23XØ1.05±0.05
 Ø0.10 M Z L-K
 (PLATED THROUGH HOLE)

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN 22AUG2018 STEPHEN HE	TE Connectivity	
DIMENSIONS: mm		CHK 05JUL2018 SEAN HAN		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD 22AUG2018 SEAN HAN	NAME CAGE ASSEMBLY WITH HEAT SINK FOR GM QSFP-DD, 1X3, EXTRUSION	
0 PLC ± 0.25		PRODUCT SPEC	SIZE A2	
1 PLC ± 0.25		APPLICATION SPEC	CAGE CODE	DRAWING NO
2 PLC ± 0.25		WEIGHT	2342886	RESTRICTED TO
3 PLC ± -		CUSTOMER DRAWING	SCALE 1:1	SHEET 3 OF 4
4 PLC ± -				REV A
ANGLES ± 1				
FINISH				

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
 © COPYRIGHT 20 BY - ALL RIGHTS RESERVED.

REVISIONS				
P	LTR	DESCRIPTION	DATE	APVD
-	-	SEE SHEET 1	-	-



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN 22AUG2018 STEPHEN HE	 TE Connectivity			
DIMENSIONS: mm		CHK 05JUL2018 SEAN HAN				
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD 22AUG2018 SEAN HAN	NAME CAGE ASSEMBLY WITH HEAT SINK FOR GM QSFP-DD, 1X3, EXTRUSION			
0 PLC ± 0.25		PRODUCT SPEC	SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
1 PLC ± 0.25		-	A2	-	2342886	-
2 PLC ± 0.25		APPLICATION SPEC	WEIGHT	-	-	-
3 PLC ± -		FINISH	CUSTOMER DRAWING		SCALE 1:1	SHEET 4 OF 4
4 PLC ± -	ANGLES ± 1					

DETAIL B
SCALE 6:1

DETAIL C
SCALE 8:1

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9