






REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	1	INITIAL RELEASE	22AUG2018	SH	SH
	2	ADDED APPLICATION SPEC	18DEC2018	SH	SH
	A	INITIAL RELEASE	12JUN2019	SH	SH

- 1 CAGE ASSEMBLY: STAINLESS STEEL
HEAT SINK: ALUMINUM/ANODIZED BLACK
HEAT SINK CLIP: STAINLESS STEEL
EMI SPRING: COPPER ALLOY/ NICKEL PLATED
- 2 REFERENCE APPLICATION SPECIFICATION 114-60025
FOR RECOMMENDED DRILL HOLE DIAMETER AND PLATING
THICKNESS. BOARD LAYOUT PER THIS PRINT.
- 3 DATUM AND BASIC DIMENSION ESTABLISHED BY CUSTOMER
- 4 DATE CODE (YYWW) MARKED APPROXIMATELY AS SHOWN.
5. MATES WIHT QSFP-DD MSA COMPATIBLE TRANSCEIVER.
6. MINIMUM PC BOARD THICKNESS:
SINGLE SIDED: 1.57 MIN
DOUBLE SIDED: 3.0 MIN

NET	23.00	2342886-3	CAGE ASSY WITH NET HS	3
SAN	16.00	2342886-2	CAGE ASSY WITH SAN HS	2
PCI	13.70	2342886-1	CAGE ASSY WITH PCI HS	1
HS SPECIFICATION	DIM A	PART NUMBER	DESCRIPTION	ITEM

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN 22AUG2018 CHK STEPHEN HE SEAN HAN 05JUL2018 APVD SEAN HAN 22AUG2018	TE Connectivity	
DIMENSIONS: mm		PRODUCT SPEC - APPLICATION SPEC - WEIGHT -	PRELIMINARY	
TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± 0.25 1 PLC ± 0.25 2 PLC ± 0.25 3 PLC ± - 4 PLC ± - ANGLES ± 1 FINISH -		CAGE ASSEMBLY WITH HEAT SINK FOR GM QSFP-DD, 1X3, EXTRUSION		
MATERIAL - -		SIZE A2	CAGE CODE -	DRAWING NO. 2342886
CUSTOMER DRAWING		SCALE 1:1	SHEET 1 OF 4	REV A





THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC	± 0.25
1 PLC	± 0.25
2 PLC	± 0.25
3 PLC	± -
4 PLC	± -
ANGLES	± 1
FINISH	-

DWN 22AUG2018

CHK SEAN HAN 05JUL2018

APVD SEAN HAN 22AUG2018

PRODUCT SPEC -

APPLICATION SPEC -

WEIGHT -

CUSTOMER DRAWING

TE Connectivity

NAME CAGE ASSEMBLY WITH HEAT SINK FOR GM QSFP-DD,1X3, EXTRUSION

SIZE A2

CAGE CODE -

DRAWING NO. 2342886


RESTRICTED TO -

SCALE 1:1

SHEET 3 OF 4

REV A

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-



THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:

mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC	± 0.25
1 PLC	± 0.25
2 PLC	± 0.25
3 PLC	± -
4 PLC	± -
ANGLES	± 1
FINISH	-

MATERIAL

-

-

DWN 22AUG2018

CHK SEAN HAN 05JUL2018

APVD SEAN HAN 22AUG2018

PRODUCT SPEC

APPLICATION SPEC

WEIGHT

CUSTOMER DRAWING

TE Connectivity

NAME

CAGE ASSEMBLY WITH HEAT SINK FOR GM QSFP-DD, 1X3, EXTRUSION

SIZE

A2

CAGE CODE

-

DRAWING NO

2342886

RESTRICTED TO

-

SCALE

1:1

SHEET

4

OF

4

REV

A

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9