



THIS COPY IS PROVIDED ON A RESTRICTED BASIS AND IS NOT TO BE USED IN ANY WAY DETRIMENTAL TO THE INTERESTS OF PANDUIT CORP.







MOUNTING HOLE DIMENSIONS



NOTES:

1. "B" MEASURED AT BASE.
2. STANDARD LENGTH: 2 METER.
3. SEE CURRENT CATALOG FOR PART NUMBER DESIGNATIONS FOR TYPE, COLOR, AND LENGTH.
4. DUCT TYPE "NNC" PACKAGED WITH TYPE "NC" COVER.
5. DIMENSIONS ARE METRIC (INCHES).



CHANNEL EXAMPLE:
NNC 37 X 50 LG 2
TYPE 37mm WIDE 50mm HIGH
COLOR (LIGHT GRAY) LENGTH (m)



CAD FILENAME/LAYERS		D38539AA_DC_NNC_01B.PRT	
PANDUIT CORP. TINLEY PARK, ILLINOIS			
WIRING DUCT AND COVER TYPE "NNC" METRIC CUSTOMER DRAWING			
UNLESS OTHERWISE SPECIFIED, DIMENSIONAL TOLERANCES ARE: (.X) ± (.XXX) ± (.XX) ± 3.1 ANGLES ±		UNLESS OTHERWISE SPECIFIED, ALL DIMENSIONS ARE GIVEN IN INCHES, THIRD ANGLE PROJECTION.	
1 DRAWN BY JHNU	MAT'L: HALOGEN FREE MODIFIED POLYPHENYLENE OXIDE (PPO)	SCALE NONE	
2 DATE 8-2-02		DRAWING NO. 38539-04 Sht 1 of 3	DWG A SIZE
3 CHK'D JKG			



SLOT DIMENSION		
NOMINAL DUCT HEIGHT	D ±.8 (.03)	R ±.75 (.02)
25	13.6 (.54)	-----
37	24.7 (.97)	-----
50	34.8 (1.37)	-----
75	57.6 (2.27)	26.26 (1.03)
100	81.0 (3.19)	38.0 (1.50)

CAD FILENAME/LAYERS D38539AA_DC_NNC_01B.PRT

PANDUIT CORP. TINLEY PARK, ILLINOIS

WIRING DUCT AND COVER
TYPE "NNC" METRIC
CUSTOMER DRAWING


UNLESS OTHERWISE SPECIFIED,
DIMENSIONAL TOLERANCES ARE:
(.X) ± (.XXX) ±
(.XX) ± 3.1 (.12) ANGLES ±

UNLESS OTHERWISE SPECIFIED,
ALL DIMENSIONS ARE GIVEN
IN INCHES, THIRD ANGLE PROJECTION.

DRAWN BY	JHNU
DATE	8-2-02
CHK'D	JKG

MAT'L: HALOGEN FREE
MODIFIED
POLYPHENYLENE
OXIDE
(PPO)

SCALE	NONE
DRAWING NO. 38539-04 SHT 2 OF 3	DWG A



NOMINAL DUCT SIZE (W)	C REF	HC	TC
25	$\frac{24.6}{(.97)}$	$\frac{8.9}{(.35)}$	$\frac{1.30}{(.05)}$
37	$\frac{37.1}{(1.46)}$	$\frac{8.9}{(.35)}$	$\frac{1.30}{(.05)}$
50	$\frac{49.6}{(1.95)}$	$\frac{8.9}{(.35)}$	$\frac{1.40}{(.06)}$
75	$\frac{74.6}{(2.94)}$	$\frac{9.4}{(.37)}$	$\frac{1.40}{(.06)}$
100	$\frac{99.6}{(3.92)}$	$\frac{9.4}{(.37)}$	$\frac{1.40}{(.06)}$

CAD FILENAME/LAYERS

PANDUIT CORP TINLEY PARK, ILLINOIS

UNLESS OTHERWISE SPECIFIED,
DIMENSIONAL TOLERANCES ARE:

(.X) ±	(.XXX) ± .005
(.XX) ± .01	ANGLES ± 1°

DRAWING NO.
38539-04
SHT 3 OF 3

DWG
A
SIZE

1	9-18-06	JCST	JKG	SEE SHEET 1 OF 3 FOR REVISIONS	38539-04	JKG	JKG		
R	11-2-02	JHNU JCST	JKG	SEE SHEET 1 OF 3 FOR REVISIONS	38539-04	HIW	HIW		
REV	DATE	BY	CHK	DESCRIPTION	ECN - R	CUST	SUP		

DATE	8-2-02
CHK'D	JKG

MAT'L:	HALOGEN FREE MODIFIED POLYPHENYLENE OXIDE (PPO)
--------	---



Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9