

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT

ALL RIGHTS RESERVED.

LOC


DIST

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	A1	ECR-14-014891	10OCT2014	GK	HMR

THIS PART NUMBER IS OBSOLETE (NO LONGER ACTIVE OR PRODUCED).
THE CUSTOMER SHOULD CONTACT THEIR SALES REPRESENTATIVE OR TAC
TO IDENTIFY THE APPLICATOR THAT WILL PROCESS THE TERMINAL TO BE APPLIED.
IF ONE DOES NOT EXIST, A REQUEST TO QUOTE A NEW APPLICATOR WILL NEED TO
BE PROCESSED.

FOR REPLACEMENT PARTS FOR APPLICATOR 1911151
REFER TO ADDITIONAL PAGE(S). SPARE PARTS KIT (IF LISTED)
WILL REMAIN AVAILABLE.

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN GOPALAKRISHNA HV		 TE Connectivity	
DIMENSIONS:		CHK RAGHAVENDRA			
		TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD RAGHAVENDRA	
		0 PLC ±		NAME SIDE FEED SYSTEM III APPLICATOR	
		1 PLC ±		PRODUCT SPEC	
2 PLC ±		APPLICATION SPEC		SIZE CAGE CODE DRAWING NO RESTRICTED TO	
3 PLC ±		WEIGHT		A3 C- 1911151	
4 PLC ±		CUSTOMER DRAWING		SCALE SHEET 1 OF 2 REV A1	
ANGLES ±					
FINISH					
MATERIAL					

8

7

6

5

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

20

© COPYRIGHT 20

BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

PART NUMBER	REV	DESCRIPTION	PROGRAMMED MEMORY CHIP
1911151-1	A	CUTS CARRIER	8-1911151-1
1911151-6	A	CONTINUOUS CARRIER	8-1911151-6
7-1911151-1	A	-1 AND SPARE PARTS	9-1911151-1
7-1911151-6	A	-6 AND SPARE PARTS	9-1911151-6
7-1911151-7	A	SPARE PARTS KIT	-

APPLICATOR DATA

CRIMP	SIZE	TYPE
WIRE	2.08mm [.082 IN]	F
INSUL	2.79mm [.110 IN]	OV

APPL INSTRUCTIONS

408-10135

TERMINAL DATA: TE TERMINAL

TYCO ELECTRONICS CRIMP SPEC

TERMINAL NAME: FCI 2.8mm DCS2 FEMALE

WIRE STRIP LENGTH

3.9-4.7 mm [.153-.185 IN]

INSULATION DIAMETER RANGE

1.40-2.10mm [.055-.082 IN]

TERMINAL APPL SPEC

NONE

TERMINALS APPLIED

1572889-1

1572889-2

1572889-3

1572889-4

WIRE SIZE

CRIMP HEIGHT

mm [INCH]

0.5+0.5	1.35±.05 [.053±.002]
0.5+0.35	1.25±.05 [.049±.002]
0.35+0.35	1.25±.05 [.049±.002]
1mm ²	1.30±.05 [.051±.002]
0.75mm ²	1.25±.05 [.049±.002]
0.5mm ²	1.20±.05 [.047±.002]

RECOMMENDED SPARE PARTS.

GREASE BEARING SURFACES LIGHTLY.

LUBRICATE DAILY PER THE APPLICATOR INSTRUCTION SHEET SUPPLIED WITH THE APPLICATOR.

ITEM 19 - OPTIONAL STRIPPER FOR BENCH MACHINE APPLICATIONS.

APPLICATOR SPECIFIC DATA TO BE ENTERED INTO BLANK MEMORY CHIP AT ASSEMBLY.

APPLY P/N 1-23419-5 LOCTITE(R) TO THREADS.

FEED TRACK POSITION

TERMINAL SUPPORT LOCATION

HOLDDOWN SET-UP

FEED FINGER

1901694-1

SET UP GAGE

1901040-1

LOC

A

DIST

66

REVISIONS

P	LYR	DESCRIPTION	DATE	DWN	APVD
A	RELEASED		03JAN2008	DWN	GB

-	1	1	1	1	1-993111-6	PIN, SLOTTED SPRING 3.0 X 30.0	177
-	2	2	2	2	3-22280-7	SPRING, COMPRESSION	176
-	1	1	1	1	1752353-1	GUIDE PIN,HOLDDOWN	175
-	1	1	1	1	1901680-1	GUIDE PIN,HOLDDOWN	174
-	REF	REF	REF	REF	SEE TABLE	MEMORY CHIP, PROGRAMMED	135
-	1	1	1	1	455888-1	SPACER, CRIMPER	82
-	1	1	1	1	1633565-1	DOCUMENTATION PACKAGE	71
-	1	1	1	1	1901048-1	TAG,IDENTIFICATION	67
-	2	2	2	2	21017-1	SCREW, DRIVE	66
-	1	1	1	1	18028-1	WASHER, FLAT, REG M3	64
-	1	1	1	1	1655785-9	SCR, BTN SKT HD CAP (M3 X 6)	62
-	2	2	2	2	1655785-1	SCR, BTN SKT HD CAP (M4 X 8)	60
-	4	4	4	4	1655783-3	SCR, CAP, SOC HD, LOW HEAD, M4 X 12	54
-	1	1	1	1	1-18030-0	NUT, HEX, REG M3.5	52
-	1	1	1	1	1901681-1	HOLDDOWN, TERMINAL	51
-	1	1	1	1	2-1752354-5	STANDOFF,HOLD-DOWN	50
-	1	1	1	1	1752300-1	SF SYSTEM III APPLICATOR	46
-	1	1	1	1	1752308-1	RAM	44
-	1	1	1	1	2-1655785-3	SCR, BTN SKT HD CAP (M8 X 25)	41
-	1	1	1	1	993002-4	SCREW,SET,SFT TIP	40
-	1	1	1	1	1962043-1	PLUNGER,BALL,METRIC	39
-	1	1	1	1	1752309-1	RING,INSULATION CRIMP	38
-	1	1	1	1	1-1752356-7	SUPPORT, TERMINAL	34
-	2	2	2	2	3-1655785-3	SCR, BTN SKT HD CAP (M4 X 20)	33
-	1	1	1	1	18028-3	WASHER, FLAT, REG M5	32
-	1	1	1	1	5-1655316-3	SCR, SKT HD CAP, M5 X 10.0	31
-	1	1	1	1	1320908-1	SPACER, STRIP GUIDE	30
-	1	1	1	1	1901087-3	ASSEMBLY, STRIP GUIDE	29
-	1	1	1	1	1-455888-0	SPACER, CRIMPER	28
-	1	1	1	1	1320928-1	PLATE, STRIP GUIDE	24
-	1	1	1	1	1976045-1	STRIPPER	22
-	1	1	1	1	18028-2	WASHER, FLAT, REG M4	20
-	REF	REF	REF	REF	1752311-1	STRIPPER	19
-	1	1	1	1	1338684-1	SHEAR HOLDER, FRONT	13
-	1	1	1	1	3-22280-3	SPRING, COMPRESSION	12
-	1	1	1	1	356885-4	STOP, SHEAR	11
-	1	1	1	1	1320921-1	SHEAR HOLDER, FRONT, CUT	10
-	1	1	1	1	454276-1	FLOATING SHEAR, FRONT	9
-	1	2	2	1	7-1633138-0	ANVIL, COMBINATION	8
-	1	1	1	1	1-455889-4	DEPRESSOR, SHEAR	5
-	1	1	1	1	1-238011-0	BLOCK, CRIMPER SPACER	4
-	1	2	2	1	1-854830-5	CRIMPER, INSULATION SPECIAL	3
-	1	1	1	1	455888-3	SPACER, CRIMPER	2
-	1	2	2	1	8-1673600-7	CRIMPER, WIRE	1

-77	-76	-71	-6	-1	PART NO	DESCRIPTION	ITEM NO

TYCO ELECTRONICS CORPORATION
HARRISBURG, PA 17105-3608
D. WRIGHT
31OCT2007
N. DEMING
31OCT2007
G. BAILEY
31OCT2007
NAME
SIDE FEED SYSTEM III APPLICATOR
SIZE
A
CAGE CODE
00779
DRAWING NO
1911151
RESTRICTED TO
-
CUSTOMER DRAWING
SCALE
3:5
SHEET
1
OF
1
REV
A

CUSTOMER DRAWING

DRAWING NUMBER - 1911151 SHEET 2 OF 2 REV. A1

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9