

THIS COPY IS PROVIDED ON A RESTRICTED BASIS AND IS NOT TO BE USED IN ANY WAY DETRIMENTAL TO THE INTERESTS OF PANDUIT CORP.

Example: T25E-C16



COLOR AVAILABILITY

| COLOR                   | COLOR SUFFIX | MATERIAL     |                                |  |  |       |                         |        |
|-------------------------|--------------|--------------|--------------------------------|--|--|-------|-------------------------|--------|
|                         |              | POLYETHYLENE | WEATHER RESISTANT POLYETHYLENE | FLAME RETARDANT POLYETHYLENE V2 RATING | FLAME RETARDANT POLYETHYLENE V0 RATING | NYLON | WEATHER RESISTANT NYLON | TEFLON |
| NATURAL (CLEAR)         | LEAVE BLANK  | X            |                                | NATURAL COLOR IS WHITE                 | NATURAL COLOR IS WHITE                 | X     |                         | X      |
| WEATHER RESISTANT BLACK | 0            |              | X                              |  |  |       | X                       |        |
| BROWN                   | 1            | X            |                                |  |  |       |                         |        |
| RED                     | 2            |              |                                |  |  |       |                         |        |
| ORANGE                  | 3            | X            |                                |  |  |       |                         |        |
| YELLOW                  | 4            | X            |                                |  |  |       |                         |        |
| GREEN                   | 5            | X            |                                |  |  |       |                         |        |
| BLUE                    | 6            | X            |                                |  |  |       |                         |        |
| PURPLE                  | 7            | X            |                                |  |  |       |                         |        |
| GRAY                    | 8            | X            |                                |  |  |       |                         |        |
| WHITE                   | 10           | X            |                                |  |  |       |                         |        |
| PINK                    | 16           | X            |                                |  |  |       |                         |        |
| BLACK                   | 20           |              |                                | X                                      | X                                      |       |                         |        |



CAD FILENAME/LAYERS G00239HA\_DC\_SPIRALWRP\_00

**PANDUIT** CORP. TINLEY PARK, ILLINOIS

SPIRAL WRAP

UNLESS OTHERWISE SPECIFIED, DIMENSIONAL TOLERANCES ARE:  
 (.X) ±0.05 (1.3) (.XXX) ±0.010 (0.25)  
 (.XX) ±0.02 (0.5) ANGLES ± 5°

UNLESS OTHERWISE SPECIFIED, ALL DIMENSIONS ARE GIVEN IN INCHES, THIRD ANGLE PROJECTION.

DRAWN BY JAD MAT'L: NONE SCALE NONE

DATE 12-4-00 SEE TABLE DRAWING NO. G00239HA DWG SIZE A

- Notes:
1. Refer to Panduit Catalogs for any additional information.
  2. For roll sizes larger than 10 ft., splicing may occur. For additional information, contact Product Management at 1-800-777-3300 ext. 7432.
  3. Refer to Panduit Catalogs for dimensional data.
  4. Colors are stocked for 1/4" and 1/2" Polyethylene. Other sizes available, consult factory.

|     |         |     |     |                 |          |   |      |     |  |
|-----|---------|-----|-----|-----------------|----------|---|------|-----|--|
| R   | 12-4-00 | JAD |     | INITIAL RELEASE | GB0239HA | R |      |     |  |
| REV | DATE    | BY  | CHK | DESCRIPTION     | ECN      | R | CUST | SUP |  |

# Spiral Wrapping

## Ordering Information — Spiral Wrapping



## Ordering Information — Spiral Wrapping

| Part Number | Material                       | Color         | A<br>In. (mm) | B<br>In. (mm) | T<br>In. (mm)                | Bundle Size<br>In. (mm)      | Length       | Std. Pkg. Qty* |
|-------------|--------------------------------|---------------|---------------|---------------|------------------------------|------------------------------|--------------|----------------|
| T12F-C      | Polyethylene                   | Natural       | 0.125" (3.2)  | 0.218" (5.5)  | 0.03" (.76)                  | 1/16" (1.6) – 1/2" (12.7)    | 100' (30.5M) | 1 Pkg.         |
| T19F-C      |                                | Natural       | 0.188" (4.8)  | 0.250" (6.4)  | 0.035" (0.89)                | 1/8" (3.2) - 1" (25.4)       | 100' (30.5M) | 1 Pkg.         |
| T25F-X      |                                | Natural       | 0.25" (6.4)   | 0.375" (9.5)  | 0.04" (1.02)                 | 3/16" (4.8) – 2" (50.8)      | 10' (3.0M)   | 1 Pkg.         |
| T25F-C      |                                | Natural       | 0.25" (6.4)   | 0.375" (9.5)  | 0.04" (1.02)                 | 3/16" (4.8) – 2" (50.8)      | 100' (30.5M) | 1 Pkg.         |
| T25F-C1     |                                | Brown         | 0.25" (6.4)   | 0.375" (9.5)  | 0.04" (1.02)                 | 3/16" (4.8) – 2" (50.8)      | 100' (30.5M) | 1 Pkg.         |
| T25F-C10    |                                | White         | 0.25" (6.4)   | 0.375" (9.5)  | 0.04" (1.02)                 | 3/16" (4.8) – 2" (50.8)      | 100' (30.5M) | 1 Pkg.         |
| T25F-C16    |                                | Pink          | 0.25" (6.4)   | 0.375" (9.5)  | 0.04" (1.02)                 | 3/16" (4.8) – 2" (50.8)      | 100' (30.5M) | 1 Pkg.         |
| T25F-C2     |                                | Red           | 0.25" (6.4)   | 0.375" (9.5)  | 0.04" (1.02)                 | 3/16" (4.8) – 2" (50.8)      | 100' (30.5M) | 1 Pkg.         |
| T25F-C3     |                                | Orange        | 0.25" (6.4)   | 0.375" (9.5)  | 0.04" (1.02)                 | 3/16" (4.8) – 2" (50.8)      | 100' (30.5M) | 1 Pkg.         |
| T25F-C4     |                                | Yellow        | 0.25" (6.4)   | 0.375" (9.5)  | 0.04" (1.02)                 | 3/16" (4.8) – 2" (50.8)      | 100' (30.5M) | 1 Pkg.         |
| T25F-C5     |                                | Green         | 0.25" (6.4)   | 0.375" (9.5)  | 0.04" (1.02)                 | 3/16" (4.8) – 2" (50.8)      | 100' (30.5M) | 1 Pkg.         |
| T25F-C6     |                                | Blue          | 0.25" (6.4)   | 0.375" (9.5)  | 0.04" (1.02)                 | 3/16" (4.8) – 2" (50.8)      | 100' (30.5M) | 1 Pkg.         |
| T25F-C7     |                                | Purple        | 0.25" (6.4)   | 0.375" (9.5)  | 0.04" (1.02)                 | 3/16" (4.8) – 2" (50.8)      | 100' (30.5M) | 1 Pkg.         |
| T25F-C8     |                                | Gray          | 0.25" (6.4)   | 0.375" (9.5)  | 0.04" (1.02)                 | 3/16" (4.8) – 2" (50.8)      | 100' (30.5M) | 1 Pkg.         |
| T38F-C      |                                | Natural       | 0.375" (9.5)  | 0.437" (11.1) | 0.055" (1.4)                 | 5/16" (7.9) – 3" (76.2)      | 100' (30.5M) | 1 Pkg.         |
| T50F-X      |                                | Natural       | 0.5" (12.7)   | 0.5" (12.7)   | 0.06" (1.5)                  | 3/8" (9.5) – 4" (101.6)      | 10' (3.0M)   | 1 Pkg.         |
| T50F-C      |                                | Natural       | 0.5" (12.7)   | 0.5" (12.7)   | 0.06" (1.5)                  | 3/8" (9.5) – 4" (101.6)      | 100' (30.5M) | 1 Pkg.         |
| T50F-C1     |                                | Brown         | 0.5" (12.7)   | 0.5" (12.7)   | 0.06" (1.5)                  | 3/8" (9.5) – 4" (101.6)      | 100' (30.5M) | 1 Pkg.         |
| T50F-C10    |                                | White         | 0.5" (12.7)   | 0.5" (12.7)   | 0.06" (1.5)                  | 3/8" (9.5) – 4" (101.6)      | 100' (30.5M) | 1 Pkg.         |
| T50F-C16    |                                | Pink          | 0.5" (12.7)   | 0.5" (12.7)   | 0.06" (1.5)                  | 3/8" (9.5) – 4" (101.6)      | 100' (30.5M) | 1 Pkg.         |
| T50F-C2     |                                | Red           | 0.5" (12.7)   | 0.5" (12.7)   | 0.06" (1.5)                  | 3/8" (9.5) – 4" (101.6)      | 100' (30.5M) | 1 Pkg.         |
| T50F-C3     |                                | Orange        | 0.5" (12.7)   | 0.5" (12.7)   | 0.06" (1.5)                  | 3/8" (9.5) – 4" (101.6)      | 100' (30.5M) | 1 Pkg.         |
| T50F-C4     |                                | Yellow        | 0.5" (12.7)   | 0.5" (12.7)   | 0.06" (1.5)                  | 3/8" (9.5) – 4" (101.6)      | 100' (30.5M) | 1 Pkg.         |
| T50F-C5     |                                | Green         | 0.5" (12.7)   | 0.5" (12.7)   | 0.06" (1.5)                  | 3/8" (9.5) – 4" (101.6)      | 100' (30.5M) | 1 Pkg.         |
| T50F-C6     | Blue                           | 0.5" (12.7)   | 0.5" (12.7)   | 0.06" (1.5)   | 3/8" (9.5) – 4" (101.6)      | 100' (30.5M)                 | 1 Pkg.       |                |
| T50F-C7     | Purple                         | 0.5" (12.7)   | 0.5" (12.7)   | 0.06" (1.5)   | 3/8" (9.5) – 4" (101.6)      | 100' (30.5M)                 | 1 Pkg.       |                |
| T50F-C8     | Gray                           | 0.5" (12.7)   | 0.5" (12.7)   | 0.06" (1.5)   | 3/8" (9.5) – 4" (101.6)      | 100' (30.5M)                 | 1 Pkg.       |                |
| T62F-C      | Natural                        | 0.625" (15.9) | 0.625" (15.9) | 0.062" (1.57) | 1/2" (12.7) – 4 1/2" (114.3) | 100' (30.5M)                 | 1 Pkg.       |                |
| T75F-C      | Natural                        | 0.75" (19.1)  | 0.875" (22.2) | 0.065" (1.65) | 5/8" (15.9) – 5" (127)       | 100' (30.5M)                 | 1 Pkg.       |                |
| T100F-C     | Natural                        | 1" (25.4)     | 1.125" (28.6) | 0.07" (1.78)  | 7/8" (22.2) – 6" (152.4)     | 100' (30.5M)                 | 1 Pkg.       |                |
| T12F-C0     | Weather Resistant Polyethylene | Black         | 0.125" (3.2)  | 0.218" (5.5)  | 0.03" (.76)                  | 1/16" (1.6) – 1/2" (12.7)    | 100' (30.5M) | 1 Pkg.         |
| T19F-X0     |                                | Black         | 0.188" (4.8)  | 0.250" (6.4)  | 0.035" (0.89)                | 1/8" (3.2) - 1" (25.4)       | 10' (3.0M)   | 1 Pkg.         |
| T25F-X0     |                                | Black         | 0.25" (6.4)   | 0.375" (9.5)  | 0.04" (1.02)                 | 3/16" (4.8) – 2" (50.8)      | 10' (3.0M)   | 1 Pkg.         |
| T25F-C0     |                                | Black         | 0.25" (6.4)   | 0.375" (9.5)  | 0.04" (1.02)                 | 3/16" (4.8) – 2" (50.8)      | 100' (30.5M) | 1 Pkg.         |
| T38F-C0     |                                | Black         | 0.375" (9.5)  | 0.437" (11.1) | 0.055" (1.4)                 | 5/16" (7.9) – 3" (76.2)      | 100' (30.5M) | 1 Pkg.         |
| T50F-X0     |                                | Black         | 0.5" (12.7)   | 0.5" (12.7)   | 0.06" (1.5)                  | 3/8" (9.5) – 4" (101.6)      | 10' (3.0M)   | 1 Pkg.         |
| T50F-C0     |                                | Black         | 0.5" (12.7)   | 0.5" (12.7)   | 0.06" (1.5)                  | 3/8" (9.5) – 4" (101.6)      | 100' (30.5M) | 1 Pkg.         |
| T62F-C0     |                                | Black         | 0.625" (15.9) | 0.625" (15.9) | 0.062" (1.57)                | 1/2" (12.7) – 4 1/2" (114.3) | 100' (30.5M) | 1 Pkg.         |
| T75F-C0     |                                | Black         | 0.75" (19.1)  | 0.875" (22.2) | 0.065" (1.65)                | 5/8" (15.9) – 5" (127)       | 100' (30.5M) | 1 Pkg.         |
| T100F-C0    |                                | Black         | 1" (25.4)     | 1.125" (28.6) | 0.07" (1.78)                 | 7/8" (22.2) – 6" (152.4)     | 100' (30.5M) | 1 Pkg.         |

\*Order in multiples of Std. Pkg. Qty.

NOTE: Custom cut-to-length sizes are available upon request. Contact factory for details.

# Spiral Wrapping



## Ordering Information — Spiral Wrapping

| Part Number | Material                                 | Color                                  | A<br>In. (mm) | B<br>In. (mm) | T<br>In. (mm)                | Bundle Size<br>In. (mm)      | Length                    | Std. Pkg. Qty* |
|-------------|--|--|---------------|---------------|------------------------------|------------------------------|---------------------------|----------------|
| T12R-C      | Flame Retardant Polyethylene (U.L. V2)   | White                                  | 0.125" (3.2)  | 0.218" (5.5)  | 0.03" (.76)                  | 1/16" (1.6) – 1/2" (12.7)    | 100' (30.5M)              | 1 Pkg.         |
| T19R-C      |  | White                                  | 0.188" (4.8)  | 0.250" (6.4)  | 0.035" (0.89)                | 1/8" (3.2) – 1" (25.4)       | 100' (30.5M)              | 1 Pkg.         |
| T25R-C      |  | White                                  | 0.25" (6.4)   | 0.375" (9.5)  | 0.04" (1.02)                 | 3/16" (4.8) – 2" (50.8)      | 100' (30.5M)              | 1 Pkg.         |
| T25R-C20    |  | Black                                  | 0.25" (6.4)   | 0.375" (9.5)  | 0.04" (1.02)                 | 3/16" (4.8) – 2" (50.8)      | 100' (30.5M)              | 1 Pkg.         |
| T38R-C      |  | White                                  | 0.375" (9.5)  | 0.437" (11.1) | 0.055" (1.4)                 | 5/16" (7.9) – 3" (76.2)      | 100' (30.5M)              | 1 Pkg.         |
| T50R-C      |  | White                                  | 0.5" (12.7)   | 0.5" (12.7)   | 0.06" (1.5)                  | 3/8" (9.5) – 4" (101.6)      | 100' (30.5M)              | 1 Pkg.         |
| T62R-C      |  | White                                  | 0.625" (15.9) | 0.625" (15.9) | 0.062" (1.57)                | 1/2" (12.7) – 4 1/2" (114.3) | 100' (30.5M)              | 1 Pkg.         |
| T75R-C      |  | White                                  | 0.75" (19.1)  | 0.875" (22.2) | 0.065" (1.65)                | 5/8" (15.9) – 5" (127)       | 100' (30.5M)              | 1 Pkg.         |
| T100R-C     |  | White                                  | 1" (25.4)     | 1.125" (28.6) | 0.07" (1.78)                 | 7/8" (22.2) – 6" (152.4)     | 100' (30.5M)              | 1 Pkg.         |
| T12FR-C     |  | Flame Retardant Polyethylene (U.L. V0) | White         | 0.125" (3.2)  | 0.218" (5.5)                 | 0.03" (.76)                  | 1/16" (1.6) – 1/2" (12.7) | 100' (30.5M)   |
| T12FR-C20   | Black                                    |  | 0.125" (3.2)  | 0.218" (5.5)  | 0.03" (.76)                  | 1/16" (1.6) – 1/2" (12.7)    | 100' (30.5M)              | 1 Pkg.         |
| T19FR-C     | White                                    |  | 0.188" (4.8)  | 0.250" (6.4)  | 0.032" (0.81)                | 1/8" (3.2) – 1" (25.4)       | 100' (30.5M)              | 1 Pkg.         |
| T19FR-C20   | Black                                    |  | 0.188" (4.8)  | 0.250" (6.4)  | 0.032" (0.81)                | 1/8" (3.2) – 1" (25.4)       | 100' (30.5M)              | 1 Pkg.         |
| T25FR-C     | White                                    |  | 0.25" (6.4)   | 0.375" (9.5)  | 0.04" (1.02)                 | 3/16" (4.8) – 2" (50.8)      | 100' (30.5M)              | 1 Pkg.         |
| T25FR-C20   | Black                                    |  | 0.25" (6.4)   | 0.375" (9.5)  | 0.04" (1.02)                 | 3/16" (4.8) – 2" (50.8)      | 100' (30.5M)              | 1 Pkg.         |
| T38FR-C     | White                                    |  | 0.375" (9.5)  | 0.437" (11.1) | 0.055" (1.4)                 | 5/16" (7.9) – 3" (76.2)      | 100' (30.5M)              | 1 Pkg.         |
| T38FR-C20   | Black                                    |  | 0.375" (9.5)  | 0.437" (11.1) | 0.055" (1.4)                 | 5/16" (7.9) – 3" (76.2)      | 100' (30.5M)              | 1 Pkg.         |
| T50FR-C     | White                                    |  | 0.5" (12.7)   | 0.5" (12.7)   | 0.06" (1.5)                  | 3/8" (9.5) – 4" (101.6)      | 100' (30.5M)              | 1 Pkg.         |
| T50FR-C20   | Black                                    |  | 0.5" (12.7)   | 0.5" (12.7)   | 0.06" (1.5)                  | 3/8" (9.5) – 4" (101.6)      | 100' (30.5M)              | 1 Pkg.         |
| T62FR-C     | White                                    | 0.625" (15.9)                          | 0.625" (15.9) | 0.062" (1.57) | 1/2" (12.7) – 4 1/2" (114.3) | 100' (30.5M)                 | 1 Pkg.                    |                |
| T62FR-C20   | Black                                    | 0.625" (15.9)                          | 0.625" (15.9) | 0.062" (1.57) | 1/2" (12.7) – 4 1/2" (114.3) | 100' (30.5M)                 | 1 Pkg.                    |                |
| T75FR-C     | White                                    | 0.75" (19.1)                           | 0.875" (22.2) | 0.065" (1.65) | 5/8" (15.9) – 5" (127)       | 100' (30.5M)                 | 1 Pkg.                    |                |
| T75FR-C20   | Black                                    | 0.75" (19.1)                           | 0.875" (22.2) | 0.065" (1.65) | 5/8" (15.9) – 5" (127)       | 100' (30.5M)                 | 1 Pkg.                    |                |
| T100FR-C    | White                                    | 1" (25.4)                              | 1.125" (28.6) | 0.07" (1.78)  | 7/8" (22.2) – 6" (152.4)     | 100' (30.5M)                 | 1 Pkg.                    |                |
| T100FR-C20  | Black                                    | 1" (25.4)                              | 1.125" (28.6) | 0.07" (1.78)  | 7/8" (22.2) – 6" (152.4)     | 100' (30.5M)                 | 1 Pkg.                    |                |
| T12N-C      | Nylon (Black Nylon is weather resistant) | Natural                                | 0.125" (3.2)  | 0.218" (5.5)  | 0.015" (.38)                 | 1/16" (1.6) – 1/2" (12.7)    | 100' (30.5M)              | 1 Pkg.         |
| T12N-C0     |  | Black                                  | 0.125" (3.2)  | 0.218" (5.5)  | 0.015" (.38)                 | 1/16" (1.6) – 1/2" (12.7)    | 100' (30.5M)              | 1 Pkg.         |
| T19N-C      |  | Natural                                | 0.188" (4.8)  | 0.250" (6.4)  | 0.020" (0.51)                | 1/8" (3.2) – 1" (25.4)       | 100' (30.5M)              | 1 Pkg.         |
| T19N-C0     |  | Black                                  | 0.188" (4.8)  | 0.250" (6.4)  | 0.020" (0.51)                | 1/8" (3.2) – 1" (25.4)       | 100' (30.5M)              | 1 Pkg.         |
| T25N-C      |  | Natural                                | 0.25" (6.4)   | 0.375" (9.5)  | 0.023" (.58)                 | 3/16" (4.8) – 2" (50.8)      | 100' (30.5M)              | 1 Pkg.         |
| T25N-C0     |  | Black                                  | 0.25" (6.4)   | 0.375" (9.5)  | 0.023" (.58)                 | 3/16" (4.8) – 2" (50.8)      | 100' (30.5M)              | 1 Pkg.         |
| T38N-C      |  | Natural                                | 0.375" (9.5)  | 0.437" (11.1) | 0.03" (.76)                  | 5/16" (7.9) – 3" (76.2)      | 100' (30.5M)              | 1 Pkg.         |
| T38N-C0     |  | Black                                  | 0.375" (9.5)  | 0.437" (11.1) | 0.03" (.76)                  | 5/16" (7.9) – 3" (76.2)      | 100' (30.5M)              | 1 Pkg.         |
| T50N-C      |  | Natural                                | 0.5" (12.7)   | 0.5" (12.7)   | 0.032" (.81)                 | 3/8" (9.5) – 4" (101.6)      | 100' (30.5M)              | 1 Pkg.         |
| T50N-C0     |  | Black                                  | 0.5" (12.7)   | 0.5" (12.7)   | 0.032" (.81)                 | 3/8" (9.5) – 4" (101.6)      | 100' (30.5M)              | 1 Pkg.         |
| T62N-C      | Natural                                  | 0.625" (15.9)                          | 0.625" (15.9) | 0.035" (.89)  | 1/2" (12.7) – 4 1/2" (114.3) | 100' (30.5M)                 | 1 Pkg.                    |                |
| T62N-C0     | Black                                    | 0.625" (15.9)                          | 0.625" (15.9) | 0.035" (.89)  | 1/2" (12.7) – 4 1/2" (114.3) | 100' (30.5M)                 | 1 Pkg.                    |                |
| T75N-C      | Natural                                  | 0.75" (19.1)                           | 0.875" (22.2) | 0.4" (1.01)   | 5/8" (15.9) – 5" (127)       | 100' (30.5M)                 | 1 Pkg.                    |                |
| T75N-C0     | Black                                    | 0.75" (19.1)                           | 0.875" (22.2) | 0.4" (1.01)   | 5/8" (15.9) – 5" (127)       | 100' (30.5M)                 | 1 Pkg.                    |                |
| T100N-C     | Natural                                  | 1" (25.4)                              | 1.125" (28.6) | 0.045" (1.0)  | 7/8" (22.2) – 6" (152.4)     | 100' (30.5M)                 | 1 Pkg.                    |                |
| T100N-C0    | Black                                    | 1" (25.4)                              | 1.125" (28.6) | 0.045" (1.0)  | 7/8" (22.2) – 6" (152.4)     | 100' (30.5M)                 | 1 Pkg.                    |                |
| T12T-C      | TEFLON‡                                  | Natural                                | 0.125" (3.2)  | 0.218" (5.5)  | 0.02" (.5)                   | 1/16" (1.6) – 1/2" (12.7)    | 100' (30.5M)              | 1 Pkg.         |
| T19T-C      |  | Natural                                | 0.188" (4.8)  | 0.250" (6.4)  | 0.03" (.76)                  | 1/8" (3.2) – 1" (25.4)       | 100' (30.5M)              | 1 Pkg.         |
| T25T-L      |  | Natural                                | 0.25" (6.4)   | 0.375" (9.5)  | 0.03" (.76)                  | 3/16" (4.8) – 2" (50.8)      | 50' (15.2M)               | 1 Pkg.         |
| T50T-Q      |  | Natural                                | 0.5" (12.7)   | 0.5" (12.7)   | 0.03" (.76)                  | 3/8" (9.5) – 4" (101.6)      | 25' (7.6M)                | 1 Pkg.         |
| T62T-Q      |  | Natural                                | 0.625" (15.9) | 0.625" (15.9) | 0.03" (.76)                  | 1/2" (12.7) – 4 1/2" (114.3) | 25' (7.6M)                | 1 Pkg.         |
| T75T-X      |  | Natural                                | 0.75" (19.1)  | 0.875" (22.2) | 0.03" (.76)                  | 5/8" (15.9) – 5" (127)       | 10' (3.0M)                | 1 Pkg.         |
| T100T-X     |  | Natural                                | 1" (25.4)     | 1.125" (28.6) | 0.04" (1.01)                 | 7/8" (22.2) – 6" (152.4)     | 10' (3.0M)                | 1 Pkg.         |

\*Order in multiples of Std. Pkg. Qty.

‡ TEFLON or equivalent fluorocarbon PTFE material is used. TEFLON is a registered trademark of E.I. DuPont Co.

NOTE: Custom cut-to-length sizes are available upon request. Contact factory for details.

## Данный компонент на территории Российской Федерации

### Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

### Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: [info@moschip.ru](mailto:info@moschip.ru)

Skype отдела продаж:

moschip.ru

moschip.ru\_4

moschip.ru\_6

moschip.ru\_9