





PRODUCT NUMBER

SEE TABLE



mat'l. code				surface		tolerance		projection		product family			
				ISO1302 ✓		ISO1101 ISO406				MOD JACK			
ltr		ecn	nodr	date	tolerances unless otherwise			specified		title			
J	S80281	BL	12/18/98	angle	line		0.X±0.3			4 POS HORIZONTAL PC.B. MOD JACK ASSY			
K	S00022	BL	26/01/00				0.XX±0.15						
L	M05-0067	MHT	4/8/05			0'±2'	0.XXX±0.05						
M	M05-0155	MHT	6/29/05	dr	M.HERNANDEZ	4/8/05			dwg no		sheet 1 of 2		size
N	ELX-N-010698	SH MMT	3/14/12	engr	M.BARRIOS	4/8/05			68897		A4		
				chr	M.BARRIOS	4/8/05							
					appd	M.BARRIOS	4/8/05	type		Product	Customer	Drawing	
sheet		revision		N	N								
index		sheet		1	2								


1 | 2

3 |


4

PRODUCT NO. NOTE 1,3	POSITIONS LOADED	CONTACT PLATING NOTE 6	HOUSING COLOR
68897-001	ALL	5u" Au + high performance lubricant	BLACK
-002	ALL	5u" Au + high performance lubricant	BLACK
-003	ALL	5u" Au + high performance lubricant	OFF-WHITE
-004	ALL	1,27um / 50u" GXT	BLACK
-005	ALL	0.15um / 6u" AU	BLACK

(5)



VIEW A-A

RECOMMENDED BOARD LAYOUT
VIEWED FROM TOP

NOTES :

- 1 WHEN PRODUCT CALLS FOR PACKAGING IN TRAY ORDER THE PRODUCT WITH PART NUMBER 68897-XXXX FOR PACKAGING IDENTIFICATION. FOR PRODUCT NUMBER WITHOUT SUFFIX "T", THE PRODUCT WILL BE PACKED IN TUBE AS PER DUPONT STANDARD PACKAGING.
- 2 ADD "LF" SUFFIX AT THE END OF PART NUMBER FOR LEAD FREE OPTION.
- 3 THIS PRODUCT MEETS EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATION AS DESCRIBED IN GS-22-008.
- 4 THE HOUSING TEMPERATURE WITHSTAND EXPOSURE TO 260°C PEAK TEMPERATURE FOR 15 SECONDS IN A WAVE SOLDER APPLICATION WITH A 1.5 MM MINIMUM THICK CIRCUIT BOARD. SEE APPLICATION NOTES/PROCEDURES IF THEY ARE AVAILABLE.
- 5 PLATING OPTION:
MAY BE EITHER GOLD OR GXT PLATED AT MANUFACTURER'S OPTION.

mat'l. code				surface ☒ tolerance		projection		product family				
				ISO1302 ☒ ISO1101 ISO406				MOD JACK				
ltr		ecn		nodr		date		tolerances unless otherwise specified		title		
J	S80281		BL	12/18/98		angle iso	0.X±0.3		mm →	4 POS HORIZONTAL PC.B. MOD JACK ASSY		
K	S00022		BL	26/01/00			0.XX±0.15					
L	M05-0067		MHT	4/8/05			0.XXX±0.05					
						line iso	0'±2"		scale 2.0			
M	M05-0155		MHT	6/29/05			dr M.HERNANDEZ 4/8/05		dwg no		sheet 2 of 2	
N	ELX-N-010698		SH	3/14/12			enr M.BARRIOS 4/8/05		FCI		68897	
							chr M.BARRIOS 4/8/05					
								appd M.BARRIOS 4/8/05				
sheet		revision										
index		sheet										

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9