



Copyright FCI.

A

B

C



D

A

B

C

D




FORMED LAYOUT
DIE DIRECTION


spec ref		-		dr		Rainbow Zhan	2015/06/09	projection		mm	size		A3	scale		5:1		
tolerance std	TOLERANCES UNLESS OTHERWISE SPECIFIED			eng		Rainbow Zhan	2015/12/29				ecn no		-					
				chr		-	-				rel level			Released				
ISO 406				appr		Pei-Ming Zheng	2015/12/29	product family			PwrBlade ULTRA							
ISO 1101																		
surface	linear	0.X		±0.3			title			CABLE POWER CONTACT			dwg no		10135689		rev	A
		0.XX		±0.25														
		0.XXX		±0.15														
	angular		0°		±10°													
ISO 1302						www.fci.com		cat. no.			-			Product - Customer Drw			sheet 1 of 4	




Copyright FCI.




SECTION A-A



SECTION B-B




SECTION C-C
SCALE 10:1




SECTION D-D
SCALE 10:1

spec ref -				dr Rainbow Zhan		2015/06/09		projection		mm		size A3		scale 5:1			
tolerance std ISO 406 ISO 1101				TOLERANCES UNLESS OTHERWISE SPECIFIED				eng Rainbow Zhan		2015/12/29						ecn no -	
								chr -		-							
								appr Pei-Ming Zheng		2015/12/29		product family PwrBlade ULTRA				rel level Released	
surface  ISO 1302		linear		0.X		±0.3						title CABLE POWER CONTACT RECEPTACLE, PwrBlade +		dwg no 10135689		rev A	
				0.XX		±0.25											
				0.XXX		±0.15											
		angular		0°		±10°		www.fci.com		cat. no. -		Product - Customer Drw				sheet 2 of 4	



REELING DIRECTION
AFTER FORMING
SCALE 2:1



LOOSE PIECE
CONTACT

spec ref		-		dr		Rainbow Zhan	2015/06/09	projection	mm	size	A3	scale	5:1		
tolerance std	TOLERANCES UNLESS OTHERWISE SPECIFIED			eng		Rainbow Zhan	2015/12/29			ecn no	-				
				chr		-	-								
ISO 406				appr		Pei-Ming Zheng	2015/12/29	product family		PwrBlade ULTRA		rel level		Released	
ISO 1101															
surface	- ✓	linear	0.X	±0.3	FCi	title			CABLE POWER CONTACT			dwg no	10135689		rev
			0.XX	±0.25											
			0.XXX	±0.15											
ISO 1302		angular	0°	±10°	www.fci.com	cat. no.			-	Product - Customer Drw			sheet 3 of 4		A



Copyright FCI.

A

B

C

D

PART NUMBER	DESCRIPTION	PLATING	DIM A1	DIM B1	DIM C1	DIM A2	DIM B2	DIM C2	DIM M
10135689-091102LF	FORMED 10-12AWG CONTACT	GXT	2.80	5.60	6.3	4.20	7.30	7.40	25.9
10135689-092102LF	FORMED 10-12AWG CONTACT	GXT							24.6
10135689-091082LF	FORMED 8AWG CONTACT	GXT	4.00	7.32	7.90	5.50	9.60	10.00	25.9
10135689-092082LF	FORMED 8AWG CONTACT	GXT							24.6
10135689-091062LF	FORMED 6AWG CONTACT	GXT	5.50	8.92	8.80	7.00	11.70	12.00	25.9
10135689-092062LF	FORMED 6AWG CONTACT	GXT							24.6

NOTES:

1. MATERIAL:
COPPER ALLOY ,0.600 THICK.
2. PLATING SPECIFICATION:
0.76µm[30µ"] GXT(PdNi+Gold Flash) OVER 1.27µm[50µ"]Ni ON CONTACT AREA
0.5-1.5µm[20µ"-6020µ"] MATTE TIN OVER 1.27µm[50µ"]Ni ON CRIMPING AREA
3. DIM A2 DENOTES MAXIMUM O.D. OF WIRE INSULATION PERMISSIBLE REFER UL1015.
4. PRODUCT SPEC: GS-12-1267.
5. APPLICATION SPEC: GS-20-0435.
6. APPLICABLE HOUSING PN: 10129443-* ,10128858-* , 10128887-*.

spec ref		-		dr		Rainbow Zhan		2015/06/09		projection		mm		size		A3		scale		5:1					
tolerance std		TOLERANCES UNLESS OTHERWISE SPECIFIED		eng		Rainbow Zhan		2015/12/29						ecn no								-			
chr				-		-																			
ISO 406						appr		Pei-Ming Zheng		2015/12/29		product family		PwrBlade ULTRA		rel level								Released	
ISO 1101																									
surface		linear		0.X		±0.3				title		CABLE POWER CONTACT		dwg no		10135689		rev		A					
				0.XX		±0.25																			
				0.XXX		±0.15																			
ISO 1302		angular		0°		±10°		www.fci.com		cat. no.		-		Product - Customer Drw		sheet 4 of 4									

A

B

C

D

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9