

ANT-LTE-VDP-2000-SMA

Data Sheet



Product Description

The Linx VDP Series antenna is a highly versatile antenna, offering high performance in a wide range of applications as well as an industrial ruggedness at a commercial price point. These durable, low profile, IP67, UV, and extended temperature rated robust antennas mount to non-conductive surfaces with an integrated PSA adhesive patch and have a vertical cable egress. With two meters of low loss cable, the VDP Series antenna can be located remotely from the radio and positioned for optimal performance. The VDP Series offers a very rugged solution at a fraction of the cost of competitive options.

The VDP Series LTE antenna supports all common LTE frequency bands making it ideal for LTE, CAT-M1 and NB-IOT applications as well as 2G and 3G systems. It is easily customized with different cable lengths and connectors for volume orders. Contact Linx for details.



Features

- Covers all common 4G/3G/2G LTE bands
- Fully weatherized - UV protected, IP67, wide temperature range
- Low Loss cable for better RF performance at higher frequency bands


Ordering Information

ANT-LTE-VDP-2000-SMA


Electrical Specifications

Electrical Specifications				
Parameter				
Recommended Frequency Range	LTE/ GSM850/ GSM900	DCS/ PCS/ UMTS1	LTE 2300	LTE 2600
	698 – 960	1710 – 2170	2300 – 2400	2500 – 2700
VSWR	<1.7:1	<1.3:1	<1.4:1	<1.25:1
Peak Gain	4.5dBi	3.5dBi	1.5dBi	4.0dBi
Average Gain	-2.5dBi	-4.0dBi	-5.5dBi	-5.0dBi
Efficiency	55%	40%	30%	30%
Polarization	Linear			
Radiation	Omni-Directional			
Max Power	10W			
Wavelength	½-wave			
Impedance	50-ohms			
Cable	2m of Low Loss RG-174/U			
Connection	SMA Plug (Male)			
Mounting Type	Adhesive			
Weight	49g (1.7oz.)			
Operating Temperature Range	-40°C to +85°C			


Dimensions




VSWR Graph




Return Loss




Gain Plots



XZ-Plane Gain




YZ-Plane Gain




XY-Plane Gain


700 - 960MHz



XZ-Plane Gain




YZ-Plane Gain




XY-Plane Gain




1710 - 2170MHz



XZ-Plane Gain




YZ-Plane Gain




XY-Plane Gain




Gain Plots



XZ-Plane Gain




YZ-Plane Gain




XY-Plane Gain


2300 - 2400MHz



XZ-Plane Gain




YZ-Plane Gain




XY-Plane Gain




2500 - 2700MHz



XZ-Plane Gain




YZ-Plane Gain




XY-Plane Gain




Peak Gain



Average Gain



Radiation Efficiency



Copyright © 2018 Linx Technologies

159 Ort Lane, Merlin, OR 97532
 Phone: +1 541 471 6256
 Fax: +1 541 471 6251
www.linxtechnologies.com

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9