Product P/N	Wistron P/N	BGA Array Pattern
10129553-14430TxLF	550.00501.0011	6X25
10129553-14430MxLF	550.00501.0001	
10129553-14430WxLF	550.00501.0021	







DETAIL A
SCALE 5:1

spec ref	-			dr	Zhen Luo	2016/08/18	projection	MM
tolerance std ASME Y14.5	TOLERANCES UNLESS OTHERWISE SPECIFIED			eng	Michael Song	2016/12/07		
				chr	Heaven Cen	2016/12/07		
				appr	Pei-Ming Zheng	2016/12/07	product family	-
surface ASME Y14.5	linear	0.X	±0.30	Amphenol FCi	title	Flex Cable BGA Assembly	dwg no	10129553
		0.XX	±0.20			Brawn		
		0.XXX	±0.10					
	angular	0°	±2°		cat. no.	-	Product - Customer Drw	

size	scale	rev
A3	1:1	B
ecn no	ELX-DG-25561-1	
rel level	Released	
sheet 1 of 11		

© 2016 AFCI

Creo File - REV E - 2016-02-12

Product P/N	Wistron P/N	BGA Array Pattern
10129553-14426TxLF	550.00609.0001	6X17
10129553-14426MxLF	550.00609.0011	
10129553-14426WxLF	550.00609.0021	





spec ref	-			dr	Zhen Luo	2016/08/18	projection	MM	size A3 / scale 1:1
tolerance std ASME Y14.5	TOLERANCES UNLESS OTHERWISE SPECIFIED			eng	Michael Song	2016/12/07			ecn no ELX-DG-25561-1
				chr	Heaven Cen	2016/12/07			
				appr	Pei-Ming Zheng	2016/12/07	product family -		rel level Released
surface ASME Y14.5	linear	0.X	±0.30	Amphenol FCi	title: Flex Cable BGA Assembly Brawn		dwg no 10129553		rev B
		0.XX	±0.20						
		0.XXX	±0.10						
	angular	0°	±2°		cat. no. -		Product - Customer Drw		sheet 2 of 11

© 2016 AFCI

Creo File - REV E - 2016-02-12

PDS: Rev :B STATUS:Released Printed: Dec 07, 2016

Product P/N	Wistron P/N	BGA Array Pattern
10129553-14425TxLF	550.0060A.0001	6X14
10129553-14425MxLF	550.0060A.0011	
10129553-14425WxLF	550.0060A.0021	







SCALE 4:1







DETAIL C
SCALE 5:1

spec ref	-			dr	Zhen Luo	2016/08/18	projection	MM	size A3	scale 1:2
tolerance std ASME Y14.5	TOLERANCES UNLESS OTHERWISE SPECIFIED			eng	Michael Song	2016/12/07			ecn no	ELX-DG-25561-1
				chr	Heaven Cen	2016/12/07			rel level	Released
surface ASME Y14.5	linear	0.X	±0.30	appr	Pei-Ming Zheng	2016/12/07	product family	-		
		0.XX	±0.20							
		0.XXX	±0.10							
	angular	0°	±2°							

Amphenol FCi

title: Flex Cable BGA Assembly
Brawn

dwg no: 10129553

rev: B

cat. no. - | Product - Customer Drw | sheet 3 of 11

© 2016 AFCI

Creo File - REV E - 2016-02-12

PDS: Rev :B STATUS:Released Printed: Dec 07, 2016

Product P/N	Wistron P/N	BGA Array Pattern
10129553-14423TxLF	550.0060C.0001	6X17,6X24
10129553-14423MxLF	550.0060C.0011	
10129553-14423WxLF	550.0060C.0021	





SCALE 3:1



2X DETAIL F
SCALE 4:1



SCALE 3:1

spec ref	-			dr	Zhen Luo	2016/08/18	projection	MM	size A3	scale 4:5
tolerance std ASME Y14.5	TOLERANCES UNLESS OTHERWISE SPECIFIED			eng	Michael Song	2016/12/07			ecn no	ELX-DG-25561-1
				chr	Heaven Cen	2016/12/07			rel level	Released
surface ASME Y14.5	linear	0.X	±0.30	appr	Pei-Ming Zheng	2016/12/07	product family	-		
		0.XX	±0.20	Amphenol FCi	title	Flex Cable BGA Assembly	dwg no	10129553	rev	B
		0.XXX	±0.10			Brawn				
	angular	0°	±2°		cat. no.	-	Product - Customer Drw		sheet 4 of 11	

© 2016 AFCI

Creo File - REV E - 2016-02-12

PDS: Rev :B STATUS:Released Printed: Dec 07, 2016

Product P/N	Wistron P/N	BGA Array Pattern
10129553-14424TxLF	550.0060B.0001	6X25
10129553-14424MxLF	550.0060B.0011	
10129553-14424WxLF	550.0060B.0021	











spec ref	-			dr	Zhen Luo	2016/08/18	projection	MM	size A3 / scale 1:1
tolerance std ASME Y14.5	TOLERANCES UNLESS OTHERWISE SPECIFIED			eng	Michael Song	2016/12/07			ecn no ELX-DG-25561-1
				chr	Heaven Cen	2016/12/07			
				appr	Pei-Ming Zheng	2016/12/07	product family -		rel level Released
surface ASME Y14.5	linear	0.X	±0.30	Amphenol FCi	title: Flex Cable BGA Assembly		dwg no 10129553		rev B
		0.XX	±0.20		Brawn				
		0.XXX	±0.10		cat. no. -		Product - Customer Drw		sheet 5 of 11
	angular	0°	±2°						

© 2016 AFCI

Product P/N	Wistron P/N	BGA Array Pattern
10129553-14428TxLF	550.00504.0011	6X24,6X17
10129553-14428MxLF	550.00504.0001	
10129553-14428WxLF	550.00504.0021	













spec ref	-			dr	Zhen Luo	2016/08/18	projection	MM	size A3 / scale 1:1
tolerance std ASME Y14.5	TOLERANCES UNLESS OTHERWISE SPECIFIED			eng	Michael Song	2016/12/07			
				chr	Heaven Cen	2016/12/07			ecn no ELX-DG-25561-1
				appr	Pei-Ming Zheng	2016/12/07	product family -		rel level Released
surface ASME Y14.5	linear	0.X	±0.30	Amphenol FCi	title: Flex Cable BGA Assembly Brawn		dwg no 10129553		rev B
		0.XX	±0.20						
		0.XXX	±0.10						
	angular	0°	±2°		cat. no. -		Product - Customer Drw		sheet 6 of 11

© 2016 AFCI

Product P/N	Wistron P/N	BGA Array Pattern
10129553-14429TxLF	550.00503.0031	6X25
10129553-14429MxLF	550.00503.0001	
10129553-14429WxLF	550.00503.0021	











spec ref	-			dr	Zhen Luo	2016/08/18	projection	MM	size A3	scale 1:1
tolerance std ASME Y14.5	TOLERANCES UNLESS OTHERWISE SPECIFIED			eng	Michael Song	2016/12/07			ecn no	ELX-DG-25561-1
				chr	Heaven Cen	2016/12/07			rel level	Released
surface ASME Y14.5	linear	0.X	±0.30	appr	Pei-Ming Zheng	2016/12/07	product family	-		
		0.XX	±0.20	Amphenol FCi	title	Flex Cable BGA Assembly Brawn		dwg no 10129553		rev B
		0.XXX	±0.10							
	angular	0°	±2°		cat. no.	-	Product - Customer Drw		sheet 7 of 11	

© 2016 AFCI

Product P/N	Wistron P/N	BGA Array Pattern
10129553-14460TxLF	550.0060D.0001	6X14
10129553-14460MxLF	550.0060D.0011	
10129553-14460WxLF	550.0060D.0021	







DETAIL G
SCALE 5:1

spec ref	-			dr	Zhen Luo	2016/08/18	projection	MM	size A3	scale 1:1
tolerance std ASME Y14.5	TOLERANCES UNLESS OTHERWISE SPECIFIED			eng	Michael Song	2016/12/07			ecn no	ELX-DG-25561-1
				chr	Heaven Cen	2016/12/07				
				appr	Pei-Ming Zheng	2016/12/07	product family -		rel level	Released
surface ASME Y14.5	linear	0.X	±0.30	Amphenol FCi	title	Flex Cable BGA Assembly			dwg no	10129553	rev	B
		0.XX	±0.20			Brawn						
		0.XXX	±0.10		cat. no.	-	Product - Customer Drw			sheet 8 of 11		
	angular	0°	±2°									

© 2016 AFCI

Creo File - REV E - 2016-02-12

PDS: Rev :B

STATUS:Released

Printed: Dec 07, 2016

Product P/N	Wistron P/N	BGA Array Pattern
10129553-1446ITxLF	550.00505.0011	6X14
10129553-1446IMxLF	550.00502.0001	
10129553-1446IWxLF	550.00505.0021	







SCALE 1:1



DETAIL H
SCALE 5:1



SCALE 4:1

spec ref	-			dr	Zhen Luo	2016/08/18	projection	MM	size A3	scale 1:1
tolerance std ASME Y14.5	TOLERANCES UNLESS OTHERWISE SPECIFIED			eng	Michael Song	2016/12/07			ecn no	ELX-DG-25561-1
				chr	Heaven Cen	2016/12/07				
				appr	Pei-Ming Zheng	2016/12/07	product family	-	rel level	Released
surface ASME Y14.5	linear	0.X	±0.30	Amphenol FCi	title	Flex Cable BGA Assembly	dwg no	10129553	rev	B
		0.XX	±0.20			Brawn				
		0.XXX	±0.10		cat. no.	-	Product - Customer Drw		sheet 9 of 11	
	angular	0°	±2°							

© 2016 AFCI

Creo File - REV E - 2016-02-12

PDS: Rev :B STATUS:Released Printed: Dec 07, 2016

Product P/N	Wistron P/N	BGA Array Pattern
10129553-1453ITxLF	550.00507.0011	6X25
10129553-1453IMxLF	550.00507.0001	
10129553-1453IWxLF	550.00507.0021	









SCALE 4:1



DETAIL E
SCALE 4:1

© 2016 AFCI

spec ref	-			dr	Zhen Luo	2016/08/18	projection	MM	size A3 / scale 1:2
tolerance std ASME Y14.5	TOLERANCES UNLESS OTHERWISE SPECIFIED			eng	Michael Song	2016/12/07			ecn no ELX-DG-25561-1
				chr	Heaven Cen	2016/12/07			
				appr	Pei-Ming Zheng	2016/12/07	product family -		rel level Released
surface ASME Y14.5	linear	0.X	±0.30	Amphenol FCi	title: Flex Cable BGA Assembly / Brawn		dwg no 10129553		rev B
		0.XX	±0.20						
		0.XXX	±0.10						
	angular	0°	±2°		cat. no. -		Product - Customer Drw		sheet 10 of 11

PRODUCT PART NUMBER

10129553-□□□□□XXLF

- BASE NUMBER
- CODE (SEE TABLE)
- SUPPLIER:
  M:Multex
  T:TTM
  W:WuZhu
- PCB DESIGN:
  0: STANDARD
  1 TO N: NEW STACKUP
- LEAD FREE

CODE	Flex Cable code In Wistron
14430	14430
14426	14426
14425	14425
14423	14423
14424	14424
14428	14428
14429	14429
14460	14460
14461	14461
14531	14531

NOTES:
1. MATERIAL:
   FLEX CABLE
   SOLDER BALL: LEAD FREE 96.5Sn/3Ag/0.5Cu
   VENDOR: ALPHA

2. SOLDER BALLS WILL NOT BE PERFECT SHPERICAL SHAPE DUE TO REFLOW ATTACHMENT.

3. PRODUCT SPECIFICATION: GS-12-1183.

4. APPLICATION SPECIFICATION: GS-20-0391.

5. PACKAGE SPECIFICATION: GS-14-2365.

6. PRODUCT MEET EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS DESCRIBED IN GS-22-08.

7. RATED VOLTAGE L80V-LESS THAN 80V

8. SHEAR FORCE OF SOLDER BALL:800GF MIN.

9. APPEARANCE STANDARD FOLLOWS IPC 6013 CLASS2 CRITERIA AND DELL PCB 10207.

10. MSL LEVEL:MULTEK:5 TTM:5A.

11. CONTACT RESISTANCE:
    MULTEK:10 OHM TTM:10 OHM

12. INSULATION RESISTANCE:
    MULTEK:10 MEGAOHM TTM:10 MEGAOHM

13. PCB WARPAGE CRITERIA:
    0.7% OF PCB LENGTH MAX.(BEFORE REFLOW)

14. IMPEDANCE REQUIREMENT.

100 +/-10 OHMS RISE TIME=70PS (20% TO 80%)	85 +/-10 OHMS RISE TIME=70PS (20% TO 80%)	50 +/-5 OHMS RISE TIME=100PS (10% TO 90%)
SAS AND PCIE PAD (DIFFERENTIAL PAIR)	SATA PAD (DIFFERENTIAL PAIR)	SIDE BAND PAD (POWER,GND,SIDE BAND SIGNALS)

15. DIMENSION WITH THE "( )" SYMBOL IS THE REFERENCE DIMENSION.

© 2016 AFCI

spec ref	-	dr	Zhen Luo	2016/08/18	projection	MM	size A3 / scale 1:1
tolerance std ASME Y14.5	TOLERANCES UNLESS OTHERWISE SPECIFIED	eng	Michael Song	2016/12/07			ecn no ELX-DG-25561-1
		chr	Heaven Cen	2016/12/07			
		appr	Pei-Ming Zheng	2016/12/07	product family -		rel level Released
surface ASME Y14.5	linear 0.X ±0.30 / 0.XX ±0.20 / 0.XXX ±0.10	Amphenol FCi	title: Flex Cable BGA Assembly Brawn		dwg no 10129553		rev B
	angular 0° ±2°		cat. no. -		Product - Customer Drw		sheet 11 of 11

Общество с ограниченной ответственностью «МосЧип» ИНН 7719860671 / КПП 771901001
Адрес: 105318, г.Москва, ул.Щербаковская д.3, офис 1107

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

http://moschip.ru/get-element

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:
moschip.ru
moschip.ru_4
moschip.ru_6
moschip.ru_9