








DELPHI PACKARD ELECTRIC SYSTEMS
WARREN, OHIO 44486

| SYMBOL DEFINITION | | MISSING NUMBERS | |
|---|---------------------------------|-----------------|--|
| THE NUMBER INSIDE THE SYMBOL  CORRESPONDS TO THE NUMBER ON THE INSPECTION REPORT FOR THIS DRAWING/PART NUMBER | TOTAL NO. OF SYMBOLS ON DRAWING | 6 | |
| | LAST NO. USED | 16 | |

| DWG STATUS | | | | ZONE | REVISION HISTORY | | | AUTH | DR | CK | APVD | |
|------------|-----|-----|-----|------|------------------|---------------------------|--|------|--------|-----|------|-----|
| DATE | STG | REV | CHG | N/P | | | | | | | | |
| 12FE99 | R | 001 | - | - | | WAS PE072846 AND RELEASED | | | 990005 | ROM | RMM | SAN |



NOTES

- UNLESS OTHERWISE SPECIFIED AND/OR INDICATED: DIMENSIONS ARE TO FACE OF VIEW SHOWN AND AUTOMATICALLY ROUNDED BY COMPUTER FOR INSPECTION. (SEE MATH MODEL FOR PRECISE DIMENSIONS.) FOR ALL OTHER DIMENSIONS NOT SHOWN BUT REQUIRED FOR TOOL BUILD, SEE MATH MODEL FOR PRECISE TOOL PATH DATA.
- THIS PART TO ACCEPT 22MM CONDUIT.
- RECOMMENDED HOLE SIZE: Ø 10 IN 11.5 MAX THICK STOCK.

| DELPHI Automotive Systems | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|--------------------|---|---|--------------------------------|-------|---|---|------|-------|--|------|------------|-------|---|----|------|-----|-----|-----|--------------------------------------|--|---|-----|---|--|-------------------------------------|--|--|--|--|--|------------------------|--|--|--|--|--|
| MATERIAL SPEC R0071784 PA66 HS IM-GRA MD | | <table border="1"> <thead> <tr> <th colspan="4">DIMENSIONAL RANGE (MM) CHART E</th> </tr> <tr> <th>FROM</th> <th>TO</th> <th>> 20</th> <th>> 30</th> <th>> 70</th> <th>> 100</th> </tr> </thead> <tbody> <tr> <td>0</td> <td>20</td> <td>30</td> <td>70</td> <td>100</td> <td></td> </tr> <tr> <td colspan="6">TOLERANCE UNLESS OTHERWISE SPECIFIED</td> </tr> <tr> <td colspan="6">±0.15 ±0.21 ±0.31 ±0.4 ±0.5</td> </tr> <tr> <td colspan="6">ANGULAR TOLERANCE ± 2°</td> </tr> </tbody> </table> | | DIMENSIONAL RANGE (MM) CHART E | | | | FROM | TO | > 20 | > 30 | > 70 | > 100 | 0 | 20 | 30 | 70 | 100 | | TOLERANCE UNLESS OTHERWISE SPECIFIED | | | | | | ±0.15 ±0.21 ±0.31 ±0.4 ±0.5 | | | | | | ANGULAR TOLERANCE ± 2° | | | | | |
| DIMENSIONAL RANGE (MM) CHART E | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| FROM | TO | > 20 | > 30 | > 70 | > 100 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0 | 20 | 30 | 70 | 100 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TOLERANCE UNLESS OTHERWISE SPECIFIED | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ±0.15 ±0.21 ±0.31 ±0.4 ±0.5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANGULAR TOLERANCE ± 2° | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| PART DRAWING | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CODE NUMBER 6900 | DWG DATE 12FE99 | SCALE 2:1 |  | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| QC SPEC | STYLE | VOLUME cm ³ 3.760 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| PART GEOMETRY 3D SOLID | | UNLESS OTHERWISE SPECIFIED: PERFECT FORM REQUIRED FOR FEATURES OF SIZE AT MMC. TRUE POSITION TOLERANCES AND RELATED DATUMS APPLY AT CONDITION OF SIZE INDICATED IN FEATURE CONTROL FRAME. ALL OTHER GEOMETRIC TOLERANCES AND RELATED DATUMS APPLY RFS. SEPARATE TRUE POSITION CALLOUTS MAY BE GAGED SEPARATELY, REGARDLESS OF DATUM REFERENCE. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| COPY OF MATH DATA DO NOT SCALE | | REFERENCE 001,701 | DATE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | DR APVD1 RUBEN ORTIZ APVD2 L.R. MOYSEN M. APVD3 APVD4 APVD5 | 12FE99 13FE99 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| METRIC UNLESS OTHERWISE SPECIFIED, ALL DIMENSIONS ARE IN MILLIMETERS | | DRAWING NAME CLIP CNVLT CDT 22MM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| THIRD ANGLE PROJECTION  | | SHEET NUMBER 1 OF 1 | DRAWING NUMBER 15366638 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <table border="1"> <thead> <tr> <th colspan="4">THE DIMENSION NUMBER(S) SHOWN BELOW INDICATE DIMENSIONS THAT ARE PROCESS SENSITIVE FOR PART PRODUCTION</th> </tr> </thead> <tbody> <tr> <td>3</td> <td>2</td> <td>14</td> <td>15-16</td> </tr> </tbody> </table> | | THE DIMENSION NUMBER(S) SHOWN BELOW INDICATE DIMENSIONS THAT ARE PROCESS SENSITIVE FOR PART PRODUCTION | | | | 3 | 2 | 14 | 15-16 | <table border="1"> <thead> <tr> <th colspan="4">DWG STATUS</th> <th>SIZE</th> </tr> <tr> <th>STG</th> <th>REV</th> <th>N/P</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>R</td> <td>001</td> <td>-</td> <td></td> <td>A1</td> </tr> </tbody> </table> | | DWG STATUS | | | | SIZE | STG | REV | N/P | | | R | 001 | - | | A1 | | | | | | | | | | | |
| THE DIMENSION NUMBER(S) SHOWN BELOW INDICATE DIMENSIONS THAT ARE PROCESS SENSITIVE FOR PART PRODUCTION | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3 | 2 | 14 | 15-16 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| DWG STATUS | | | | SIZE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| STG | REV | N/P | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| R | 001 | - | | A1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

| THE DIMENSION NUMBER(S) SHOWN BELOW INDICATE DIMENSIONS THAT ARE PROCESS SENSITIVE FOR PART PRODUCTION | | | |
|--|---|----|-------|
| 3 | 2 | 14 | 15-16 |

| DIMENSIONS ENCLOSED IN () INDICATE REFERENCE DIMENSIONS AND NO TOLERANCE LIMITS ARE ESTABLISHED | | | |
|--|---|----|-------|
| 3 | 2 | 14 | 15-16 |

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9