## Marking Tapes

**Colors and combinations meet specific industry and OSHA 29 CFR §1910.144 warning requirements**

**Mark specific areas and promote safety by identifying potential hazard areas with visible tapes.**

- 0.006" vinyl adheres to floors, walls, piping, posts, beams, handrails, stairways, machinery, and equipment
- Waterproof, wear-resistant, minor resistance to acids, oils, grease, caustics, alkalis, and most solvents
- Permanent self-adhesive back

| Color/Combination | Code | Application |
|---|---|---|
| **Solid Colors** | | |
| White | WHT | General Facility |
| Gray | GRY | General Facility |
| Brown | BRN | General Facility |
| Black | BLK | General Facility |
| Red | RED | Fire Protection Equipment & Danger Hazards |
| Orange | ORN | Danger Points on Machines |
| Yellow | YEL | Physical Hazards |
| Green | GRN | First Aid & Safety Equipment |
| Blue | BLU | Machinery being Worked On |
| Purple | PUR | X-ray & Radiation Hazards |
| **Checkerboard and Stripe Pattern** | | |
| Black/Yellow | BY | General, Physical Hazards |
| Red/White | RW | Fire Protection & Equipment |
| Black/White | BW | Housekeeping, Aisles, Traffic, & Passageways |
| Magenta/Yellow | MY | Radiation Areas |
| Green/White | GW | Safety & First Aid |
| Blue/White | BLW | Defective Equipment |
| Orange/White | OW | Traffic and Caution |

***To Order:*** *Add color code after part number.*
*Example: Part No. PFM2X36 + Color Code WHT = PFM2X36WHT*

| Part No. | Size | UOM |
|---|---|---|
| ***Solid Colors*** | | |
| PFM2X36 | 2" x 108-ft. | Roll |
| PFM2X60 | 2" x 180-ft. | Roll |
| ***Checkerboard Pattern*** | | |
| PFMC2X18 | 2" x 54-ft. | Roll |
| ***Stripe Pattern*** | | |
| PFM2X18 | 2" x 54-ft. | Roll |
| PFM2X36 | 2" x 108-ft. | Roll |

| Part No. | Size | UOM |
|---|---|---|
| ***Solid Colors*** | | |
| PFM3X36 | 3" x 108-ft. | Roll |
| PFM3X60 | 3" x 180-ft. | Roll |
| ***Checkerboard Pattern*** | | |
| PFMC3X18 | 3" x 54-ft. | Roll |
| ***Stripe Pattern*** | | |
| PFM3X18 | 3" x 54-ft. | Roll |
| PFM3X36 | 3" x 108-ft. | Roll |

## Reflective Tapes

- Safety-grade with 'bounce-back' reflectivity
- Improved daytime, low-light and night time visibility
- 0.0055" thick urethane tape
- Permanent adhesive with peel-off liner
- Suitable for outdoor use on poles, barricades, fences, buildings, private roads, and off-road vehicles

**Available colors with color code:**

| Color | Code |
|---|---|
| **Solid Colors** | |
| Black | BLK |
| Blue | BLU |
| Green | GRN |
| Orange | ORN |
| Red | RED |
| White | WHT |
| Yellow | YEL |
| **Stripe Colors** | |
| Black/White | BW |
| Black/Yellow | BY |
| Orange/White | OW |
| Red/White | RW |

***To Order:*** *Add color code after part number.*
*Example: Part No. PFMR2X15 + Color Code BW = PFMR2X15BW*

| Part No. | Size | UOM |
|---|---|---|
| PFMR2X15 | 2" x 15-ft. | Roll |
| PFMR2X30 | 2" x 30-ft. | Roll |
| PFMR3X15 | 3" x 15-ft. | Roll |

## Message Marking Tapes

**Use marking tape with specific message to point out potential hazard areas.**

- Bold contrasting message printed repeatedly
- 6-mil vinyl adheres to floors, walls, and equipment
- Clear overlaminate protective film resists dirt, light chemicals and light abrasions
- Permanent, self-adhesive back
- 2" x 54-ft. rolls

| UOM |
|---|
| Roll |

PFM0114

PFM0115

PFM0116

## Non-Slip Floor Marking Tapes

**Use non-slip tapes to mark and identify aisles, pathways, and designated locations in your facility.**

Sub-surface printed 0.004" vinyl tapes are overlaminated with a 0.017" clear, protective pebble-textured tread. The dimpled non-slip surface is ideal for pedestrian traffic areas.

- Dual-layer, color vinyl and clear textured vinyl construction
- Strong acrylic-based adhesive peel-off back liner
- Adhere to clean, smooth, dry surface
- Service temperature range: -20° to 140°F
- Available in solid colors or with messages



***To Order Solid Color Tapes:***

*Add color code after part number: Red – RED, Orange – ORN, Yellow – YEL, Green – GRN, Blue – BLU, White – WHT, Black – BLK.*

*Example: Part No. PFMT2X100 + Color Code YEL = PFMT2X100YEL*

| Part No. | Size | UOM |
|---|---|---|
| PFMT2X100 | 2"W x 100-ft. | Roll |
| PFMT3X100 | 3"W x 100-ft. | Roll |

### *Message Tapes*

| Size | UOM |
|---|---|
| 3"W x 50-ft. | Roll |

PFM0598

PFM0600

PFM0599

PFM0597

PFM0601

## Non-Slip Floor Marking Shapes

**Mark pallets, storage, and walkways in your facility – ideal for 5S programs.**

- Self-adhesive 0.004" vinyl
- Protective non-slip, pebble-textured overlaminate
- Strong acrylic-based adhesive peel-off back liner
- Adhere to clean, smooth, dry surface
- Service temperature range: -20° to 140°F




***To Order:*** *Add color code after part number: Red – RED, Orange – ORN, Yellow – YEL, Green – GRN, Blue – BLU, White – WHT, Black – BLK.*
*Example: Part No. PFMTS09 + Color Code GRN = PFMTS09GRN*

| Part No. | Size | UOM |
|---|---|---|
| *Corner* | | |
| PFMTS09 | 6" x 6" | Each |
| PFMTS10 | 12" x 12" | Each |
| *45˚ Corner* | | |
| PFMTS20 | 6" | Each |
| PFMTS19 | 12" | Each |
| *T-Corner* | | |
| PFMTS11 | 6" x 9" | Each |
| PFMTS12 | 8" x 12" | Each |
| *Quad Corner* | | |
| PFMTS17 | 9" x 9" | Each |
| PFMTS18 | 12" x 12" | Each |
| **Part No.** | **Length** | **UOM** |
| *Footprints* | | |
| PFMTS01 | 6" | Pair |
| PFMTS02 | 12" | Pair |

| Part No. | Size | UOM |
|---|---|---|
| *Arrow* | | |
| PFMTS14 | 3" | Each |
| PFMTS15 | 6" | Each |
| PFMTS16 | 12" | Each |
| *Square* | | |
| PFMTS05 | 3" x 3" | Each |
| PFMTS06 | 6" x 6" | Each |
| *Circle, Dot* | | |
| PFMTS03 | 3" dia | Each |
| PFMTS04 | 6" dia | Each |
| *Triangle* | | |
| PFMTS07 | 3" | Each |
| PFMTS08 | 6" | Each |

PANDUIT®

## Floor Marking Shapes

**Mark directional traffic paths or hazardous areas on floors, stairways, and walls.**

- 0.005" vinyl
- Individually die-cut shapes
- Aggressive, permanent, self-adhesive back
- Peel-off liner

**Available colors with color code:**

Red – RED, Blue – BLU, Green – GRN, Black – BLK, Yellow – YEL, Orange – ORN, White – WHT

***To Order:*** *Add color code after part number.*
*Example: Part No. PFMD2 + Color Code BLU = PFMD2BLU*

| Size* | Std. Pkg. Qty. | UOM |
|---|---|---|
| 2" | 250 | Roll |
| 3" | 250 | Roll |
| 4" | 100 | Roll |
| 6" | 5 Pair | Pkg. |
| 12" | 5 Pair | Pkg. |

**Dots**




*Size for: Dot by diameter

**Arrows**




*Size for: Arrow measured by width of point

**Footprints**




*Size for: Footprint is 6" or 12" length

## Glow-in-the-Dark Tapes & Shapes

Glows

**Visibility and safety in emergency blackout situations**

- Photoluminescent tapes and shapes store energy from any light source
- 10-hour glow rating
- 0.010" polyester with laminated gloss surface
- Permanent adhesive backing with peel-off liner



### Glow-in-the-Dark Tapes

| Solid Color | | Stripe Pattern | | Arrow Pattern | | Size |
|---|---|---|---|---|---|---|
| Part No. | UOM | Part No. | UOM | Part No. | UOM | |
| PFM0243 | Roll | PFM0246 | Roll | PFM0249 | Roll | 2" x 15-ft. |
| PFM0244 | Roll | PFM0247 | Roll | PFM0250 | Roll | 2" x 30-ft. |
| PFM0245 | Roll | PFM0248 | Roll | PFM0251 | Roll | 3" x 15-ft. |

### Glow-in-the-Dark Shapes

| Size | Std. Pkg. Qty. | UOM |
|---|---|---|
| 2" | 50 | Roll |
| 3" | 50 | Roll |
| 6" | 1 Pair | Pkg. |
| 12" | 1 Pair | Pkg. |

**Dots**




**Arrows**




**Footprints**

## Non-Skid Floor Tapes

**Create a high-traction surface to prevent slips, trips, and falls.**

**OSHA 29 CFR §1910.24 (f)**

- Durable surface provides good grip, wear resistance, and water resistance
- Suitable for indoor and outdoor environments
- Resists sliding, buckling, wrinkling, and peeling
- Black tape is 60-grit aluminum oxide compound layer fused onto thick PVC base; colored and striped tapes are 46-grit
- High-tack acrylic adhesive back
- Peel-off liner

| Part No. | Size | UOM |
|---|---|---|
| *Solid Black* | | |
| PFM0090 | 1" x 60-ft. | Roll |
| PFM0092 | 2" x 60-ft. | Roll |
| PFM0094 | 3" x 60-ft. | Roll |
| PFM0095 | 4" x 60-ft. | Roll |
| PFM0097 | 6" x 60-ft. | Roll |

| Part No. | Size | UOM |
|---|---|---|
| *Solid Yellow* | | |
| PFM0091 | 1" x 60-ft. | Roll |
| PFM0093 | 2" x 60-ft. | Roll |
| PFM0096 | 4" x 60-ft. | Roll |
| *Striped Black/Yellow* | | |
| PFM0103 | 2" x 60-ft. | Roll |
| PFM0105 | 4" x 60-ft. | Roll |

- Muted yellow appearance masks dirt and grime

| Part No. | Size | UOM |
|---|---|---|
| *Muted Yellow w/ Black Particles* | | |
| PFM0107 | 2" x 60-ft. | Roll |
| PFM0108 | 4" x 60-ft. | Roll |

## Non-Skid Floor Signs

High-traction, anti-skid, clear grit surface. 6" x 24". Sub-surface printed vinyl floor signs. High-tack, acrylic adhesive back. Peel-off liner.

| UOM |
|---|
| Each |

PFM0040

PFM0041

PFM0042

PFM0046

PFM0045

PFM0043

PFM0047

PFM0044

## Non-Skid Floor Shape Tapes

**Get a finished look to your anti-skid tapes in pre-cut shapes.**

- Rounded corners to prevent corners from lifting
- Aggressive 60-grit aluminum oxide compound layer fused onto a thick PVC base
- Peel-off liner with high-tack acrylic adhesive back
- Suitable for indoor and outdoor environments, water resistant

| Part No. | Description | Size | UOM |
|---|---|---|---|
| PFM0110 | Square | 5 1/2" x 5 1/2" | Each |
| PFM0109 | Wide Strip | 3" x 24" | Each |
| PFM0111 | Cleat | 6" x 24" | Each |
| PFM0112 | Cleat w/ Refl. Yellow | 6" x 24" | Each |
| PFM0113 | Cleat w/ Glow | 6" x 24" | Each |

## High Performance Marking Tapes

**Heavy-duty composite tape outperforms standard floor marking tapes.**

Printed 0.002" polyester tape with 2-mil gloss overlaminate provides superior durability for industrial facility and high plant traffic.

- High-gloss surface resists marks and smudges
- Resistant to abrasions, water, chemicals and heat
- High tack, acrylic adhesive back minimizes peel or lift
- Applies to clean, non-coated, smooth or rough surfaces, including concrete
- Low-profile reduces tears and scratches from skids and pallet jacks
- Removes easily without leaving residue or damage to the floor
- Minimum application temperature: 50°F
- Available in solid colors or with messages

***To Order Solid Color Tapes:*** *Add color code after part number: Red – RED, Orange – ORN, Yellow – YEL, Green – GRN, Blue – BLU, White – WHT, Black – BLK.*
*Example: Part No. PFMH2X100 + Color Code BLK = PFMH2X100BLK*

| Part No. | Size | UOM |
|---|---|---|
| PFMH2X100 | 2"W x 100-ft. | Roll |
| PFMH3X100 | 3"W x 100-ft. | Roll |

### *Message Tapes*

| Size | UOM |
|---|---|
| 3"W x 50-ft. | Roll |

PFM0268

PFM0270

PFM0269

PFM0267

PFM0266

PFM0271

## Floor Label Frame System

**Place and protect message, barcode and other identification on the floor in a sturdy frame system.**

Metal frame mounts directly to the floor with four concrete screws (included) and contains a clear protective cover to protect your label (not included) underneath. Beveled edges prevent damage from rollover of pallet jacks and forklift vehicles.

**Small size:**

- 8 1/2" x 5 1/2" x 1/8" all-aluminum oval frame
- 3 1/2" x 5" x 0.063" clear visible protective polycarbonate cover

**Large size:**

- 12" x 7 1/2" x 1/8" all-aluminum oval frame
- 5" x 7" x 0.063" clear visible protective polycarbonate cover

| Small Part No. | Large Part No. | Std, Pkg. Qty. | UOM |
|---|---|---|---|
| PBB0085 | PBB0086 | Each | Each |
| PBB0081 | PFM0001 | 10 | Pkg. |
| PBB0083 | PFM0002 | 25 | Pkg. |
| PBB0084 | PFM0003 | 50 | Pkg. |
| PBB0082 | PFM0004 | 100 | Pkg. |

## Textured Marking Tapes

**Low-profile grip vinyl tapes are ideal for indoor/outdoor and wet or dry environments.**

- Reinforced vinyl with weather-proof adhesive system
- Slip-resistant, mild abrasive surface
- Install on smooth, clean and dry surfaces
- Low level reflectivity
- 3"W x 108-ft. long rolls
- Service temperature range: 0° to 150°F

***To Order:*** *Add color code after part number:*
*Red – RED, Blue – BLU, Yellow – YEL,*
*White – WHT, Green – GRN.*
*Example: Part No. PFMT3X36 + Color Code YEL = PFMT3X36YEL*

| Part No. | UOM |
|---|---|
| PFMT3X36 | Roll |

## Non-Slip Shape Floor Signs

**Grab attention with non-slip floor message signs.**

- Bold colors and graphics in unique shapes
- Self-adhesive vinyl floor signs are sub-surface printed
- Overlaminated with pebble-textured, non-slip layer
- Can withstand heavy foot traffic
- Permanent adhesive back with peel-off liner
- Signs adhere to smooth, clean, and dry surface

### Diamond

17" PFM0054

17" PFM0055

17" PFM0056

17" PFM0057

17" PFM0058

17" PFM0059

17" PFM0060

17" PFM0062

17" PFM0061

### Triangle

17" PFM0071

17" PFM0074

17" PFM0072

17" PFM0073

17" PFM0075

17" PFM0076

## Pavement-Print Signs

**Place message and graphic signs outdoors on pavement.**

- Adheres to asphalt, concrete and step-stones
- Conforms to rough, untreated surfaces like stone and cement
- High-performance adhesive back, foil-base material
- Non-laminate surface contains embedded glass beads for a non-slip texture - meeting NFSI and ASTM D2047 specifications
- Withstands normal to heavy walking foot traffic and other abrasions
- Apply to swept, clean, dry surface
- Application temperature range: 50° to 100°F
- For short- to long-term applications
- Removes easily, usually without any residues

17" PFM0083

17" PFM0082

17" PFM0078

17" PFM0088

17" PFM0080

17" PFM0081

17" PFM0085

17" PFM0079

17" PFM0087

17" PFM0077

17" PFM0089

17" PFM0086

17" PFM0084

PANDUIT®

## Non-Slip Floor Signs

Non-slip, pebble-textured, clear surface withstands heavy pedestrian traffic. Image is sub-surface printed. Permanent, self-adhesive vinyl with peel-off liner.

| Description | UOM |
|---|---|
| Round-Style | Each |
| Round-Style Glow Adhesive | Each |
| Mat-Style | Each |
| Step-Style | Each |

### *Round-Style*

17" PFM0009

17" PFM0029

17" PFM0033

17" PFM0030

17" PFM0016

17" PFM0011

17" PFM0008

17" PFM0031

17" PFM0020

17" PFM0026

17" PFM0022

17" PFM0027

17" PFM0017

17" PFM0018

17" PFM0023

17" PFM0034

17" PFM0010

17" PFM0028

17" PFM0015

17" PFM0019

17" PFM0013

17" PFM0025

17" PFM0021

17" PFM0036

17" PFM0012



17" PFM0032

17" PFM0014

17" PFM0037

17" PFM0024

17" PFM0035

### *Mat-style*

20" x 14" PFM0063

20" x 14" PFM0069

20" x 14" PFM0064

20" x 14" PFM0065

20" x 14" PFM0067

20" x 14" PFM0068

20" x 14" PFM0066

20" x 14" PFM0070

### *Step-Style*

6" x 24" PFM0048

6" x 24" PFM0053

6" x 24" PFM0051

6" x 24" PFM0050

6" x 24" PFM0052

6" x 24" PFM0049

Общество с ограниченной ответственностью «МосЧип» ИНН 7719860671 / КПП 771901001
Адрес: 105318, г.Москва, ул.Щербаковская д.3, офис 1107

**Данный компонент на территории Российской Федерации**

**Вы можете приобрести в компании MosChip.**

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

http://moschip.ru/get-element

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

**Офис по работе с юридическими лицами:**

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:
moschip.ru
moschip.ru_4
moschip.ru_6
moschip.ru_9