

Types CD17, CD18 & CDV18, High-Frequency, Mica Capacitors

High-Frequency Capacitors for CATV and RF Applications



Types CD17 and CD18 assure controlled, resonance-free performance through 1 GHz. Insertion loss data is typically flat within ± 0.1 dB over the entire frequency range, and is specified to be flat within ± 0.2 dB. Interchangeable with the most popular, common mica capacitors, Type CD17 is available in the same case sizes and lead spacing as CD15; CD18, in the same case sizes and lead spacing as CD19, and CDV18, in the same as CDV19.

Highlights

- Shockproof and delamination free
- Near zero capacitance change with (t), (V) and (f)
- Very high Q at UHF/VHF frequencies
- 0.0005 typical dissipation factor
- 100,000 V/ μ s dV/dt capability minimum
- Low, notch-free impedance to beyond 1 GHz
- Ultra low ESR for cool operation



Specifications

| | |
|-------------------------------|------------------------------------------------------------------------------------------------|
| Voltage Range: | 100 Vdc to 1,000 Vdc |
| Capacitance Range: | 1 pF to 5,100 pF |
| Capacitance Tolerance: | $\pm 1/2$ pF (D), ± 1 pF (C), $\pm 1/2\%$ (E), $\pm 1\%$ (F), $\pm 2\%$ (G), $\pm 5\%$ (J) |
| Temperature Range: | -55°C to $+150^\circ\text{C}$ |

Typical Performance Curves

Self-Resonant Frequency vs. Capacitance



Impedance and Phase Angle vs. Frequency



Insertion Loss vs. Frequency for CD17FC621J03, 75 Ω System



Capacitance Change vs. Temperature



ESR vs. Frequency



RoHS-5 Compliant

Has more than 1000 ppm lead in some homogenous material but otherwise complies with the EU Directive 2002/95/EC requirement restricting the use of Lead (Pb), Mercury (Hg), Cadmium (Cd), Hexavalent chromium (Cr(VI)), PolyBrominated Biphenyls (PBB) and PolyBrominated Diphenyl Ethers (PBDE).

Types CD17, CD18 & CDV18, High-Frequency, Mica Capacitors

Ratings

| Cap. (pF) | Catalog Part Number | Volt Rate | L in (mm) | H in (mm) | T in (mm) | S in (mm) | D in (mm) | Cap. (pF) | Catalog Part Number | Volt Rate | L in (mm) | H in (mm) | T in (mm) | S in (mm) | D in (mm) |
|-----------|---------------------|-----------|-------------|-------------|------------|------------|-----------|-----------|---------------------|-----------|-------------|-------------|------------|------------|-----------|
| 1 | CD17CD010D03F | 500 | .450 (11.4) | .360 (9.1) | .170 (4.3) | .234 (5.9) | .025 (.6) | 270 | CD17FD271JO3F | 500 | .470 (11.9) | .390 (9.9) | .210 (5.3) | .234 (5.9) | .025 (.6) |
| 2 | CD17CD020D03F | 500 | .450 (11.4) | .360 (9.1) | .170 (4.3) | .234 (5.9) | .025 (.6) | 270 | CD18FD271JO3F | 500 | .640 (16.3) | .500 (12.7) | .190 (4.8) | .344 (8.7) | .032 (.8) |
| 3 | CD17CD030D03F | 500 | .450 (11.4) | .360 (9.1) | .170 (4.3) | .234 (5.9) | .025 (.6) | 270 | CDV18FF271JO3F | 1000 | .640 (16.3) | .500 (12.7) | .190 (4.8) | .344 (8.7) | .032 (.8) |
| 4 | CD17CD040D03F | 500 | .450 (11.4) | .360 (9.1) | .170 (4.3) | .234 (5.9) | .025 (.6) | 300 | CD17FD301JO3F | 500 | .470 (11.9) | .390 (9.9) | .210 (5.3) | .234 (5.9) | .025 (.6) |
| 5 | CD17CD050D03F | 500 | .450 (11.4) | .360 (9.1) | .170 (4.3) | .234 (5.9) | .025 (.6) | 300 | CD18FD301JO3F | 500 | .640 (16.3) | .500 (12.7) | .190 (4.8) | .344 (8.7) | .032 (.8) |
| 6 | CD17CD060D03F | 500 | .450 (11.4) | .360 (9.1) | .170 (4.3) | .234 (5.9) | .025 (.6) | 300 | CDV18FF301JO3F | 1000 | .650 (16.5) | .510 (13.0) | .200 (5.1) | .344 (8.7) | .032 (.8) |
| 7 | CD17CD070D03F | 500 | .450 (11.4) | .360 (9.1) | .170 (4.3) | .234 (5.9) | .025 (.6) | 330 | CD17FD331JO3F | 500 | .470 (11.9) | .390 (9.9) | .210 (5.3) | .234 (5.9) | .025 (.6) |
| 8 | CD17CD080D03F | 500 | .450 (11.4) | .360 (9.1) | .170 (4.3) | .234 (5.9) | .025 (.6) | 330 | CD18FD331JO3F | 500 | .640 (16.3) | .500 (12.7) | .190 (4.8) | .344 (8.7) | .032 (.8) |
| 9 | CD17CD090D03F | 500 | .450 (11.4) | .360 (9.1) | .170 (4.3) | .234 (5.9) | .025 (.6) | 330 | CDV18FF331JO3F | 1000 | .650 (16.5) | .510 (13.0) | .200 (5.1) | .344 (8.7) | .032 (.8) |
| 10 | CD17CD100JO3F | 500 | .450 (11.4) | .360 (9.1) | .170 (4.3) | .234 (5.9) | .025 (.6) | 360 | CD17FD361JO3F | 500 | .470 (11.9) | .390 (9.9) | .210 (5.3) | .234 (5.9) | .025 (.6) |
| 12 | CD17CD120JO3F | 500 | .450 (11.4) | .360 (9.1) | .170 (4.3) | .234 (5.9) | .025 (.6) | 360 | CD18FD361JO3F | 500 | .640 (16.3) | .510 (13.0) | .200 (5.1) | .344 (8.7) | .032 (.8) |
| 15 | CD17CD150JO3F | 500 | .450 (11.4) | .360 (9.1) | .170 (4.3) | .234 (5.9) | .025 (.6) | 360 | CDV18FF361JO3F | 1000 | .650 (16.5) | .510 (13.0) | .200 (5.1) | .344 (8.7) | .032 (.8) |
| 18 | CD17CD180JO3F | 500 | .450 (11.4) | .360 (9.1) | .170 (4.3) | .234 (5.9) | .025 (.6) | 390 | CD17FD391JO3F | 500 | .470 (11.9) | .390 (9.9) | .210 (5.3) | .234 (5.9) | .025 (.6) |
| 20 | CD17ED200JO3F | 500 | .450 (11.4) | .360 (9.1) | .170 (4.3) | .234 (5.9) | .025 (.6) | 390 | CD18FD391JO3F | 500 | .640 (16.3) | .510 (13.0) | .200 (5.1) | .344 (8.7) | .032 (.8) |
| 22 | CD17ED220JO3F | 500 | .450 (11.4) | .360 (9.1) | .170 (4.3) | .234 (5.9) | .025 (.6) | 390 | CDV18FF391JO3F | 1000 | .650 (16.5) | .510 (13.0) | .210 (5.3) | .344 (8.7) | .032 (.8) |
| 24 | CD17ED240JO3F | 500 | .450 (11.4) | .360 (9.1) | .170 (4.3) | .234 (5.9) | .025 (.6) | 430 | CD17FD431JO3F | 500 | .470 (11.9) | .400 (10.2) | .220 (5.6) | .234 (5.9) | .025 (.6) |
| 27 | CD17ED270JO3F | 500 | .450 (11.4) | .360 (9.1) | .170 (4.3) | .234 (5.9) | .025 (.6) | 430 | CD18FD431JO3F | 500 | .640 (16.3) | .510 (13.0) | .200 (5.1) | .344 (8.7) | .032 (.8) |
| 27 | CDV18EF270JO3F | 1000 | .640 (16.3) | .500 (12.7) | .190 (4.8) | .344 (8.7) | .032 (.8) | 430 | CDV18FF431JO3F | 1000 | .650 (16.5) | .510 (13.0) | .210 (5.3) | .344 (8.7) | .032 (.8) |
| 30 | CD17ED300JO3F | 500 | .450 (11.4) | .360 (9.1) | .170 (4.3) | .234 (5.9) | .025 (.6) | 470 | CD17FD471JO3F | 500 | .470 (11.9) | .400 (10.2) | .220 (5.6) | .234 (5.9) | .025 (.6) |
| 30 | CDV18EF300JO3F | 1000 | .640 (16.3) | .500 (12.7) | .190 (4.8) | .344 (8.7) | .032 (.8) | 470 | CD18FD471JO3F | 500 | .640 (16.3) | .510 (13.0) | .200 (5.1) | .344 (8.7) | .032 (.8) |
| 33 | CD17ED330JO3F | 500 | .450 (11.4) | .360 (9.1) | .170 (4.3) | .234 (5.9) | .025 (.6) | 470 | CDV18FF471JO3F | 1000 | .650 (16.5) | .510 (13.0) | .210 (5.3) | .344 (8.7) | .032 (.8) |
| 33 | CDV18EF330JO3F | 1000 | .640 (16.3) | .500 (12.7) | .190 (4.8) | .344 (8.7) | .032 (.8) | 500 | CD17FD501JO3F | 500 | .470 (11.9) | .400 (10.2) | .220 (5.6) | .234 (5.9) | .025 (.6) |
| 36 | CD17ED360JO3F | 500 | .450 (11.4) | .360 (9.1) | .170 (4.3) | .234 (5.9) | .025 (.6) | 500 | CD18FD501JO3F | 500 | .640 (16.3) | .510 (13.0) | .200 (5.1) | .344 (8.7) | .032 (.8) |
| 36 | CDV18EF360JO3F | 1000 | .640 (16.3) | .500 (12.7) | .190 (4.8) | .344 (8.7) | .032 (.8) | 510 | CD17FD511JO3F | 500 | .470 (11.9) | .400 (10.2) | .220 (5.6) | .234 (5.9) | .025 (.6) |
| 39 | CD17ED390JO3F | 500 | .450 (11.4) | .360 (9.1) | .170 (4.3) | .234 (5.9) | .025 (.6) | 510 | CD18FD511JO3F | 500 | .640 (16.3) | .510 (13.0) | .200 (5.1) | .344 (8.7) | .032 (.8) |
| 39 | CDV18EF390JO3F | 1000 | .640 (16.3) | .500 (12.7) | .190 (4.8) | .344 (8.7) | .032 (.8) | 510 | CDV18FF511JO3F | 1000 | .650 (16.5) | .510 (13.0) | .210 (5.3) | .344 (8.7) | .032 (.8) |
| 43 | CD17ED430JO3F | 500 | .450 (11.4) | .360 (9.1) | .170 (4.3) | .234 (5.9) | .025 (.6) | 560 | CD17FC561JO3F | 300 | .460 (11.7) | .380 (9.7) | .210 (5.3) | .234 (5.9) | .025 (.6) |
| 43 | CDV18EF430JO3F | 1000 | .640 (16.3) | .500 (12.7) | .190 (4.8) | .344 (8.7) | .032 (.8) | 560 | CD18FD561JO3F | 500 | .650 (16.5) | .510 (13.0) | .200 (5.1) | .344 (8.7) | .032 (.8) |
| 47 | CD17ED470JO3F | 500 | .450 (11.4) | .360 (9.1) | .170 (4.3) | .234 (5.9) | .025 (.6) | 560 | CDV18FF561JO3F | 1000 | .650 (16.5) | .510 (13.0) | .210 (5.3) | .344 (8.7) | .032 (.8) |
| 47 | CDV18EF470JO3F | 1000 | .640 (16.3) | .500 (12.7) | .190 (4.8) | .344 (8.7) | .032 (.8) | 620 | CD17FC621JO3F | 300 | .460 (11.7) | .380 (9.7) | .210 (5.3) | .234 (5.9) | .025 (.6) |
| 50 | CD17ED500JO3F | 500 | .450 (11.4) | .360 (9.1) | .170 (4.3) | .234 (5.9) | .025 (.6) | 620 | CD18FD621JO3F | 500 | .650 (16.5) | .510 (13.0) | .200 (5.1) | .344 (8.7) | .032 (.8) |
| 50 | CDV18EF500JO3F | 1000 | .640 (16.3) | .500 (12.7) | .190 (4.8) | .344 (8.7) | .032 (.8) | 620 | CDV18FF621JO3F | 1000 | .660 (16.8) | .520 (13.2) | .220 (5.6) | .344 (8.7) | .032 (.8) |
| 51 | CD17ED510JO3F | 500 | .450 (11.4) | .360 (9.1) | .170 (4.3) | .234 (5.9) | .025 (.6) | 680 | CD17FC681JO3F | 300 | .470 (11.9) | .390 (9.9) | .210 (5.3) | .234 (5.9) | .025 (.6) |
| 51 | CDV18EF510JO3F | 1000 | .640 (16.3) | .500 (12.7) | .190 (4.8) | .344 (8.7) | .032 (.8) | 680 | CD18FD681JO3F | 500 | .650 (16.5) | .510 (13.0) | .210 (5.3) | .344 (8.7) | .032 (.8) |
| 56 | CD17ED560JO3F | 500 | .450 (11.4) | .360 (9.1) | .170 (4.3) | .234 (5.9) | .025 (.6) | 680 | CDV18FF681JO3F | 1000 | .660 (16.8) | .520 (13.2) | .220 (5.6) | .344 (8.7) | .032 (.8) |
| 56 | CDV18EF560JO3F | 1000 | .640 (16.3) | .500 (12.7) | .190 (4.8) | .344 (8.7) | .032 (.8) | 750 | CD17FC751JO3F | 300 | .470 (11.9) | .390 (9.9) | .210 (5.3) | .234 (5.9) | .025 (.6) |
| 62 | CD17ED620JO3F | 500 | .450 (11.4) | .360 (9.1) | .170 (4.3) | .234 (5.9) | .025 (.6) | 750 | CD18FD751JO3F | 500 | .650 (16.5) | .510 (13.0) | .210 (5.3) | .344 (8.7) | .032 (.8) |
| 62 | CDV18EF620JO3F | 1000 | .640 (16.3) | .500 (12.7) | .190 (4.8) | .344 (8.7) | .032 (.8) | 750 | CDV18FF751JO3F | 1000 | .660 (16.8) | .530 (13.5) | .230 (5.8) | .344 (8.7) | .032 (.8) |
| 68 | CD17ED680JO3F | 500 | .450 (11.4) | .360 (9.1) | .180 (4.6) | .234 (5.9) | .025 (.6) | 820 | CD17FC821JO3F | 300 | .470 (11.9) | .390 (9.9) | .210 (5.3) | .234 (5.9) | .025 (.6) |
| 68 | CDV18EF680JO3F | 1000 | .640 (16.3) | .500 (12.7) | .190 (4.8) | .344 (8.7) | .032 (.8) | 820 | CD18FD821JO3F | 500 | .650 (16.5) | .510 (13.0) | .210 (5.3) | .344 (8.7) | .032 (.8) |
| 75 | CD17ED750JO3F | 500 | .450 (11.4) | .360 (9.1) | .180 (4.6) | .234 (5.9) | .025 (.6) | 820 | CDV18FF821JO3F | 1000 | .660 (16.8) | .530 (13.5) | .230 (5.8) | .344 (8.7) | .032 (.8) |
| 75 | CDV18EF750JO3F | 1000 | .640 (16.3) | .500 (12.7) | .190 (4.8) | .344 (8.7) | .032 (.8) | 910 | CD17FA911JO3F | 100 | .470 (11.9) | .390 (9.9) | .220 (5.6) | .234 (5.9) | .025 (.6) |
| 82 | CD17ED820JO3F | 500 | .450 (11.4) | .360 (9.1) | .180 (4.6) | .234 (5.9) | .025 (.6) | 910 | CD18FD911JO3F | 500 | .650 (16.5) | .510 (13.0) | .210 (5.3) | .344 (8.7) | .032 (.8) |
| 82 | CDV18EF820JO3F | 1000 | .640 (16.3) | .500 (12.7) | .190 (4.8) | .344 (8.7) | .032 (.8) | 1000 | CD17FA102JO3F | 100 | .480 (12.2) | .400 (10.2) | .230 (5.8) | .234 (5.9) | .025 (.6) |
| 91 | CD17FD910JO3F | 500 | .460 (11.4) | .360 (9.1) | .180 (4.6) | .234 (5.9) | .025 (.6) | 1000 | CD18FD102JO3F | 500 | .650 (16.5) | .520 (13.2) | .220 (5.6) | .344 (8.7) | .032 (.8) |
| 91 | CDV18FF910JO3F | 1000 | .640 (16.3) | .500 (12.7) | .190 (4.8) | .344 (8.7) | .032 (.8) | 1100 | CD17FA112JO3F | 100 | .490 (12.4) | .420 (10.7) | .240 (6.1) | .234 (5.9) | .025 (.6) |
| 100 | CD17FD101JO3F | 500 | .460 (11.4) | .360 (9.1) | .180 (4.6) | .234 (5.9) | .025 (.6) | 1100 | CD18FD112JO3F | 500 | .650 (16.5) | .520 (13.2) | .220 (5.6) | .344 (8.7) | .032 (.8) |
| 100 | CDV18FF101JO3F | 1000 | .640 (16.3) | .500 (12.7) | .190 (4.8) | .344 (8.7) | .032 (.8) | 1200 | CD17FA122JO3F | 100 | .490 (12.4) | .420 (10.7) | .240 (6.1) | .234 (5.9) | .025 (.6) |
| 110 | CD17FD111JO3F | 500 | .460 (11.4) | .370 (9.4) | .180 (4.6) | .234 (5.9) | .025 (.6) | 1200 | CD18FD122JO3F | 500 | .660 (16.8) | .520 (13.2) | .220 (5.6) | .344 (8.7) | .032 (.8) |
| 110 | CDV18FF111JO3F | 1000 | .640 (16.3) | .500 (12.7) | .190 (4.8) | .344 (8.7) | .032 (.8) | 1300 | CD18FD132JO3F | 500 | .660 (16.8) | .520 (13.2) | .220 (5.6) | .344 (8.7) | .032 (.8) |
| 120 | CD17FD121JO3F | 500 | .460 (11.7) | .370 (9.4) | .180 (4.6) | .234 (5.9) | .025 (.6) | 1500 | CD17FA152JO3F | 100 | .500 (12.7) | .430 (10.9) | .250 (6.4) | .234 (5.9) | .025 (.6) |
| 120 | CDV18FF121JO3F | 1000 | .640 (16.3) | .500 (12.7) | .190 (4.8) | .344 (8.7) | .032 (.8) | 1500 | CD18FD152JO3F | 500 | .660 (16.8) | .520 (13.2) | .230 (5.8) | .344 (8.7) | .032 (.8) |
| 130 | CD17FD131JO3F | 500 | .460 (11.7) | .370 (9.4) | .180 (4.6) | .234 (5.9) | .025 (.6) | 1600 | CD18FD162JO3F | 500 | .660 (16.8) | .530 (13.5) | .230 (5.8) | .344 (8.7) | .032 (.8) |
| 130 | CDV18FF131JO3F | 1000 | .640 (16.3) | .500 (12.7) | .190 (4.8) | .344 (8.7) | .032 (.8) | 1800 | CD18FD182JO3F | 500 | .670 (17.0) | .530 (13.5) | .240 (6.1) | .344 (8.7) | .032 (.8) |
| 150 | CD17FD151JO3F | 500 | .460 (11.7) | .370 (9.4) | .190 (4.8) | .234 (5.9) | .025 (.6) | 2000 | CD18FD202JO3F | 500 | .670 (17.0) | .530 (13.5) | .240 (6.1) | .344 (8.7) | .032 (.8) |
| 150 | CDV18FF151JO3F | 1000 | .640 (16.3) | .500 (12.7) | .190 (4.8) | .344 (8.7) | .032 (.8) | 2200 | CD18FD222JO3F | 500 | .670 (17.0) | .530 (13.5) | .250 (6.4) | .344 (8.7) | .032 (.8) |
| 160 | CD17FD161JO3F | 500 | .460 (11.7) | .370 (9.4) | .190 (4.8) | .234 (5.9) | .025 (.6) | 2400 | CD18FD242JO3F | 500 | .670 (17.0) | .540 (13.7) | .260 (6.6) | .344 (8.7) | .032 (.8) |
| 160 | CDV18FF161JO3F | 1000 | .640 (16.3) | .500 (12.7) | .190 (4.8) | .344 (8.7) | .032 (.8) | 2500 | CD18FD252JO3F | 500 | .680 (17.3) | .540 (13.7) | .260 (6.6) | .344 (8.7) | .032 (.8) |
| 180 | CD17FD181JO3F | 500 | .460 (11.7) | .370 (9.4) | .190 (4.8) | .234 (5.9) | .025 (.6) | 2700 | CD18FD272JO3F | 500 | .680 (17.3) | .540 (13.7) | .270 (6.9) | .344 (8.7) | .032 (.8) |
| 180 | CDV18FF181JO3F | 1000 | .640 (16.3) | .500 (12.7) | .190 (4.8) | .344 (8.7) | .032 (.8) | 3000 | CD18FD302JO3F | 500 | .680 (17.3) | .550 (14.0) | .280 (7.1) | .344 (8.7) | .032 (.8) |
| 200 | CD17FD201JO3F | 500 | .460 (11.7) | .380 (9.7) | .190 (4.8) | .234 (5.9) | .025 (.6) | 3300 | CD18FD332JO3F | 500 | .680 (17.3) | .550 (14.0) | .290 (7.4) | .344 (8.7) | .032 (.8) |
| 200 | CDV18FF201JO3F | 1000 | .640 (16.3) | .500 (12.7) | .190 (4.8) | .344 (8.7) | .032 (.8) | 3600 | CD18FD362JO3F | 500 | .680 (17.3) | .560 (14.2) | .300 (7.6) | .344 (8.7) | .032 (.8) |
| 220 | CD17FD221JO3F | 500 | .460 (11.7) | .380 (9.7) | .200 (5.1) | .234 (5.9) | .025 (.6) | 3900 | CD18FD392JO3F | 500 | .690 (17.5) | .560 (14.2) | .310 (7.9) | .344 (8.7) | .032 (.8) |
| 220 | CDV18FF221JO3F | 1000 | .640 (16.3) | .500 (12.7) | .190 (4.8) | .344 (8.7) | .032 (.8) | 4300 | CD18FD432JO3F | 500 | .690 (17.5) | .570 (14.5) | .330 (8.4) | .344 (8.7) | .032 (.8) |
| 240 | CD17FD241JO3F | 500 | .460 (11.7) | .380 (9.7) | .200 (5.1) | .234 (5.9) | .025 (.6) | 4700 | CD18FD472JO3F | 500 | .700 (17.8) | .580 (14.7) | | | |

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9