

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT

ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD

D

C

B

A


REPLACED BY OCEAN STYLE APPLICATOR PART NUMBER

FOR REPLACEMENT PARTS FOR APPLICATOR REFER TO ADDITIONAL PAGE(S). SPARE PARTS KIT (IF LISTED) WILL REMAIN AVAILABLE.

THE REPLACEMENT OCEAN STYLE APPLICATOR HAS THE SAME TERMINATOR/PRESS INTERFACE AS APPLICATOR

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:



TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC	±
1 PLC	±
2 PLC	±
3 PLC	±
4 PLC	±
ANGLES	±

MATERIAL

FINISH

DWN

CHK

APVD

PRODUCT SPEC

APPLICATION SPEC

WEIGHT

TE Connectivity

NAME

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

A3

C-

SCALE

SHEET OF

REV

1470-19 (3/11)


Pro/ENGINEER DRAWING

DRAWING MADE IN THIRD ANGLE PROJECTION

1385866 1385866

/phone/us018246

PART NUMBER	REV	FIRST USED
1385866 -1	A	122500-1
1385866 -2	A	565435-5
1385866 -3	A	354500-1



TERMINAL NAME: TAB 2.8X0.8									
964302				AMP TERMINAL		AMP CRIMP SPECS			
				PAD LTR	CRIMP HEIGHT		WIRE SIZE		
				A	.073 ±.002 [1.85 ±0.05mm]		2.50mm ²		
				B	.067 ±.002 [1.70 ±0.05mm]		2mm ²		
				C	.061 ±.002 [1.55 ±0.05mm]		1.5mm ²		
				D	.058 ±.002 [1.47 ±0.05mm]		1.25mm ²		
SEAL PN				CRIMP	SIZE		TYPE		RANGE
963292.				WIRE	.100 [2.54mm]		F		1.25mm ² -2.5mm ²
				INSUL	.165 [4.19mm]		0		.087-.118
WIRE STRIP LENGTH			TERM APPL SPEC	FEED	APPL INSTRUCTION		SET UP GAGE	LAYOUT	
.186-.203			114-18051	.570	408-8040		458637-1	L3068	
2	2	2	-	C	354779-9		PIN, WIRE DISC (.3035)D		129
2	2	2	-	C	9-354778-9		PIN, WIRE DISC (.2990)C		128
2	2	2	-	C	8-354778-9		PIN, WIRE DISC (.2940)B		127
2	2	2	-	C	7-354778-5		PIN, WIRE DISC (.2870)A		126
1	1	1	-	A	986950-1		WASHER, FLAT PRECISION		125
1	1	1	-	A	217238-1		GENERAL INSTRUCTION PACKAGE		124
1	1	1	-	-	4088040		SF APPL INST 408-8040		123
									122
									121
REF	REF	REF	-	A	1-21030-1		PIN,DOWEL(Ø.187x.50) LEVER		120
REF	REF	REF	-	A	1-21030-6		PIN,DOWEL(Ø.187x1.25)HOUSING		119
REF	REF	REF	-	A	21045-3		RING,RET "C"(Ø.187)FD FING PIN		118
1	1	1	-	A	21024-5		WASHER, LOCK (#10)ADJ BLOCK		117
REF	REF	REF	-	A	21024-5		WASHER,LOCK (#10)ADJ PLATE		116
REF	REF	REF	-	A	21024-5		WASHER,LOCK (#10)FEED GDE ROD		115
2	2	2	-	A	21024-2		WASHER,LOCK (#4)FRONT STP GUIDE		114
REF	REF	REF	-	A	5-21028-1		PIN,SLT SPR(Ø.125x.50)ADJ ROD		113
									112
4	4	4	-	A	21024-4		WASHER, LOCK (#8)STRIPPER		111
REF	REF	REF	-	A	21899-4		WASHER,FLAT(Ø5/16)SCREW ADJ		110
									109
1	1	1	-	A	21018-5		NUT, HEX (NO.6)HOLDDOWN		108
REF	REF	REF	-	A	21068-5		NUT, HEX (6-32)FEED ADJ		107
									106
									105
1	1	-	-	A	992031-1		PIN, CLEVIS		104
1	1	1	-	A	21009-2		SCR,SKT SET(1/4-20x.25 LW)RAM		103
2	2	2	-	A	21017-2		SCR,DRIVE(#2x.19)ID PLATE		102
REF	REF	REF	-	A	6-23715-5		SCR,PAN HD(6-32x1.50)FEED ADJ		101
1	1	1	-	B	461264-1		PLATE, IDENTIFICATION		100
2	2	2	-	A	3-21002-0		SCR,BHC(10-32x.88)DRAG		99
1	1	1	-	A	22733-8		SCR,BHC(8-32x.38 LW)ANVIL		98
REF	REF	REF	-	A	2-21002-9		SCR,BHC(10-32x.75)CAP		97
REF	REF	REF	-	A	2-22733-8		SCR,BHC(1/4-20x.62)HOUSING		96
REF	REF	REF	-	A	2-21002-7		SCR,BHC(10-32x.50)56 ADJ BLOCK		95
6	6	6	-	A	2-21002-2		SCR,BHC(8-32x.50)TERM H DWN		94
									93
1	1	1	-	A	1-21003-9		SCR,FHC(6-32x.38)DEP		92
1	1	1	-	A	1-21002-7		SCR,BHC(6-32x.38)CAM		91
									90
1	1	-	-	A	7-21000-9		SCR,SHC(4-40x.19)STRIPPER		89
									88
									87
1	1	1	-	A	2-22603-0		SCR,HEX HD(8-32x.31)FEED FINGER		86
2	2	2	-	A	1-21000-3		SCR,SHC(4-40x.25)FR ST GUIDE		85
3	3	3	-	A	2-21000-7		SCR,SHC(8-32x.50)STRIPPER		84
REF	REF	REF	-	A	3-21000-7		SCR,SHC(10-32x.75)FEED ROD GD		83
REF	REF	REF	-	A	3-21000-6		SCR,SHC(10-32x.62)FD ADJ BLK		82
1	1	1	-	A	3-21000-4		SCR,SHC(10-32x.38)56 ADJ BL		81
REF	REF	REF	-	A	3-21000-4		SCR,SHC(10-32x.38)PIVOT BLK		80
-	REF	-	-	B	455749-1		GUARD, WINDOW		79
REF	-	-	-	B	679532-1		INSERT, GUARD		78
									77
									76
									75
1	1	1	-	A	690603-1		SPRING, ASSIST		74
1	1	1	-	A	23030-1		SCR,SHC(6-32x.25 SL)INS DISC		73
REF	REF	REF	-	A	458109-1		WASHER, SPECIAL		72
REF	REF	REF	-	A	690517-1		SPACER		71
-3	-2	-1	U/M	DWG SIZE	PART NO		DESCRIPTION		ITEM NO
QTY REQD PER ASSY				PARTS LIST					

LEADMAKER					MECH POST FEED		
BENCH MODEL K					MECH PRE FEED		
BENCH MODEL G					MECH PRE FEED		
REF	REF	REF	-	B	22594-8	NUT, HEX (1/2-20)	70
REF	REF	REF	-	B	240628-1	PLATE, ADJUSTMENT	69
REF	REF	REF	-	B	240626-1	SHAFT, PIVOT	68
REF	REF	REF	-	B	240633-1	BUSHING	67
REF	REF	REF	-	A	455680-1	LEVER, INTERMEDIATE	66
REF	REF	REF	-	B	240629-1	BLOCK, PIVOT	65
REF	REF	REF	-	A	240632-2	SCREW, ADJ FEED ROD	64
REF	REF	REF	-	B	240659-3	PIN, CAM ROLLER	63
REF	REF	REF	-	B	240658-1	ROLLER, CAM	62
REF	REF	REF	-	B	454398-2	ROD, FEED	61
REF	REF	REF	-	A	454178-1	GUIDE, FEED ROD	60
REF	REF	REF	-	C	454220-1	CAP, RAM	59
REF	REF	REF	-	D	454485-1	HOUSING	58
							57
1	1	1	-	B	458537-2	PAWL, FEED	56
REF	REF	REF	-	B	240624-1	PIN, FEED FINGER	55
REF	REF	REF	-	B	691499-1	SPRING, FEED FINGER	54
REF	REF	REF	-	B	690541-1	HOLDER, FEED FINGER	53
REF	REF	REF	-	A	455679-2	LEVER, TERMINAL FEED ARM	52
1	1	1	-	A	811242-2	BUMPER, HOLDDOWN	51
1	1	1	-	A	690753-1	SPACER, TONKER	50
1	-	-	-	B	690602-6	CAM, PRE-FEED 1 5/8 ST	49
-	1	-	-	B	690602-5	CAM, PRE-FEED 1 1/8 ST	48
-	-	1	-	B	690501-4	CAM, POST-FEED 1 5/8 ST	47
1	1	1	-	B	459456-2	APPLICATOR, BASIC (SUBASSY)	46
1	1	1	-	A	690191-1	PLUG, NYLON	45
1	1	1	-	C	455673-1	RAM	44
1	1	1	-	A	690125-1	WASHER, LAMINATED	43
1	1	1	-	A	1-690124-4	WASHER, RAM	42
1	1	1	-	A	7-21002-9	BOLT, CRIMPER (5/16x1.00)	41
1	1	1	-	A	23241-6	BALL, STEEL	40
1	1	1	-	A	690170-1	SPRING, COMPRESSION	39
1	1	1	-	C	690142-1	DISC, INSULATION	38
1	1	1	-	D	354777-1	DISC, WIRE	37
1	1	1	-	A	22480-5	WASHER, SPRING	36
1	1	1	-	B	690212-1	POST, RAM	35
1	1	1	-	B	2-690786-3	SUPPORT, TERMINAL	34
REF	REF	REF	-	D	455675-1	PLATE, BASE	33
							32
							31
REF	REF	REF	-	B	455689-1	BLOCK, STRIP GUIDE ADJ	30
1	1	1	-	C	318756-1	STRIP GUIDE PLATE ASSY	29
1	1	1	-	C	1-455888-0	SPACER, FRONT SHEAR DEP	28
2	2	2	-	A	1-22284-0	SPRING, DRAG	27
1	1	1	-	B	690546-1	LEVER, DRAG RELEASE	26
1	1	1	-	B	240792-1	DRAG, TERMINAL	25
1	1	1	-	D	90765-1	GUIDE, STRIP (REAR)	24
1	1	1	-	A	690438-1	GUIDE, STRIP (FRONT)	23
-	-	1	-	B	690472-2	STRIPPER	22
REF	REF	REF	-	A	4-22284-9	SPRING, FEED RETURN	21
1	1	-	-	A	679218-1	STRIPPER WIRE STOP ASSY	20
1	1	-	-	B	458949-1	STRIPPER	19
							18
							17
1	1	1	-	B	318563-1	GUARD, CHIP, FRONT	16
							15
							14
							13
1	1	1	-	A	5-22280-0	SPRING, SHEAR	12
1	1	1	-	B	690461-2	STOP, SHEAR	11
1	1	1	-	C	1-690459-0	HOLDER, SHEAR (FRONT)	10
1	1	1	-	C	318707-1	SHEAR, FLOAT (FRONT)	9
1	1	1	-	C	4-662188-1	ANVIL	8
							7
							6
1	1	1	-	C	318701-1	DEPRESSOR, SHEAR (FRONT)	5
1	1	1	-	B	238011-4	SPACER, BLOCK CRIMPER	4
1	1	1	-	C	468282-8	CRIMPER, INSULATION	3
1	1	1	-	C	455888-6	SPACER, CRIMPER	2
1	1	1	-	C	456407-5	CRIMPER, WIRE	1
-3	-2	-1	U/M	DWG SIZE	PART NO	DESCRIPTION	ITEM NO
QTY REQD PER ASSY				PARTS LIST			
DIMENSIONS IN INCHES. DO NOT SCALE PRINT. TOLERANCES UNLESS OTHERWISE SPECIFIED: 2 PLC DEC ±.02 3 PLC DEC ±.01 4 PLC DEC ±.005 ANGLES ±.005 SURF TEXTURE, REMOVE BURRS, BREAK SHARP EDGES R.015 MAX				MATERIAL - HT TR - FIN -			
DR B.HIGMAN 09DEC04 APP 09DEC04 T.ELBIN				AMP Tyco Electronics Harrisburg, PA 17105-3608			
CHK - REL -				NAME SIDE FEED HDM APPLICATOR MACHINE REF MINI APPL			
SCALE - DWG NO 1385866				SHEET 1 OF 1 REV A			
CASE CODE 00779 CUSTOMER AND ASSEMBLY DRAWING				RESTRICTED TO -			

THIS DRAWING IS A CONTROLLED DOCUMENT

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9