






Amphenol  
FCi


© 2016 APCI

|               |  |                                       |  |       |  |            |  |                 |  |                                                                                       |  |                                                                                       |  |                        |  |                |  |            |  |       |  |     |  |
|---------------|--|---------------------------------------|--|-------|--|------------|--|-----------------|--|---------------------------------------------------------------------------------------|--|---------------------------------------------------------------------------------------|--|------------------------|--|----------------|--|------------|--|-------|--|-----|--|
| spec ref      |  | ---                                   |  | dr    |  | Tao Zhan   |  | 2013/12/10      |  | projection                                                                            |  |  |  | MM                     |  | size           |  | A2         |  | scale |  | 6:1 |  |
| tolerance std |  |                                       |  | eng   |  | Terry Luo  |  | 2018/01/15      |  |  |  |  |  | ecn no                 |  | ELX-DG-29025-1 |  |            |  |       |  |     |  |
| ASME Y14.5M   |  | TOLERANCES UNLESS OTHERWISE SPECIFIED |  | chr   |  | Stone Li   |  | 2018/01/15      |  |                                                                                       |  |                                                                                       |  |                        |  | rel level      |  | Released   |  |       |  |     |  |
|               |  |                                       |  | oppr  |  | Heaven Cen |  | 2018/01/15      |  |                                                                                       |  |                                                                                       |  |                        |  | product family |  | AirMax VSE |  |       |  |     |  |
| surface       |  | -<br>linear                           |  | 0.X   |  | ±.3        |  | Amphenol<br>FCI |  | title                                                                                 |  | AirMax VS2 R.A. HEADER<br>3 PAIR 90 POS 2MM 10 COL SPF                                |  | dwg no                 |  | 10126918       |  | rev        |  | D     |  |     |  |
|               |  | 0.XX                                  |  | ±.15  |  |            |  |                 |  |                                                                                       |  |                                                                                       |  |                        |  |                |  |            |  |       |  |     |  |
|               |  | 0.XXX                                 |  | ±.050 |  |            |  |                 |  |                                                                                       |  |                                                                                       |  |                        |  |                |  |            |  |       |  |     |  |
|               |  | angular                               |  | 0°    |  | ±2°        |  |                 |  | cat. no.                                                                              |  | -                                                                                     |  | Product - Customer Drw |  | sheet 1 of 3   |  |            |  |       |  |     |  |

PDS: Rev :D


STATUS:Released

Printed: Jan 15, 2018



Amphenol  
FCI






© 2016 APCI

|               |  |  |                                       |  |    |                 |          |           |            |                        |            |                                                                                       |                        |                           |      |                |              |                |       |           |      |          |  |
|---------------|--|--|---------------------------------------|--|----|-----------------|----------|-----------|------------|------------------------|------------|---------------------------------------------------------------------------------------|------------------------|---------------------------|------|----------------|--------------|----------------|-------|-----------|------|----------|--|
| spec ref      |  |  | ---                                   |  | dr |                 | Tao Zhan |           | 2013/12/10 |                        | projection |                                                                                       | <div>MM</div>          |                           | size |                | A2           |                | scale |           | 10:1 |          |  |
| tolerance std |  |  | TOLERANCES UNLESS OTHERWISE SPECIFIED |  |    | eng             |          | Terry Luo |            | 2018/01/15             |            |  |                        | <div>←</div> <div>→</div> |      | ecn no         |              | ELX-DG-29025-1 |       |           |      |          |  |
| ASME Y14.5M   |  |  |                                       |  |    | chr             |          | Stone Li  |            | 2018/01/15             |            |                                                                                       |                        |                           |      | product family |              | -              |       | rel level |      | Released |  |
| surface       |  |  | <div>✓</div>                          |  |    | Amphenol<br>FCI |          | title     |            | AirMax VS2 R.A. HEADER |            | dwg no                                                                                |                        | 10126918                  |      | rev            |              | D              |       |           |      |          |  |
| linear        |  |  |                                       |  |    |                 |          |           |            |                        |            |                                                                                       |                        |                           |      |                |              |                |       | 0.X       |      | ±.3      |  |
|               |  |  |                                       |  |    |                 |          |           |            |                        |            |                                                                                       |                        |                           |      |                |              |                |       | 0.XX      |      | ±.15     |  |
|               |  |  |                                       |  |    |                 |          |           |            |                        |            |                                                                                       |                        |                           |      |                |              |                |       | 0.XXX     |      | ±.050    |  |
| angular       |  |  | 0°                                    |  |    | ±2°             |          |           | cat. no.   |                        | -          |                                                                                       | Product - Customer Drw |                           |      |                | sheet 2 of 3 |                |       |           |      |          |  |

PDS: Rev :D

STATUS:Released

Printed: Jan 15, 2018

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                       |                      |                                   |                                                                                       |            |                |            |                                                                                       |    |              |                                                                 |                |      |        |          |            |            |                                                                                       |    |      |    |       |      |               |                                       |             |     |           |            |     |          |            |        |                |  |      |            |            |                |  |   |           |          |         |                                                                                       |        |     |     |              |                                                                 |  |  |        |          |          |  |  |      |      |  |  |       |       |  |  |         |    |     |  |          |   |                        |  |              |  |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------|----------------------|-----------------------------------|---------------------------------------------------------------------------------------|------------|----------------|------------|---------------------------------------------------------------------------------------|----|--------------|-----------------------------------------------------------------|----------------|------|--------|----------|------------|------------|---------------------------------------------------------------------------------------|----|------|----|-------|------|---------------|---------------------------------------|-------------|-----|-----------|------------|-----|----------|------------|--------|----------------|--|------|------------|------------|----------------|--|---|-----------|----------|---------|---------------------------------------------------------------------------------------|--------|-----|-----|--------------|-----------------------------------------------------------------|--|--|--------|----------|----------|--|--|------|------|--|--|-------|-------|--|--|---------|----|-----|--|----------|---|------------------------|--|--------------|--|
| 1                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                                       | 2                    |                                   | 3                                                                                     | 4          | 5              | 6          | 7                                                                                     | 8  |              |                                                                 |                |      |        |          |            |            |                                                                                       |    |      |    |       |      |               |                                       |             |     |           |            |     |          |            |        |                |  |      |            |            |                |  |   |           |          |         |                                                                                       |        |     |     |              |                                                                 |  |  |        |          |          |  |  |      |      |  |  |       |       |  |  |         |    |     |  |          |   |                        |  |              |  |
| PRODUCT NUMBER                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | PRESS-FIT TAIL PLATING TYPE           | SHORT DETECT CONTACT | REMARK                            |                                                                                       |            |                |            |                                                                                       |    |              |                                                                 |                |      |        |          |            |            |                                                                                       |    |      |    |       |      |               |                                       |             |     |           |            |     |          |            |        |                |  |      |            |            |                |  |   |           |          |         |                                                                                       |        |     |     |              |                                                                 |  |  |        |          |          |  |  |      |      |  |  |       |       |  |  |         |    |     |  |          |   |                        |  |              |  |
| 10126918-101                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | TIN/LEAD ALLOY OVER NICKEL            | NO                   | 1-SIDE PLATING (CUSTOMER SPECIAL) |                                                                                       |            |                |            |                                                                                       |    |              |                                                                 |                |      |        |          |            |            |                                                                                       |    |      |    |       |      |               |                                       |             |     |           |            |     |          |            |        |                |  |      |            |            |                |  |   |           |          |         |                                                                                       |        |     |     |              |                                                                 |  |  |        |          |          |  |  |      |      |  |  |       |       |  |  |         |    |     |  |          |   |                        |  |              |  |
| 10126918-101LF                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | TIN OVER NICKEL (LEAD FREE)           |                      |                                   |                                                                                       |            |                |            |                                                                                       |    |              |                                                                 |                |      |        |          |            |            |                                                                                       |    |      |    |       |      |               |                                       |             |     |           |            |     |          |            |        |                |  |      |            |            |                |  |   |           |          |         |                                                                                       |        |     |     |              |                                                                 |  |  |        |          |          |  |  |      |      |  |  |       |       |  |  |         |    |     |  |          |   |                        |  |              |  |
| 10126918-111                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | TIN/LEAD ALLOY OVER NICKEL            | YES (SEE NOTE 14)    |                                   |                                                                                       |            |                |            |                                                                                       |    |              |                                                                 |                |      |        |          |            |            |                                                                                       |    |      |    |       |      |               |                                       |             |     |           |            |     |          |            |        |                |  |      |            |            |                |  |   |           |          |         |                                                                                       |        |     |     |              |                                                                 |  |  |        |          |          |  |  |      |      |  |  |       |       |  |  |         |    |     |  |          |   |                        |  |              |  |
| 10126918-111LF                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | TIN OVER NICKEL (LEAD FREE)           |                      |                                   |                                                                                       |            |                |            |                                                                                       |    |              |                                                                 |                |      |        |          |            |            |                                                                                       |    |      |    |       |      |               |                                       |             |     |           |            |     |          |            |        |                |  |      |            |            |                |  |   |           |          |         |                                                                                       |        |     |     |              |                                                                 |  |  |        |          |          |  |  |      |      |  |  |       |       |  |  |         |    |     |  |          |   |                        |  |              |  |
| 10126918-102                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | TIN/LEAD ALLOY OVER NICKEL            | NO                   | 2-SIDE PLATING                    |                                                                                       |            |                |            |                                                                                       |    |              |                                                                 |                |      |        |          |            |            |                                                                                       |    |      |    |       |      |               |                                       |             |     |           |            |     |          |            |        |                |  |      |            |            |                |  |   |           |          |         |                                                                                       |        |     |     |              |                                                                 |  |  |        |          |          |  |  |      |      |  |  |       |       |  |  |         |    |     |  |          |   |                        |  |              |  |
| 10126918-102LF                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | TIN OVER NICKEL (LEAD FREE)           |                      |                                   |                                                                                       |            |                |            |                                                                                       |    |              |                                                                 |                |      |        |          |            |            |                                                                                       |    |      |    |       |      |               |                                       |             |     |           |            |     |          |            |        |                |  |      |            |            |                |  |   |           |          |         |                                                                                       |        |     |     |              |                                                                 |  |  |        |          |          |  |  |      |      |  |  |       |       |  |  |         |    |     |  |          |   |                        |  |              |  |
| <div>1 - CONNECTOR MATERIALS:<br/>HOUSING: HIGH TEMP THERMOPLASTIC, NATURAL, UL94-V0<br/>IMLA PLASTIC: HIGH TEMP THERMOPLASTIC, BLACK, UL94-V0<br/>CONTACT: COPPER ALLOY<br/>ORGANIZER: HIGH TEMP THERMOPLASTIC, NATURAL, UL94-V0</div> <div>2 - CONTACT PLATING:<br/>SEPARABLE INTERFACE:<br/>PERFORMANCE-BASED PLATING, QUALIFIED TO MEET THE REQUIREMENTS OF FCI PRODUCT SPECIFICATION GS-12-0956 INCLUDING TELCORDIA GR-1217-CORE (NOVEMBER 1995) CENTRAL OFFICE TEST SEQUENCE</div> <div>PRESS-FIT TAILS: SEE TABLE</div> <div>3 - PRODUCT SPECIFICATION: GS-12-0956</div> <div>4 - APPLICATION SPECIFICATION: GS-20-0305</div> <div>5 - PRODUCT MARKING, (PROTOTYPE, PART NUMBER &amp; LOT CODE), ON THIS SURFACE.</div> <div>6 - POSITIONS "F" OF ODD NUMBERED COLUMNS AND POSITIONS "G" OF EVEN NUMBERED COLUMNS CORRESPOND TO EARLY MATE HEADER PINS.</div> <div>7 - CONNECTOR OUTLINE MAY BE SCREEN PRINTED ONTO CUSTOMER PCB TO BE USED AS A GUIDE FOR CONNECTOR PLACEMENT.</div> <div>8 - REFER TO CUSTOMER DRAWING 10104444 FOR INFORMATION ON PCB HOLE DIAMETERS AND PLATING OPTIONS</div> <div>9 - LEAD FREE PRODUCT MEETS THE EUROPEAN UNION DIRECTIVES &amp; OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-22-008</div> <div>10 - THESE OUTER VIAS (J) ARE OPTIONAL. WHILE NO CONNECTOR EONS ARE PRESSED INTO THESE HOLES WE RECOMMEND (Ø0.500) FINISHED HOLES AT THESE LOCATIONS TO PROVIDE GROUND SYMMETRY THROUGH THE PCB.</div> <div>11 - PACKAGING MEETS GS-14-920 LEAD FREE LABELING SPECIFICATION.</div> <div>12 - GROUND CONTACTS (C, F, &amp; I IN ODD COLUMNS AND A, D, &amp; G IN EVEN COLUMNS) REQUIRE (Ø0.50) FINISHED HOLES. SIGNAL LOCATIONS REQUIRE (Ø0.40) FINISHED HOLES</div> <div>13 - A  SYMBOL WILL BE NEXT TO ANY DIMENSIONS, VIEW OR NOTE, WHICH HAS BEEN MODIFIED WITH THE CURRENT DRAWING REVISION.</div> <div>14 - MATING PIN E4 HAS 0.5mm LESS NOMINAL WIPE THAN THE SHORTEST PIN.</div> |                                       |                      |                                   |                                                                                       |            |                |            |                                                                                       |    |              |                                                                 |                |      |        |          |            |            |                                                                                       |    |      |    |       |      |               |                                       |             |     |           |            |     |          |            |        |                |  |      |            |            |                |  |   |           |          |         |                                                                                       |        |     |     |              |                                                                 |  |  |        |          |          |  |  |      |      |  |  |       |       |  |  |         |    |     |  |          |   |                        |  |              |  |
| <div></div> <div>10126918-101 OR -101LF<br/>10126918-102 OR -102LF</div>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                                       |                      |                                   |                                                                                       |            |                |            |                                                                                       |    |              |                                                                 |                |      |        |          |            |            |                                                                                       |    |      |    |       |      |               |                                       |             |     |           |            |     |          |            |        |                |  |      |            |            |                |  |   |           |          |         |                                                                                       |        |     |     |              |                                                                 |  |  |        |          |          |  |  |      |      |  |  |       |       |  |  |         |    |     |  |          |   |                        |  |              |  |
| <div></div> <div>DETAIL SCALE 15:1</div>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                                       |                      |                                   |                                                                                       |            |                |            |                                                                                       |    |              |                                                                 |                |      |        |          |            |            |                                                                                       |    |      |    |       |      |               |                                       |             |     |           |            |     |          |            |        |                |  |      |            |            |                |  |   |           |          |         |                                                                                       |        |     |     |              |                                                                 |  |  |        |          |          |  |  |      |      |  |  |       |       |  |  |         |    |     |  |          |   |                        |  |              |  |
| <table><tr><td>spec ref</td><td colspan="3">---</td><td>dr</td><td>Tao Zhan</td><td>2013/12/10</td><td>projection</td><td rowspan="4"></td><td rowspan="4">MM</td><td>size</td><td>A2</td><td>scale</td><td>10:1</td></tr><tr><td>tolerance std</td><td rowspan="3">TOLERANCES UNLESS OTHERWISE SPECIFIED</td><td rowspan="3">ASME Y14.5M</td><td rowspan="3">eng</td><td>Terry Luo</td><td>2018/01/15</td><td>chr</td><td>Stone Li</td><td>2018/01/15</td><td>ecn no</td><td colspan="2">ELX-DG-29025-1</td></tr><tr><td>appr</td><td>Heaven Cen</td><td>2018/01/15</td><td colspan="2">product family</td><td>-</td><td>rel level</td><td>Released</td></tr><tr><td>surface</td><td rowspan="3"></td><td>linear</td><td>0.X</td><td>±.3</td><td rowspan="3">Amphenol FCI</td><td colspan="3" rowspan="3">title<br/>AirMax VS2 R.A. HEADER<br/>3 PAIR 90 POS 2MM 10 COL SPF</td><td rowspan="3">dwg no</td><td rowspan="3">10126918</td><td rowspan="3">rev<br/>D</td></tr><tr><td></td><td></td><td>0.XX</td><td>±.15</td></tr><tr><td></td><td></td><td>0.XXX</td><td>±.050</td></tr><tr><td></td><td></td><td>angular</td><td>0°</td><td>±2°</td><td></td><td>cat. no.</td><td>-</td><td colspan="2">Product - Customer Drw</td><td colspan="2">sheet 3 of 3</td></tr></table>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                       |                      |                                   |                                                                                       |            |                |            |                                                                                       |    | spec ref     | ---                                                             |                |      | dr     | Tao Zhan | 2013/12/10 | projection |  | MM | size | A2 | scale | 10:1 | tolerance std | TOLERANCES UNLESS OTHERWISE SPECIFIED | ASME Y14.5M | eng | Terry Luo | 2018/01/15 | chr | Stone Li | 2018/01/15 | ecn no | ELX-DG-29025-1 |  | appr | Heaven Cen | 2018/01/15 | product family |  | - | rel level | Released | surface |  | linear | 0.X | ±.3 | Amphenol FCI | title<br>AirMax VS2 R.A. HEADER<br>3 PAIR 90 POS 2MM 10 COL SPF |  |  | dwg no | 10126918 | rev<br>D |  |  | 0.XX | ±.15 |  |  | 0.XXX | ±.050 |  |  | angular | 0° | ±2° |  | cat. no. | - | Product - Customer Drw |  | sheet 3 of 3 |  |
| spec ref                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | ---                                   |                      |                                   | dr                                                                                    | Tao Zhan   | 2013/12/10     | projection |  | MM | size         | A2                                                              | scale          | 10:1 |        |          |            |            |                                                                                       |    |      |    |       |      |               |                                       |             |     |           |            |     |          |            |        |                |  |      |            |            |                |  |   |           |          |         |                                                                                       |        |     |     |              |                                                                 |  |  |        |          |          |  |  |      |      |  |  |       |       |  |  |         |    |     |  |          |   |                        |  |              |  |
| tolerance std                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | TOLERANCES UNLESS OTHERWISE SPECIFIED | ASME Y14.5M          | eng                               | Terry Luo                                                                             | 2018/01/15 | chr            | Stone Li   |                                                                                       |    | 2018/01/15   | ecn no                                                          | ELX-DG-29025-1 |      |        |          |            |            |                                                                                       |    |      |    |       |      |               |                                       |             |     |           |            |     |          |            |        |                |  |      |            |            |                |  |   |           |          |         |                                                                                       |        |     |     |              |                                                                 |  |  |        |          |          |  |  |      |      |  |  |       |       |  |  |         |    |     |  |          |   |                        |  |              |  |
| appr                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                                       |                      |                                   | Heaven Cen                                                                            | 2018/01/15 | product family |            |                                                                                       |    | -            | rel level                                                       | Released       |      |        |          |            |            |                                                                                       |    |      |    |       |      |               |                                       |             |     |           |            |     |          |            |        |                |  |      |            |            |                |  |   |           |          |         |                                                                                       |        |     |     |              |                                                                 |  |  |        |          |          |  |  |      |      |  |  |       |       |  |  |         |    |     |  |          |   |                        |  |              |  |
| surface                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                       |                      |                                   |  | linear     | 0.X            | ±.3        |                                                                                       |    | Amphenol FCI | title<br>AirMax VS2 R.A. HEADER<br>3 PAIR 90 POS 2MM 10 COL SPF |                |      | dwg no | 10126918 | rev<br>D   |            |                                                                                       |    |      |    |       |      |               |                                       |             |     |           |            |     |          |            |        |                |  |      |            |            |                |  |   |           |          |         |                                                                                       |        |     |     |              |                                                                 |  |  |        |          |          |  |  |      |      |  |  |       |       |  |  |         |    |     |  |          |   |                        |  |              |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                       | 0.XX                 | ±.15                              |                                                                                       |            |                |            |                                                                                       |    |              |                                                                 |                |      |        |          |            |            |                                                                                       |    |      |    |       |      |               |                                       |             |     |           |            |     |          |            |        |                |  |      |            |            |                |  |   |           |          |         |                                                                                       |        |     |     |              |                                                                 |  |  |        |          |          |  |  |      |      |  |  |       |       |  |  |         |    |     |  |          |   |                        |  |              |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                       | 0.XXX                | ±.050                             |                                                                                       |            |                |            |                                                                                       |    |              |                                                                 |                |      |        |          |            |            |                                                                                       |    |      |    |       |      |               |                                       |             |     |           |            |     |          |            |        |                |  |      |            |            |                |  |   |           |          |         |                                                                                       |        |     |     |              |                                                                 |  |  |        |          |          |  |  |      |      |  |  |       |       |  |  |         |    |     |  |          |   |                        |  |              |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                       | angular              | 0°                                | ±2°                                                                                   |            | cat. no.       | -          | Product - Customer Drw                                                                |    | sheet 3 of 3 |                                                                 |                |      |        |          |            |            |                                                                                       |    |      |    |       |      |               |                                       |             |     |           |            |     |          |            |        |                |  |      |            |            |                |  |   |           |          |         |                                                                                       |        |     |     |              |                                                                 |  |  |        |          |          |  |  |      |      |  |  |       |       |  |  |         |    |     |  |          |   |                        |  |              |  |
| <div><div>PDS: Rev :D</div><div>STATUS:Released</div><div>Printed: Jan 15, 2018</div></div>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                                       |                      |                                   |                                                                                       |            |                |            |                                                                                       |    |              |                                                                 |                |      |        |          |            |            |                                                                                       |    |      |    |       |      |               |                                       |             |     |           |            |     |          |            |        |                |  |      |            |            |                |  |   |           |          |         |                                                                                       |        |     |     |              |                                                                 |  |  |        |          |          |  |  |      |      |  |  |       |       |  |  |         |    |     |  |          |   |                        |  |              |  |

## Данный компонент на территории Российской Федерации

**Вы можете приобрести в компании MosChip.**

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

### Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: [info@moschip.ru](mailto:info@moschip.ru)

Skype отдела продаж:

moschip.ru

moschip.ru\_4

moschip.ru\_6

moschip.ru\_9