

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT - BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.


LOC	DIST	REVISIONS				
P	LTR	DESCRIPTION		DATE	DWN	APVD
		REVISED PER ECO-10-013614		13OCT10	HMR	CR

MATERIAL:
HOUSING: THERMOPLASTIC, UL94V-0, BLACK.
TERMINALS: BRIGHT TIN OVER COPPER ALLOY.
SCREWS: #6-32 STEEL, ZINC PLATING W/ CLEAR CHROMATE.

ELECTRICAL:
RATED CURRENT UL/CSA:
CLASS C: 20A, 300V
CLASS D: 5A, 600V
WIRE RANGE: 12-22 AWG

MECHANICAL:
RECOMMENDED TORQUE: 7 IN-LB.
OPERATING TEMP.: 105°C MAX.

1 MARK WITH PERMANENT INK.



SEE FIGURE

SEE FIGURE
SEE FIGURE
SEE FIGURE
SEE FIGURE
SEE FIGURE

9.000	9.314	23	JC6-P208-23	6-796985-5
8.625	8.939	22	JC6-P208-22-224	1776344-1
8.625	8.939	22	JC6-P208-22	6-796985-4
8.250	8.564	21	JC6-P208-21	6-796985-3
7.875	8.189	20	JC6-P208-20	6-796985-2
7.500	7.814	19	JC6-P208-19	6-796985-1
7.125	7.439	18	JC6-P208-18	2-796985-0
6.750	7.064	17	JC6-P208-17	6-796985-0
6.375	6.689	16	JC6-P208-16	5-796985-9
6.000	6.314	15	JC6-P208-15	1-796985-9
5.625	5.939	14	JC6-P208-14	5-796985-8
5.250	5.564	13	JC6-P208-13	5-796985-7
4.875	5.189	12	JC6-P208-12	5-796985-6
4.500	4.814	11	JC6-P208-11	5-796985-5
4.125	4.439	10	JC6-P208-10	5-796985-4
3.750	4.064	9	JC6-P208-09	4-1437665-6
3.375	3.689	8	JC6-P208-08	5-796985-3
3.000	3.314	7	JC6-P208-07	5-796985-2
2.625	2.939	6	JC6-P208-06	4-1437665-5
2.250	2.564	5	JC6-P208-05	4-1437665-4
1.875	2.189	4	JC6-P208-04-505	1776344-3
1.875	2.189	4	JC6-P208-04-504	1776344-2
1.875	2.189	4	JC6-P208-04-503	9-796985-7
1.875	2.189	4	JC6-P208-04-500	9-796985-6
1.875	2.189	4	JC6-P208-04	4-1437665-3
1.500	1.814	3	JC6-P208-03-172	1-796985-8
1.500	1.814	3	JC6-P208-03	4-1437665-2
1.125	1.439	2	JC6-P208-02	4-1437665-1
DIM. "B"	DIM. "A"	NO. OF POS.	CATALOG PART NO.	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN S SCHLEGEL 5/7/03	Tyco Electronics Corporation Harrisburg, PA 17105		
DIMENSIONS: INCHES		CHK S. YODER 5/7/03			
		APVD S. YODER 5/7/03	NAME		
		PRODUCT SPEC	JC6-P208-XX ASSEMBLY		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APPLICATION SPEC	SIZE CAGE CODE DRAWING NO RESTRICTED TO		
0 PLC ± -		—	A3 00779 C-4-1437665-1		
1 PLC ± -		—	SCALE NTS SHEET 1 OF 2 REV D		
2 PLC ± .01		—			
3 PLC ± -		—			
4 PLC ± -		—			
ANGLES ± -		—			
FINISH		—			
MATERIAL		—			
		CUSTOMER DRAWING			

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

ALL RIGHTS RESERVED.

BY TYCO ELECTRONICS CORPORATION.





LOC

FT




DIST

0




REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	—	SEE SHEET 1	—	—	—






9-796985-7




1776344-2




9-796985-6



1776344-3



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN S SCHLEGEL 5/7/03	 Tyco Electronics Corporation Harrisburg, PA 17105					
		CHK S. YODER 5/7/03						
		APVD S. YODER 5/7/03						
DIMENSIONS: INCHES	TOLERANCES UNLESS OTHERWISE SPECIFIED:	PRODUCT SPEC	NAME JC6-P208-XX ASSEMBLY					
	0 PLC ± -	—						
	1 PLC ± -	—						
	2 PLC ± .01	—						
	3 PLC ± -	APPLICATION SPEC						
	4 PLC ± -	—	SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO		
MATERIAL	FINISH	WEIGHT	A3	00779	C-4-1437665-1	—		
—	—		CUSTOMER DRAWING			SCALE NTS	SHEET 2 OF 2	REV D

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9