CATALOG 128_CATALOG 128.qxd 4/24/2014 10:46 AM Page 69

This section contains parts and accessories for Vectorbord products. They are useful for board-level prototyping and breadboarding. Prototypes are created in various ways; by computer design or by hand - but with one thing in common: sooner or later, you have to make a physical board. It is at this stage that Vectorbord and these parts and accessories may be useful to you. They are selected for convenience and utility and they are readily available from your Vector distributors.

Style 1

R636-1

R644-3C

R644-3F

R656-2

R680-1



(Dimension table next page)

Centermount

- Wire-Wrap .025” Sq. Posts
- Allows 3 level wraps
- Center Mount
- Use 28 to 32 AWG wire
- STD bus

Specifications

Solder Type Insulator Material:	Phenolic, UL-94V-0 or glass filled Diallylphthalate UL-94V-1 or Ryton R10 or equivalent
Wire-Wrap Type Insulator:	Phenolic, UL-94V-0 or glass filled Diallylphthalate UL-94V-1 or Polyester (VALOX) or equivalent UL-94V-0.
Contact Material:	Phosphor bronze QQ-B-750
Contact Plating:	.000010” gold over .000050” nickel
Test Voltage:	650 VAC
Rated Current:	3 AMPS
Contact Res. Drop:	30 mV Max. @ rated current
Insulation Resistance:	5000 megohms nominal @ 500 VDC
Operating Temperature:	-65 to +105 degrees C

Style 2

R636-2



R630



R644



Flushmount

R656-1

R680-2

R681

R681-3

- Solder tail (with eyelet) R656-1 Solder
- Solder eyelet type
- Flush Mount

Ordering Information

Part No.	No. of Contacts	Termination Type	Mounting Ears	Style #	A	B	C	D	E	F	G	H	I	J	K	L
R630	30	Solder Tail	Flush	2	.156”	2.504”	2.65”	2.938”	3.270”	.41”	.200”	.47”	n/a	.25”	.34”	.25”
R636-1	72	Wire-Wrap	Center	1	.100”	3.707”	3.88”	4.175”	4.475”	.41”	.200”	.62”	.55”	.25”	.34”	.65”
R636-2	72	Solder Tail	Flush	2	.100”	3.707”	3.88”	4.175”	4.475”	.41”	.200”	.47”	n/a	.25”	.34”	.25”
R644	44	Solder Tail	Flush	2	.156”	3.596”	3.75”	4.032”	4.360”	.41”	.200”	.47”	.25”	.25”	.265”	.25”
R644-2	44	Wire-Wrap	Center	1	.100”	2.300”	2.55”	2.850”	3.120”	.41”	.200”	.62”	.55”	.25”	.297”	.65”
R644-3C	44	Wire-Wrap	Center	1	.156”	3.596”	3.75”	4.032”	4.360”	.41”	.200”	.62”	.55”	.25”	.384”	.65”
R644-3F	44	Wire-Wrap	Flush	1	.156”	3.596”	3.75”	4.032”	4.360”	.41”	.200”	.62”	.55”	.25”	.384”	.65”
R656-1	56	Solder Tail	Flush	2	.125”	3.625”	3.79”	4.045”	4.336”	.41”	.200”	.47”	n/a	.25”	.34”	.25”
R656-2	56	Wire-Wrap	Center	1	.125”	3.625”	3.79”	4.045”	4.325”	.41”	.250”	.62”	.55”	.25”	.34”	.22”
R680-1	80	Wire-Wrap	Center	1	.125”	5.125”	5.29”	5.545”	5.805”	.41”	.250”	.62”	.55”	.25”	.34”	.65”
R680-2	80	Solder Tail	Center	2	.125”	5.125”	5.29”	5.545”	5.805”	.41”	.200”	.62”	.55”	.25”	.34”	.65”
R681-2	100	Wire-Wrap	Center	1	.125”	6.375”	6.54”	6.795”	7.065”	.41”	.250”	.47”	.55”	.25”	.34”	.22”
R681-3	100	Solder Tail	Center	2	.125”	6.375”	6.54”	6.795”	7.065”	.41”	.200”	.47”	n/a	.25”	.34”	.25”

Общество с ограниченной ответственностью «МосЧип» ИНН 7719860671 / КПП 771901001
Адрес: 105318, г.Москва, ул.Щербаковская д.3, офис 1107

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

http://moschip.ru/get-element

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:
moschip.ru
moschip.ru_4
moschip.ru_6
moschip.ru_9