

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT

ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS


P	LTR	DESCRIPTION	DATE	DWN	APVD
	D1	ECR-16-009823	18JUL2016	GK	SD

REPLACED BY OCEAN STYLE APPLICATOR PART
NUMBER 2836146-1

FOR REPLACEMENT PARTS FOR APPLICATOR 1385377
REFER TO ADDITIONAL PAGE(S). SPARE PARTS KIT (IF LISTED)
WILL REMAIN AVAILABLE.

THE REPLACEMENT OCEAN STYLE APPLICATOR HAS THE
SAME TERMINATOR/PRESS INTERFACE AS APPLICATOR
1385377

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	GOPALAKRISHNA HV		 TE Connectivity					
		CHK	GOPALAKRISHNA HV							
DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD	NAME					
		0 PLC ± 1 PLC ± 2 PLC ± 3 PLC ± 4 PLC ± ANGLES ±		STOUGH DALE		SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO	
				PRODUCT SPEC						
				APPLICATION SPEC						
				WEIGHT						
MATERIAL		FINISH		CUSTOMER DRAWING		SCALE		SHEET 1 OF 2		REV D1



TERMINAL NAME: PLUG CONTACT, CRIMP SNAP, 26-30 AWG, MICRO MATE-N-LOK			
794609	AMP TERMINAL AMP CRIMP SPECS		
PAD LTR	CRIMP HEIGHT		WIRE SIZE
	A	.022 ±.002 [0.56 ±0.05mm]	26
	B	.021 ±.002 [0.53 ±0.05mm]	28
	C	.020 ±.002 [0.51 ±0.05mm]	30
D	NOT USED		
CRIMP	SIZE	TYPE	RANGE
	WIRE	.042 [1.07mm]	F 30-26
	INSUL	.070 [1.78mm]	F 0.89-1.52mm
WIRE STRIP LENGTH	TERM APPL SPEC	FEED	APPL INSTRUCTION
.114-.131	114-13000	.250	408-8040
			SET UP GAGE LAYOUT
			458637-1 L2624

2	2	2	-	6-354779-8	PIN, WIRE DISC (.3330)C	129
2	2	2	-	6-354779-7	PIN, WIRE DISC (.3325)B	128
2	2	2	-	6-354779-6	PIN, WIRE DISC (.3320)A	126
1	1	1	-	986950-1	WASHER, FLAT PRECISION	125
1	1	1	-	217238-1	GENERAL INSTRUCTION PACKAGE	124
1	1	1	-	4088040	SF APPL INST 408-8040	123
						122
1	1	1	-	4-21028-0	PIN,SLT SPR(Ø.093x.75)ST GDE PL	121
REF	REF	REF	-	1-21030-1	PIN,DOWEL(Ø.187x.50)LEVER	120
REF	REF	REF	-	1-21030-6	PIN,DOWEL(Ø.187x1.25)HOUSING	119
REF	REF	REF	-	21045-3	RING,RET "C"(Ø.187)FD FING PIN	118
1	1	1	-	21024-5	WASHER, LOCK(#10)ADJ BLOCK	117
REF	REF	REF	-	21024-5	WASHER,LOCK(#10)ADJ PLATE	116
REF	REF	REF	-	21024-5	WASHER,LOCK(#10)FEED GDE ROD	115
2	2	2	-	21024-2	WASHER,LOCK(#4)FRONT STP GUIDE	114
REF	REF	REF	-	5-21028-1	PIN,SLT SPR(Ø.125x.50)ADJ ROD	113
						112
4	4	4	-	21024-4	WASHER,LOCK(#8)STRIPPER	111
REF	REF	REF	-	21899-4	WASHER,FLAT(Ø5/16)SCREW ADJ	110
						109
1	1	1	-	21018-5	NUT,HEX(NO.6)HOLDDOWN	108
REF	REF	REF	-	21068-5	NUT,HEX(6-32)FEED ADJ	107
						106
						105
						104
1	1	1	-	21009-2	SCR,SKT SET(1/4-20x.25 LW)RAM	103
2	2	2	-	21017-2	SCR,DRIVE(#2x.19)ID PLATE	102
REF	REF	REF	-	6-23715-5	SCR,PAN HD(6-32x1.50)FEED ADJ	101
1	1	1	-	461264-1	PLATE, IDENTIFICATION	100
2	2	2	-	5-21006-6	SCR,SET10-32x.75)DRAG	99
1	1	1	-	22733-8	SCR,BHC(8-32x.38 LW)ANVIL	98
REF	REF	REF	-	2-21002-9	SCR,BHC(10-32x.75)CAP	97
REF	REF	REF	-	2-22733-8	SCR,BHC(1/4-20x.62)HOUSING	96
REF	REF	REF	-	2-21002-7	SCR,BHC(10-32x.50)SG ADJ BLOCK	95
6	6	6	-	2-21002-2	SCR,BHC(8-32x.50)TERM H DWN	94
						93
						92
1	1	1	-	1-21002-7	SCR,BHC(6-32x.38)CAM	91
						90
						89
						88
2	2	2	-	2-21000-8	SCR,SHC(8-32x.62)DEP-HOLD	87
1	1	1	-	2-22603-0	SCR,HEX HD(8-32x.31)FEED FINGER	86
2	2	2	-	1-21000-3	SCR,SHC(4-40x.25)FR ST GUIDE	85
1	1	1	-	2-21000-7	SCR,SHC(8-32x.50)STRIPPER	84
REF	REF	REF	-	3-21000-7	SCR,SHC(10-32x.75)FEED ROD GD	83
REF	REF	REF	-	3-21000-6	SCR,SHC(10-32x.62)FD ADJ BLK	82
1	1	1	-	7-21000-6	SCR,SHC(10-32x.31)SG ADJ BL	81
REF	REF	REF	-	3-21000-4	SCR,SHC(10-32x.38)PIVOT BLK	80
-	REF	-	-	455749-1	GUARD, WINDOW	79
REF	-	-	-	679532-1	INSERT, GUARD	78
						77
						76
						75
1	1	1	-	690603-1	SPRING, ASSIST	74
1	1	1	-	23030-1	SCR,SHC(6-32x.25 SL)INS DISC	73
REF	REF	REF	-	458109-1	WASHER, SPECIAL	72
REF	REF	REF	-	690517-1	SPACER	71
-3	-2	-1	U/M		DESCRIPTION	ITEM NO
				PARTS LIST		
QTY REQD PER ASSY						

12		1						
LOC	DIST	REVISIONS						
A	66	P	LTR	DESCRIPTION		DATE	OWN	APVD
		D		ECR-07-023678		10-2007	MY	GB
LEADMAKER			MECH POST FEED					
BENCH MODEL K			MECH PRE FEED					
BENCH MODEL G			MECH PRE FEED					
REF	-	22594-8			NUT,HEX(1/2-20)			70
REF	-	240628-1			PLATE, ADJUSTMENT			69
REF	-	240626-1			SHAFT, PIVOT			68
REF	-	240633-1			BUSHING			67
REF	-	455680-1			LEVER, INTERMEDIATE			66
REF	-	240629-1			BLOCK, PIVOT			65
REF	-	240632-2			SCREW, ADJ FEED ROD			64
REF	-	240659-3			PIN, CAM ROLLER			63
REF	-	240658-1			ROLLER, CAM			62
REF	-	454398-2			ROD, FEED			61
REF	-	454178-1			GUIDE, FEED ROD			60
REF	-	454220-1			CAP, RAM			59
REF	-	454485-1			HOUSING			58
								57
1	-	458537-2			PAWL, FEED			56
REF	-	240624-1			PIN, FEED FINGER			55
REF	-	691499-1			SPRING, FEED FINGER			54
REF	-	690541-1			HOLDER, FEED FINGER			53
REF	-	455679-1			LEVER, TERMINAL FEED ARM			52
1	-	811242-2			BUMPER, HOLDDOWN			51
1	-	690753-1			SPACER, TONKER			50
-	-	690602-6			CAM, PRE-FEED 1 5/8 ST			49
-	-	690602-5			CAM, PRE-FEED 1 1/8 ST			48
1	-	690501-4			CAM, POST-FEED 1 5/8 ST			47
1	-	459456-1			APPLICATOR, BASIC (SUBASSY)			46
1	-	690191-1			PLUG, NYLON			45
1	-	455673-1			RAM			44
1	-	690125-1			WASHER, LAMINATED			43
1	-	690124-1			WASHER, RAM			42
1	-	7-21002-9			BOLT, CRIMPER(5/16x1.00)			41
1	-	23241-6			BALL, STEEL			40
1	-	690170-1			SPRING, COMPRESSION			39
1	-	690142-1			DISC, INSULATION			38
1	-	354777-1			WIRE DISC, PLASTIC			37
1	-	22480-5			WASHER, SPRING			36
1	-	690212-1			POST, RAM			35
1	-	690786-1			SUPPORT, TERMINAL			34
REF	-	455675-1			PLATE, BASE			33
1	-	690432-3			SCREW, ADJUSTMENT			32
								31
REF	-	455689-1			BLOCK, STRIP GUIDE ADJ			30
1	-	455671-1			PLATE, STRIP GUIDE			29
1	-	1-455888-0			SPACER, FRONT SHEAR DEP			28
2	-	1-22284-0			SPRING, DRAG			27
1	-	690546-1			LEVER, DRAG RELEASE			26
1	-	240792-1			DRAG, TERMINAL			25
1	-	6-690504-4			GUIDE, STRIP (REAR)			24
1	-	690438-1			GUIDE, STRIP (FRONT)			23
1	-	690472-2			STRIPPER			22
REF	-	4-22284-9			SPRING, FEED RETURN			21
								20
-	-	691353-1			STRIPPER			19
								18
								17
1	-	318563-1			GUARD, CHIP, FRONT			16
								15
								14
								13
1	-	3-22280-3			SPRING, SHEAR			12
1	-	690461-1			STOP, SHEAR			11
1	-	690459-1			HOLDER, SHEAR (FRONT)			10
1	-	462006-1			SHEAR, FLOAT (FRONT)			9
1	-	4-805887-6			ANVIL			8
1	-	240641-2			SPACER, DEPRESSOR (REAR)			7
								6
1	-	2-455889-0			DEPRESSOR, SHEAR (FRONT)			5
1	-	238011-6			SPACER, BLOCK CRIMPER			4
1	-	4-683453-8			CRIMPER, INSULATION			3
1	-	455888-1			SPACER, CRIMPER			2
1	-	2-456401-5			CRIMPER, WIRE			1
-1	U/M	PART NO			DESCRIPTION			ITEM NO
PER ASSY		PARTS LIST						
DOCUMENT.		DWG B.HIGMAN	25JAN02	Tyco Electronics Corporation				
		CHK -	-	Harrisburg, PA 17105-3608				
UNLESS SPECIFIED:		APVD T.ELBIN	25JAN02	NAME				
		PRODUCT SPEC			SIDE FEED HDM APPLICATOR			
					-			
		APPLICATION SPEC			-			
					-			
		WEIGHT			SIZE A1	CAGE CODE 00779	DRAWING NO C-1385377	RESTRICTED TO -
CUSTOMER DRAWING					SCALE		SHEET	1 of 1
					REV		D	

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9