






P	LTR	DESCRIPTION	DATE	DWN	APVD
E2		REVISED. ECR-15-016136	06NOV2015	J.W	S.H



MATERIALS:
HOUSING- PPA RESIN, BLACK, MOLDING COMPOUND.
CONTACTS- PHOSPHOR BRONZE PLATED WITH MINIMUM THICK (SEE TABLE) GOLD IN CONTACT AREA AND 3.8 μ m [.000150] MINIMUM THICK MATTE TIN ON SOLDER TINES OVER 1.27 μ m MINIMUM THICK NICKEL UNDERPLATE.
RETENTION LEG- BRASS PLATED WITH 3.8 μ m [.000150] MINIMUM TIN-CU OVER 1.3 μ m [.000051] MINIMUM NICKEL UNDERPLATE.



- G, J, AND H INDICATE NUMBER OF POSITION MARKED ON ASSEMBLY. ALSO SEE TABLE.
- ALL DIMENSIONS SHOWN ARE MAXIMUM UNLESS OTHERWISE SPECIFIED.
- 60 POSITION AS SHOWN.
- RETENTION LEGS NOT PRESENT.
- TOP OF RETENTION LEG MAY NOT PROTRUDE ABOVE THIS SURFACE.
- HOUSING BOW UP TO 0.30 [.012] ALLOWED.
- CONNECTOR WILL ACCOMMODATE MATING PRINTED CIRCUIT BOARD OF 1.6 $\pm$ 0.07 [.063 $\pm$.003] THICKNESS.
- WAVE SOLDER CAPABLE TO 265 C PER TE SPEC 109-202, CONDITION B.
- REMOVE CONTACT POSITION FROM #11~#17 AND #36~#42.
- RECOMMEND CARD EDGE DIM. (PAGE2)
- GOLD FLASH OVER 0.762 μ m [30 μ] MIN. PALLADIUM-NICKEL PLATED.
- OBsolete
- REMOVE CONTACT POSITION FROM #23~#29 AND #57~#63.




THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: MM

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC $\pm$ -
1 PLC $\pm$ -
2 PLC $\pm$ -
3 PLC $\pm$ -
4 PLC $\pm$ -
ANGLES $\pm$ -

DMN 31MAR2009
F. YANG
CHK 31MAR2009
S. CHIEN
W. KODAMA
APVD 31MAR2009
PRODUCT SPEC
108-57876
QUALIFICATION TEST REPORT
WEIGHT -
CUSTOMER DRAWING



RECEPTACLE ASSEMBLY,
VERTICAL, BOARD-TO-BOARD,
CHAMP.050, SERIES I,

SIZE CAGE CODE DRAWING NO
A3 00779 C=1734101
RESTRICTED 30

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

AUG , 2006 .

© COPYRIGHT - BY TYCO ELECTRONICS CORPORATION.

ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

Dw




P	LTR
---	-----

DATA

D



APVD

SEE SHEET 1.

[illegible]

THIS DRAWING IS A CONTROLLED DOCUMENT.		DMN		NAME	
		CHK		RECEPIACLE ASSEMBLY, VERTICAL, BOARD-TO-BOARD, CHAMP.050, SERIES 1,	
		APVD		TE Connectivity	
DIMENSIONS: MM		TOLERANCES UNLESS OTHERWISE SPECIFIED:		SIZE	
0 PLC ± -		PRODUCT SPEC		CAGE CODE	
1 PLC ± -		QUALIFICATION TEST REPORT		DRAWING NO	
2 PLC ± -		WEIGHT		A3 00779	
3 PLC ± -		—		C=1734101	
4 PLC ± -		—		SCALE	
ANGLES ± -		—		SHEET	
FINISH		—		3 OF 4	
MATERIAL		CUSTOMER DRAWING		REV	
—		—		E2	

LOC		DIST		REVISIONS					
DW		—		P	LTR	DESCRIPTION	DATE	DWN	APVD
						SEE SHEET 1.			



OBSOLETE								5-1734101-6	200
								3-1734101-6	
	2.69	1.71	16	10			1-1734101-6		
							5-1734101-5		
							3-1734101-5		
OBSOLETE								1-1734101-5	160
								5-1734101-4	
	2.37	1.39	16	10			3-1734101-4		
							1-1734101-4		
							4-1734101-9		
OBSOLETE								6-1734101-9	80
	2.48	1.50	32	10			1734101-9		
	G.W./CARTON (KG)	N.W./CARTON (KG)	PCS/TRAY	TRAYS/CARTON	QUANTITY/CARTON (PCS)	PART NUMBER	POS.		

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:MM

0 PLG ± -

1 PLG ± -

2 PLG ± -

3 PLG ± -

4 PLG ± -

FINISH ± -

APVD

PRODUCT SPEC

QUALIFICATION TEST REPORT

WEIGHT

NAME

RECEPTACLE ASSEMBLY, VERTICAL, BOARD-TO-BOARD, CHAMP.050, SERIES I,

SIZE

A3

CAGE CODE

00779

DRAWING NO

1734101

RESTRICTED TO

CUSTOMER DRAWING

SCALE

4

SHEET

4

REV

E2

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9