




Product Number	DIM "A"	DIM "B"	DIM "C"	DIM "D"	Packaging
10126907-101LF	7.20	9.80	3.60	3.60	Tray









- NOTES:
- | | | | |
|----------------|------|----------------------------|------------|
| 1, DESCRIPTION | Q'ty | MATERIAL | PLATING |
| TOP CAGE | 1PCS | NICKEL SILVER ALLOY T=0.25 | NO PLATING |
| BOTTOM CAGE | 1PCS | NICKEL SILVER ALLOY T=0.25 | NO PLATING |
| EMI SPRINGS | 1PCS | COPPER ALLOY T=0.08 | Ni PLATED |
| LIGHT PIPE | 1PCS | POLYCARBONATE, CLEAR | N/A |
- 2, PRODUCT SPECIFICATION: GS-12-1165
- 3, APPLICATION SPECIFICATION: GS-20-0384
- 4, PACKAGE PER GS-14-2344 AND GS-14-920

spec ref		RELEASE		dr	Art Lin	2014-01-13	projection 	 MM	size	scale	
tolerance std ISO406 ISO1101	TOLERANCES UNLESS OTHERWISE SPECIFIED		eng	Zhen Luo	2014-01-13	A4			1:1		
			chr	Collins Lu	2014-01-14	ecn no					
				appr	JEFFREY QIN	2014-01-14	product family		SFP+	rel level	Released
surface  ISO1302	linear	0.X	±0.25		title SFP+ 1X1 CAGE ASSEMBLY EMI SPRING TYPE PRESS FIT WITH LIGHTPIPE			dwg no	10126907		rev C
		0.XX	±0.20								
		0.XXX	±0.15								
		angular	0°	±0.5°	www.fci.com	cat. no.	-	Product-Customer Drw			sheet 1 of 3

Proj/E File - REV C - 2009-06-09

Product Number	DIM "A"	DIM "B"	DIM "C"	DIM "D"	Packaging
10126907-201LF	9.60	12.20	4.80	4.80	Tray



spec ref		RELEASE			dr	Art Lin	2014-01-13	projection 		size A4	scale 1:1
tolerance std		TOLERANCES UNLESS OTHERWISE SPECIFIED			eng	Zhen Luo	2014-01-13			ecn no	
ISO406					chr	Collins Lu	2014-01-14				
ISO1101					appr	JEFFREY QIN	2014-01-14	product family	SFP+	rel level	Released
surface  ISO1302		linear	0.X	±0.25		title SFP+ 1X1 CAGE ASSEMBLY EMI SPRING TYPE PRESS FIT WITH LIGHTPIPE			dwg no 10126907	rev C	
			0.XX	±0.20							
			0.XXX	±0.15							
		angular	0°	±0.5°	www.fci.com	cat. no.	-	Product-Customer Drw		sheet 2 of 3	

Proj/E File - REV C - 2009-06-09




Copyright FCI.




Copyright FCI.

RECOMMENDED BEZEL CUT-OUT SINGLE SIDED APPLICATIONS



PCB LAYOUT THICKNESS=3.0mm (TOP VIEW)

MOUNTED ON PC BOARD SHOWN THRU RECOMMENDED BEZEL
(10126907-201LF POSITION IS SAME TO 10126907-101LF)



spec ref		RELEASE			dr	Art Lin	2014-01-13	projection 		size	scale	
tolerance std ISO406 ISO1101	TOLERANCES UNLESS OTHERWISE SPECIFIED			eng	Zhen Luo	2014-01-13	ecn no			A4	1:1	
				chr	Collins Lu	2014-01-14						
							appr	JEFFREY QIN	2014-01-14	product family		SFP+
surface  ISO1302	linear	0.X	±0.25		title	SFP+ 1X1 CAGE ASSEMBLY EMI SPRING TYPE PRESS FIT WITH LIGHTPIPE			dwg no	10126907		rev C
		0.XX	±0.20									
		0.XXX	±0.15									
angular		0°	±0.5°	www.fci.com	cat. no.	-		Product-Customer Drw			sheet 3 of 3	

Pro/E File - REV C - 2009-06-09

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9