








PRODUCT NUMBER
85832-XYX
85832-XYLX



mat'l code				--		tolerances unless otherwise specified				CUSTOMER		 www.fciconnect.com				
lir	ecr no.	dr	date	linear	0.X ±0.3				COPY			title METRAL SIGNAL HEADER 2 MOD, 5 ROW PRESS-FIT				
T	V06-0569	DCH	2006-06-12		0.XX ±0.13				projection							
U	DG09-0256	TER	2009-08-19		.XXX ±.051											
-	-	-	-	angles	0° ±2°											
N	V04-0559	HTB	06/01/04	dr	T.BRUNGARD		11/19/99				product family		METRAL		code	
P	V04-1059	HTB	10/25/04	enrg	M.STRAWER		11/19/99				size		dwg no		213	
R	V04-1100	DAI	01/20/05	chr	M.STRAWER		11/19/99		scale 2:1		A		85832		sheet 1 of 8	
S	V05-0235	LP	3/30/05	appd	M.STRAWER		02/29/00									
sheet index		revision		U	U	U	U	U	U	U	U					
		sheet		1	2	3	4	5	6	7	8					





This document is the property of and embodies
CONFIDENTIAL and PROPRIETARY information of FCI.
No part of the information shown on this
document may be used in any way or disclosed
to others without the written consent of FCI.
Copyright FCI.

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X01	E	25	25	25	25	25	25	25	25	25	25
	D	25	25	25	25	25	25	25	25	25	25
85832-X01LF	C	25	25	25	25	25	25	25	25	25	25
	B	25	25	25	25	25	25	25	25	25	25
	A	25	25	25	25	25	25	25	25	25	25

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X02	E	1	1	1	1	1	1	1	1	1	1
	D	3	3	3	3	3	3	3	3	3	3
85832-X02LF	C	19	19	19	19	19	19	19	19	19	19
	B	3	3	3	3	3	3	3	3	3	3
	A	1	1	1	1	1	1	1	1	1	1

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X03	E	3	3	3	3	3	3	3	3	3	3
	D	3	3	3	3	3	3	3	3	3	3
85832-X03LF	C	3	3	3	3	3	3	3	3	3	3
	B	19	19	19	19	19	19	19	19	19	19
	A	3	3	3	3	3	3	3	3	3	3

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X04	E	3	3	3	3	3	3	3	3	3	3
	D	10	10	10	10	10	10	10	10	10	10
85832-X04LF	C	10	10	10	10	10	10	10	10	10	10
	B	9	9	9	9	9	9	9	9	9	9
	A	10	10	10	10	10	10	10	10	10	10

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X05	E	44	44	44	44	44	44	44	44	44	44
	D	22	22	22	22	22	22	22	22	22	22
85832-X05LF	C	44	44	44	44	44	44	44	44	44	44
	B	44	44	44	44	44	44	44	44	44	44
	A	45	45	45	45	45	45	45	45	45	45

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X06	E	1	1	1	1	1	1	1	1	1	1
	D	1	1	1	1	1	1	1	1	1	1
85832-X06LF	C	3	3	3	3	3	3	3	3	3	3
	B	1	1	1	1	1	1	1	1	1	1
	A	1	1	1	1	1	1	1	1	1	1

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X07	E	19	19	19	19	19	19	19	19	19	19
	D	4	4	4	4	4	4	4	4	4	4
85832-X07LF	C	4	4	4	4	4	4	4	4	4	4
	B	4	4	4	4	4	4	4	4	4	4
	A	4	4	4	4	4	4	4	4	4	4

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X08	E	20	20	20	20	20	20	20	20	20	20
	D	8	8	8	8	8	8	8	8	8	8
85832-X08LF	C	8	8	8	8	8	8	8	8	8	8
	B	8	8	8	8	8	8	8	8	8	8
	A	8	8	8	8	8	8	8	8	8	8


METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X09	E	N/A									
	D	6	6	6	6	6	6	6	6	6	6
85832-X09LF	C	6	6	6	6	6	6	6	6	6	6
	B	6	6	6	6	6	6	6	6	6	6
	A	6	6	6	6	6	6	6	6	6	6

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X10	E	N/A									
	D	2	2	2	2	2	2	2	2	2	2
85832-X10LF	C	2	2	2	2	2	2	2	2	2	2
	B	2	2	2	2	2	2	2	2	2	2
	A	2	2	2	2	2	2	2	2	2	2

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X11	E	N/A									
	D	4	4	4	4	4	4	4	4	4	4
85832-X11LF	C	4	4	4	4	4	4	4	4	4	4
	B	19	19	19	19	19	19	19	19	19	19
	A	19	19	19	19	19	19	19	19	19	19

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X12	E	7	7	7	7	7	7	7	7	7	7
	D	7	7	7	7	7	7	7	7	7	7
85832-X12LF	C	7	7	7	7	7	7	7	7	7	7
	B	7	7	7	7	7	7	7	7	7	7
	A	3	3	3	3	3	3	3	3	3	3

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X13	E	3	3	3	3	3	3	3	3	3	3
	D	3	3	3	3	3	3	3	3	3	3
85832-X13LF	C	3	3	3	3	3	3	3	3	3	3
	B	2	2	2	2	2	2	2	2	2	2
	A	2	2	2	2	2	2	2	2	2	2

mat'l code		--		tolerances unless otherwise specified		CUSTOMER		 www.fciconnect.com	
lfr	ecr no.	dr	date	linear	0.X ±0.3	COPY	projection	title	
U					0.XX ±0.13			METRAL SIGNAL HEADER	
				angles	.XXX ±.051			2 MOD, 5 ROW PRESS-FIT	
				dr	T.BRUNGARD 11/19/99			product family	
				enrg	M.STRAWSE 11/19/99			METRAL	
				chr	M.STRAWSE 11/19/99			code	
				appd	M.STRAWSE 02/29/00			213	
sheet		revision				scale		sheet	
index		sheet				1:1		3	



This document is the property of and embodies
CONFIDENTIAL and PROPRIETARY information of FCI.
No part of the information shown on this
document may be used in any way or disclosed
to others without the written consent of FCI.
Copyright FCI.

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X14	E	16	16	16	16	16	16	16	16	16	16
	D	16	16	16	16	16	16	16	16	16	16
85832-X14LF	C	16	16	16	16	16	16	16	16	16	16
	B	16	16	16	16	16	16	16	16	16	16
	A	16	16	16	16	16	16	16	16	16	16

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X15	E	13	13	13	13	13	13	13	13	13	13
	D	13	13	13	13	13	13	13	13	13	13
85832-X15LF	C	13	13	13	13	13	13	13	13	13	13
	B	13	13	13	13	13	13	13	13	13	13
	A	13	13	13	13	13	13	13	13	13	13

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X16	E	17	17	17	17	17	17	17	17	17	17
	D	17	17	17	17	17	17	17	17	17	17
85832-X16LF	C	17	17	17	17	17	17	17	17	17	17
	B	17	17	17	17	17	17	17	17	17	17
	A	17	17	17	17	17	17	17	17	17	17

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X17	E	14	14	14	14	14	14	14	14	14	14
	D	14	14	14	14	14	14	14	14	14	14
85832-X17LF	C	14	14	14	14	14	14	14	14	14	14
	B	14	14	14	14	14	14	14	14	14	14
	A	14	14	14	14	14	14	14	14	14	14

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X18	E	18	18	18	18	18	18	18	18	18	18
	D	18	18	18	18	18	18	18	18	18	18
85832-X18LF	C	18	18	18	18	18	18	18	18	18	18
	B	18	18	18	18	18	18	18	18	18	18
	A	18	18	18	18	18	18	18	18	18	18

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X19	E	15	15	15	15	15	15	15	15	15	15
	D	15	15	15	15	15	15	15	15	15	15
85832-X19LF	C	15	15	15	15	15	15	15	15	15	15
	B	15	15	15	15	15	15	15	15	15	15
	A	15	15	15	15	15	15	15	15	15	15

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X20	E	10	10	10	10	10	10	10	10	10	10
	D	9	9	9	9	9	9	9	9	9	9
85832-X20LF	C	10	10	10	10	10	10	10	10	10	10
	B	9	9	9	9	9	9	9	9	9	9
	A	11	11	11	11	11	11	11	11	11	11

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X21	E	10	10	10	10	10	10	10	10	10	10
	D	10	10	10	10	10	10	10	10	10	10
85832-X21LF	C	9	9	9	9	9	9	9	9	9	9
	B	9	9	9	9	9	9	9	9	9	9
	A	11	11	11	11	11	11	11	11	11	11



METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X22	E	2	2	2	2	2	2	2	2	2	2
	D	4	4	4	4	4	4	4	4	4	4
85832-X22LF	C	2	2	2	2	2	2	2	2	2	2
	B	2	2	2	2	2	2	2	2	2	2
	A	2	2	2	2	2	2	2	2	2	2

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X23	E	19	19	19	19	19	19	19	19	19	19
	D	1	1	1	1	1	1	1	1	1	1
85832-X23LF	C	19	19	19	19	19	19	19	19	19	19
	B	1	1	1	1	1	1	1	1	1	1
	A	19	19	19	19	19	19	19	19	19	19

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X24	E	20	20	20	20	20	20	20	20	20	20
	D	5	5	5	5	5	5	5	5	5	5
85832-X24LF	C	20	20	20	20	20	20	20	20	20	20
	B	5	5	5	5	5	5	5	5	5	5
	A	20	20	20	20	20	20	20	20	20	20

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X25	E	22	22	22	22	22	22	22	22	22	22
	D	22	22	22	22	22	22	22	22	22	22
85832-X25LF	C	22	22	22	22	22	22	22	22	22	22
	B	22	22	22	22	22	22	22	22	22	22
	A	22	22	22	22	22	22	22	22	22	22

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X26	E	54	54	54	54	54	54	54	54	54	54
	D	55	55	55	55	55	55	55	55	55	55
85832-X26LF	C	56	56	56	56	56	56	56	56	56	56
	B	55	55	55	55	55	55	55	55	55	55
	A	54	54	54	54	54	54	54	54	54	54

mat'l code		--		tolerances unless otherwise specified		CUSTOMER		 www.fciconnect.com				
lfr	ecr no.	dr	date	linear	0.X ±0.3	projection	COPY		title			
U					0.XX ±0.13					METRAL SIGNAL HEADER 2 MOD, 5 ROW PRESS-FIT		
					.XXX ±.051							
				angles	0° ±2°		product family	METRAL	code			
				dr	T.BRUNGARD 11/19/99					size	dwg no	213
				enrg	M.STRAWSE 11/19/99							
				chr	M.STRAWSE 11/19/99	scale	1:1	4				
				appd	M.STRAWSE 02/29/00				cage code	22526	4	
sheet	revision											
index	sheet											



This document is the property of and embodies
CONFIDENTIAL and PROPRIETARY information of FCI.
No part of the information shown on this
document may be used in any way or disclosed
to others without the written consent of FCI.
Copyright FCI.

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X27	E	48	48	48	48	48	48	48	48	48	48
	D	48	48	48	48	48	48	48	48	48	48
85832-X27LF	C	48	48	48	48	48	48	48	48	48	48
	B	48	48	48	48	48	48	48	48	48	48
	A	48	48	48	48	48	48	48	48	48	48

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X28	E	3	3	3	3	3	3	3	3	3	3
	D	19	19	19	19	19	19	19	19	19	19
85832-X28LF	C	3	3	3	3	3	3	3	3	3	3
	B	3	3	3	3	3	3	3	3	3	3
	A	1	1	1	1	1	1	1	1	1	1

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X29	E	56	56	56	56	56	56	56	56	56	56
	D	56	56	56	56	56	56	56	56	56	56
85832-X29LF	C	56	56	56	56	56	56	56	56	56	56
	B	56	56	56	56	56	56	56	56	56	56
	A	56	56	56	56	56	56	56	56	56	56

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X30	E	3	3	3	3	3	3	3	3	3	3
	D	3	3	3	3	3	3	3	3	3	3
85832-X30LF	C	19	19	19	19	19	19	19	19	19	19
	B	3	3	3	3	3	3	3	3	3	3
	A	3	3	3	3	3	3	3	3	3	3

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X31	E	1	1	1	1	1	1	1	1	1	1
	D	3	3	3	3	3	3	3	3	3	3
85832-X31LF	C	19	19	19	19	19	19	19	19	19	19
	B	3	3	3	3	3	3	3	3	3	3
	A	1	1	1	1	1	1	1	1	1	1

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X32	E	1	1	1	1	1	1	1	1	1	1
	D	1	1	1	1	1	1	1	1	1	1
85832-X32LF	C	2	2	2	2	2	2	2	2	2	2
	B	1	1	1	1	1	1	1	1	1	1
	A	2	2	2	2	2	2	2	2	2	2

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X33	E	6	6	6	6	6	6	6	6	6	6
	D	6	6	6	6	6	6	6	6	6	6
85832-X33LF	C	6	6	6	6	6	6	6	6	6	6
	B	5	5	5	5	5	5	5	5	5	5
	A	5	5	5	5	5	5	5	5	5	5

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X34	E	21	21	21	21	21	21	21	21	21	21
	D	21	21	21	21	21	21	21	21	21	21
85832-X34LF	C	21	21	21	21	21	21	21	21	21	21
	B	12	12	12	12	12	12	12	12	12	12
	A	12	12	12	12	12	12	12	12	12	12

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X35	E	3	3	3	3	3	3	3	3	3	3
	D	3	3	3	3	3	3	3	3	3	3
85832-X35LF	C	4	4	4	4	4	4	4	4	4	4
	B	19	19	19	19	19	19	19	19	19	19
	A	19	19	19	19	19	19	19	19	19	19

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X36	E	59	59	59	59	59	59	59	59	59	59
	D	59	59	59	59	59	59	59	59	59	59
85832-X36LF	C	59	59	59	59	59	59	59	59	59	59
	B	59	59	59	59	59	59	59	59	59	59
	A	59	59	59	59	59	59	59	59	59	59

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X37	E	59	59	59	59	59	59	59	59	59	59
	D	59	59	59	59	59	59	59	59	59	59
85832-X37LF	C	59	59	59	59	59	59	59	59	59	59
	B	59	59	59	59	59	59	59	59	59	59
	A	61	61	61	61	61	61	61	61	61	61

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X38	E	60	60	60	60	60	60	60	60	60	60
	D	61	61	61	61	61	61	61	61	61	61
85832-X38LF	C	60	60	60	60	60	60	60	60	60	60
	B	60	60	60	60	60	60	60	60	60	60
	A	61	61	61	61	61	61	61	61	61	61

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X39	E	61	61	61	61	61	61	61	61	61	61
	D	61	61	61	61	61	61	61	61	61	61
85832-X39LF	C	61	61	61	61	61	61	61	61	61	61
	B	61	61	61	61	61	61	61	61	61	61
	A	61	61	61	61	61	61	61	61	61	61

mat'l code		--		tolerances unless otherwise specified		CUSTOMER		FCI www.fciconnect.com				
lfr	ecr no.	dr	date	linear	0.X ±0.3	projection	COPY	title	METRAL SIGNAL HEADER 2 MOD, 5 ROW PRESS-FIT			
U					0.XX ±0.13							
					.XXX ±.051							
				angles	0° ±2°	MM	scale	product family	METRAL			
				dr	T.BRUNGARD 11/19/99					size	dwg no	code
				enrg	M.STRAWSE 11/19/99							
				chr	M.STRAWSE 11/19/99	sheet	5					
				appd	M.STRAWSE 02/29/00							
sheet	revision											
index	sheet											



This document is the property of and embodies
CONFIDENTIAL and PROPRIETARY information of FCI.
No part of the information shown on this
document may be used in any way or disclosed
to others without the written consent of FCI.
Copyright FCI.

1 2												3												4														
METRAL P/N												METRAL P/N												METRAL P/N														
CONTACT CODE MOD. 1												CONTACT CODE MOD. 1												CONTACT CODE MOD. 1														
MOD. 2												MOD. 2												MOD. 2														
ROW	1	2	3	4	5	6	7	8	9	10	11	12	ROW	1	2	3	4	5	6	7	8	9	10	11	12	ROW	1	2	3	4	5	6	7	8	9	10	11	12
85832-X40												85832-X45												85832-X49														
D												D												D														
C												C												C														
B												B												B														
A												A												A														
85832-X40LF												85832-X45LF												85832-X49LF														
A												A												A														
85832-X41												85832-X46												85832-X50														
D												D												D														
C												C												C														
B												B												B														
A												A												A														
85832-X41LF												85832-X46LF												85832-X50LF														
A												A												A														
85832-X42												85832-X47												85832-X51														
D												D												D														
C												C												C														
B												B												B														
A												A												A														
85832-X42LF												85832-X47LF												85832-X51LF														
A												A												A														
85832-X43												85832-X48												85832-X52														
D												D												D														
C												C												C														
B												B												B														
A												A												A														
85832-X43LF												85832-X48LF												85832-X52LF														
A												A												A														
85832-X44																																						
D																																						
C																																						
B																																						
A																																						
85832-X44LF																																						
A																																						

mat'l code				tolerances unless otherwise specified				CUSTOMER		FCI			
lfr	ecn no.	dr	date	linear	0.X ±0.3	0.XX ±0.13	.XXX ±0.051	projection	COPY	title	product family	code	
U				angles	0° ±2°					METRAL SIGNAL HEADER	METRAL	213	
				dr	T.BRUNGARD	11/19/99				2 MOD, 5 ROW PRESS-FIT	size	6	
				enqr	M.STRAWSE	11/19/99		scale			85832	sheet	
				chr	M.STRAWSE	11/19/99		1:1					
				appd	M.STRAWSE	02/29/00							
sheet index	revision	sheet											

1 2												3												4											
Pro/E												cage code												22526											



This document is the property of and embodies
CONFIDENTIAL and PROPRIETARY information of FCI.
No part of the information shown on this
document may be used in any way or disclosed
to others without the written consent of FCI.
Copyright FCI.

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X53	E	42	42	42	42	42	42	42	42	42	42
	D	42	42	42	42	42	42	42	42	42	42
85832-X53LF	C	42	42	42	42	42	42	42	42	42	42
	B	42	42	42	42	42	42	42	42	42	42
	A	42	42	42	42	42	42	42	42	42	42

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X54	E	43	43	43	43	43	43	43	43	43	43
	D	43	43	43	43	43	43	43	43	43	43
85832-X54LF	C	43	43	43	43	43	43	43	43	43	43
	B	43	43	43	43	43	43	43	43	43	43
	A	43	43	43	43	43	43	43	43	43	43

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X55	E	11	11	11	11	11	11	11	11	11	11
	D	11	11	11	11	11	11	11	11	11	11
85832-X55LF	C	12	12	12	12	12	12	12	12	12	12
	B	21	21	21	21	21	21	21	21	21	21
	A	21	21	21	21	21	21	21	21	21	21

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X56	E	11	11	11	11	11	11	11	11	11	11
	D	11	11	11	11	11	11	11	11	11	11
85832-X56LF	C	11	11	11	11	11	11	11	11	11	11
	B	21	21	21	21	21	21	21	21	21	21
	A	11	11	11	11	11	11	11	11	11	11

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X57	E	7	7	7	7	7	7	7	7	7	7
	D	7	7	7	7	7	7	7	7	7	7
85832-X57LF	C	8	8	8	8	8	8	8	8	8	8
	B	20	20	20	20	20	20	20	20	20	20
	A	20	20	20	20	20	20	20	20	20	20

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X58	E	7	7	7	7	7	7	7	7	7	7
	D	7	7	7	7	7	7	7	7	7	7
85832-X58LF	C	7	7	7	7	7	7	7	7	7	7
	B	20	20	20	20	20	20	20	20	20	20
	A	7	7	7	7	7	7	7	7	7	7

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X59	E	2	2	2	2	2	2	2	2	2	2
	D	2	2	2	2	2	2	2	2	2	2
85832-X59LF	C	2	2	2	2	2	2	2	2	2	2
	B	2	2	2	2	2	2	2	2	2	2
	A	2	2	2	2	2	2	2	2	2	2


METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X60	E	4	4	4	4	4	4	4	4	4	4
	D	4	4	4	4	4	4	4	4	4	4
85832-X60LF	C	4	4	4	4	4	4	4	4	4	4
	B	1	1	1	1	1	1	1	1	1	1
	A	4	4	4	4	4	4	4	4	4	4

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X61	E	2	2	2	2	2	2	2	2	2	2
	D	2	2	2	2	2	2	2	2	2	2
85832-X61LF	C	2	2	2	2	2	2	2	2	2	2
	B	2	2	2	2	2	2	2	2	2	2
	A	1	1	1	1	1	1	1	1	1	1

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X62	E	64	64	64	64	64	64	64	64	64	64
	D	64	64	64	64	64	64	64	64	64	64
85832-X62LF	C	64	64	64	64	64	64	64	64	64	64
	B	64	64	64	64	64	64	64	64	64	64
	A	64	64	64	64	64	64	64	64	64	64

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X63	E	1	1	1	1	1	1	1	1	1	1
	D	2	2	2	2	2	2	2	2	2	2
85832-X63LF	C	2	2	2	2	2	2	2	2	2	2
	B	2	2	2	2	2	2	2	2	2	2
	A	2	2	2	2	2	2	2	2	2	2

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X64	E	3	3	3	3	3	3	3	3	3	3
	D	3	3	3	3	3	3	3	3	3	3
85832-X64LF	C	3	3	3	3	3	3	3	3	3	3
	B	3	3	3	3	3	3	3	3	3	3
	A	1	1	1	1	1	1	1	1	1	1

mat'l code		--		tolerances unless otherwise specified		CUSTOMER				www.fciconnect.com	
lfr	ecm no.	dr	date	linear	0.XX ±0.13	projection	COPY	title METRAL SIGNAL HEADER 2 MOD, 5 ROW PRESS-FIT			
U				angles				product family METRAL code 213			
				dr	T.BRUNGARD 11/19/99	MM		size 85832 sheet 7			
				enrg	M.STRAWSER 11/19/99	scale	A				
				chr	M.STRAWSER 11/19/99						
				appd	M.STRAWSER 02/29/00						
sheet index	revision sheet							cage code 22526			

PRODUCT NUMBER

85832-XYX

85832-XYXLF

NOTES:

1. FOR DIM A AND B SEE SHEET 2 AND UP.
2. BODY MATERIAL: LIQUID CRYSTAL
POLYMER 30 % GLASS.
FLAME RETARDANT ACC. UL 94-V0.
3. PIN MATERIAL:
PHOSPHOR BRONZE.
4. PLATING ON PRESS-FIT TAIL:
85832-XYX IS SnPb
85832-XYXLF IS SN (LEAD FREE)
PLATING ON CONTACT AREA CONFORMS TO PERFORMANCE
LEVEL SHOWN IN TABLE BELOW.
5. PRODUCT MARKING:
PART NUMBER DESIGNATION & BATCH I.D.
6. ALL PRODUCTS WITH PART NUMBERS SHOWN IN
SUBSEQUENT TABLES WILL BE PACKAGED IN TUBES.
IF TRAY PACKAGING IS REQUIRED, A SUFFIX "P"
WILL BE ADDED TO THE END OF THE PART NUMBER.
EXAMPLE: XXXXX-XXXP

7. PRODUCT SPECIFICATION GS-12-180
APPLICATION SPECIFICATION BUS-20-073

8. AFTER INSERTION INTO CIRCUIT BOARD WITH
QUALIFIED TOOL.
9. THE PRODUCTS WHERE THE PART NUMBER ENDS IN LF MEET THE
EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS
AS DESCRIBED IN GS-22-008.


ALL PRODUCTS EXCEPT THOSE WITH PART NUMBERS CONTAINING
(DRAWING NO.)-N1--- OR (DRAWING NO.)-N5---WILL WITHSTAND EXPOSURE
TO 260°C FOR 60 SECONDS IN A CONVECTION, INFRA-RED OR
VAPOR PHASE REFLOW OVEN. PART NUMBERS (DRAWING NO.)-N1---
AND (DRAWINGS NO.)-N5---WILL NOT WITHSTAND REFLOW AND Au CONTACT
SURFACE OF THE CONTACTS SHALL BE EXPOSED TO A MAXIMUM 140°C FOR
NO LONGER THAN 15 SECONDS IN A WAVE SOLDER APPLICATION.

10. REFER TO 89007 FOR OTHER LOAD VARIATIONS.

PLATING IN CONTACT AREA		NOTES
DASH NUMBER	PERFORMANCE LEVEL	-
-N1YY	TELCORDIA CO (NXT)	-
-N5YY	TELCORDIA UE (NXT)	-
-1YY	TELCORDIA CO	-
-2YY	TELECOM CLASS	-
-3YY	IEC CLASS I	-
-5YY	TELCORDIA UE	-
-N1YYLF	TELCORDIA CO (NXT) IEC CLASS I	SEE NOTE 9
-N5YYLF	TELCORDIA UE (NXT)	SEE NOTE 9
-1YYLF	TELCORDIA CO IEC CLASS I	SEE NOTE 9
-2YYLF	TELECOM CLASS	SEE NOTE 9
-5YYLF	TELCORDIA UE	SEE NOTE 9



This document is the property of and embodies
CONFIDENTIAL and PROPRIETARY information of FCI.
No part of the information shown on this
document may be used in any way or disclosed
to others without the written consent of FCI.
Copyright FCI.

mat'l code				tolerances unless otherwise specified		CUSTOMER				www.fciconnect.com		
lfr	ecn no.	dr	date	linear	0.X ±0.3		COPY					
U					0.XX ±0.13		projection					
					.XXX ±.051							
				angles	0° ±2°				title METRAL SIGNAL HEADER 2 MOD, 5 ROW PRESS-FIT			
				dr	T.BRUNGARD	11/19/99	MM 		product family		METRAL	code
				enrg	M.STRAWSER	11/19/99			size	dwg no	213	
				chr	M.STRAWSER	11/19/99			scale	A	85832	sheet
				appd	M.STRAWSER	02/29/00	1:1		8			
sheet	revision											
index	sheet											

cage code 22526

Pro/E

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9