









NOTES:

1. MATERIAL:
CONTACTS: COPPER ALLOY
SHELL: COPPER ALLOY
HOUSING: UL 94V-0 RATED, HIGHT TEMPERATURE THERMOPLASTIC;
2. PLATING:
CONTACTS: SEE PRODUCT NUMBER CODE
SHELL: SEE PRODUCT NUMBER CODE;
3. DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER;
4. RECOMMENDED PC BOARD THICKNESS OF 1.57mm
5. 2.67mm MAXIMUM PANEL THICKNESS IF MOUNTED BEHIND PANEL;
6. PRODUCT SPEC GS-12-095
7. PACKING STANDARD GS-14-920, WILL BE APPLIED FOR LEAD FREE P/N'S;
8. THE PRODUCT MEET EUROPEAN UNION DIRECTIVES AND
OTHER COUNTRY REGULATION AS DESCRIBED IN GS-22-008;
9. THE HOUSING WILL WITHSTAND EXPOSURE TO 260~C PEAK
TERMERATURE FOR 20 SECONDS IN A CONVECTION, INFRO-RED
OR VAPOR PHASE REFLOW OVEN;
10. HOUSING PULL OFF THE SHELL RETENTION FORCE: 250N MIN;
11. THE PRODUCT CAN BE USED PIP PROCESS.



RETENTION FORCE TEST METHOD (NOTE 10)

spec ref				dr		Li-Qing Lei		2014/04/20		projection				size		A3		scale		5.000													
tolerance std				TOLERANCES UNLESS OTHERWISE SPECIFIED								eng		Li-Qing Lei		2014/04/24						ecn no		-									
												chr		-		-																	
												appr		Rick Bian		2014/04/24		product family						rel level				Released					
surface 		linear		0.X		±0.3				title						USB RECECPTACLE						dwg no		10129475						rev		A	
				0.XX		±0.2																											
				0.XXX		±0.1																											
		angular		0°		±3°		www.fci.com		cat. no.						Product - Customer Drw						sheet 1 of 2											





Copyright FCI.

PRODUCT NUMBER DESCRIPTION

10129475- X X X X X X LF

BASE PRODUCT NUMBER _____
HOUSING COLOR _____
0 - BLACK
SHELL TYPE AND SHELL PLATING OPTIONS _____
I - NO BACK SHIELD, NICKEL PLATING ONLY
EXTENSION _____
0 - NONE
TERMINAL PLATING OPTION _____
0 - 1.25um Ni UNDERPLATE
0.76um GXT CONTACT AREA
2.50um MATTE TIN TAIL AREA FOR P/N'S
PACKAGING OPTIONS _____
A - TAPE AND REEL
B - TUBES
T - TRAY
DATE CODE _____
P - PRINT DATECODE
N - WHITHOUT DATECODE
LEAD FREE _____



spec ref				dr		Li-Qing Lei	2014/04/20	projection		MM		size		A3	scale		5.000													
tolerance std				TOLERANCES UNLESS OTHERWISE SPECIFIED								eng		Li-Qing Lei	2014/04/24	ecn no				-										
												chr		-	-															
				appr		Rick Bian		2014/04/24	product family				rel level				Released													
surface ✓				linear		0.X		±0.3		FCi				title				USB RECECPTACLE				dwg no		10129475				rev		A
						0.XX		±0.2																						
						0.XXX		±0.1																						
				angular		0°		±3°		www.fci.com				cat. no.				Product - Customer Drw				sheet 2 of 2								

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9