








SCALE 1:1

KEYING OPTION "B"
1438082-2 




△ MATERIAL:
HARNES - 35% GLASS FILLED PA66, BLACK
ALT MAT'L: HARNES - 30% GLASS FILLED sPS, BLACK
SPACER - 40% GLASS FILLED PPS+PA66, RED
ALT MAT'L: 30% GLASS FILLED sPS, RED
ALT MAT'L: 35% GLASS FILLED PA66, RED
COVER - 35% GLASS FILLED PA66, BLACK
ALT MAT'L: COVER - 30% GLASS FILLED LCP, BLACK
CAM LEVER - 35% GLASS FILLED NYLON, GRAY
GROMMET - SILICONE, BROWN
PERIMETER SEAL - SILICONE, GREEN

2. CAM LEVER AND SPACER ARE SHIPPED IN PRE-LATCH POSITION.

③ SEE PINOUT CHART ON SHEETS 2, 3 AND 4 FOR CLOSED CIRCUIT CONFIGURATIONS.

④ CAVITIES WITH A NUMERIC SYMBOL INDICATES CLOSED TERMINAL LOCATIONS.
BLANK CAVITIES INDICATE OPEN TERMINAL HOLE LOCATIONS.

SHOWN WITH CAM LEVER AND SPACER
IN LOADED POSITION WITH
OPTIONAL WIRESHIELD

1. THIS DRAWING IS THE PROPERTY OF TYCO ELECTRONICS CORPORATION. IT IS TO BE USED FOR THE MANUFACTURE OF THE PARTS SPECIFIED HEREON. IT IS NOT TO BE REPRODUCED OR COPIED FOR ANY OTHER PURPOSE. IT IS TO BE KEPT IN THE FILES OF THE MANUFACTURER OF THE PARTS SPECIFIED HEREON.		DWN 01AUG2003		 Tyco Electronics		Tyco Electronics Harrisburg, PA 17105-3608	
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 P L C ± .3 1 P L C ± .3 2 P L C ± .10 3 P L C ± .3 4 P L C ± .3 ANGLE ± .5°		CUR 01AUG2003		NAME 46 WAY PCM CONNECTOR HARNESS ASSEMBLY	
		APPR 01AUG2003		PRODUCT SPEC -		SIZE A	
MATERIAL SEE TABLE		APPLICATION SPEC -		WEIGHT -		CAGE CODE 00779	
FINISH SEE TABLE		CUSTOMER DRAWING -		DRAWING NO C-1438082		RESTRICTED TO -	
				SCALE 4:1		SHEET 1 of 5	
				REV 1		REV 1	

[illegible]

44							35		32						22					12		9	7	6				1	6-1438735-7	2LIT-14A464-SD-086												
44							35		32											12		9	7	6				1	6-1438735-3	2LIT-14A464-SD-085												
							35																							6-1438735-2	2LIT-14A464-SD-084											
		43	42		40	39		37						29					20	18		15	14			11	10	9	8	7			4	3	1	6-1438735-1	2LIT-14A464-SD-083					
45	43						38	36			31							25	24					18	17	16		14	12			7	6		2	1	5-1438735-0	2LIT-14A464-SD-082				
45	43						38	36			31							25	24						16		14	12			7	6			2	1	4-1438735-9	2LIT-14A464-SD-081				
45	43						38	36		32	31							25	24		21	19	18	17	16		14	12			7	6			1	4-1438735-8	2LIT-14A464-SD-080					
45	43					39	38	37	36		31							25	24						18	17	16		14	13	12		9	7	6		2	1	4-1438735-7	2LIT-14A464-SD-079		
			42																	20	18					13	11	10								2	1	3-1438735-8	2LIT-14A464-SD-078			
			42																	20	18					13	11	10									1	3-1438735-7	2LIT-14A464-SD-077			
45	43					39	38	37	36		31							25	24		21	20	19	18	17			14	13	12		9				2	1	3-1438735-6	2LIT-14A464-SD-076			
45	43						38	36			31							25	24		21	20	19	18	17			14	12								2	1	3-1438735-5	2LIT-14A464-SD-075		
		43	42		40	39		37						29						20	18				15	14			11	10	9	8	7			4	3	2	1	3-1438735-3	2LIT-14A464-SD-074	
45	43					39	38	37	36		31							25	24			20	19	18	17			14	13	12		9					2	1	3-1438735-2	2LIT-14A464-SD-073		
45	43						38	36			31							25	24		21	20	19	18	17	16		14	12				7					2	1	3-1438735-1	2LIT-14A464-SD-072	
45	43					39	38	37	36		31							25	24		21	20	19	18	17	16		14	13	12		9	7					2	1	3-1438735-0	2LIT-14A464-SD-071	
45	43						38	36			31							25	24		21	20	19			16		14	12				7					2	1	2-1438735-9	2LIT-14A464-SD-070	
45	43					39	38	37	36		31							25	24		21	20	19			16		14	13	12		9	7					2	1	2-1438735-8	2LIT-14A464-SD-069	
45	43						38	36			31							25	24			20	19	18	17			14	12									2	1	2-1438735-6	2LIT-14A464-SD-068	
										33																		13								6	5				2-1438735-5	2LIT-14A464-SD-067
45	44	43	42		40		38	37	36		33	31						24		22	21	20		18	17	16	15					9	8					2		2-1438735-4	2LIT-14A464-SD-066	
		43									31		29											18								8						2		2-1438735-1	2LIT-14A464-SD-065	
45	43						38	36	35			31						25	24		21				16		14	12					7	6				2	1	2-1438735-0	2LIT-14A464-SD-064	
45	43					39	38	37	36	35		31						25	24					18	17	16		14	13	12		9	7	6				2	1	1-1438735-9	2LIT-14A464-SD-063	
45	43						38	36	35		32	31						25	24		21	19	18	17	16		14	12					7	6				1	1-1438735-8	2LIT-14A464-SD-062		
45	43						38	36	35			31						25	24							16		14	12					7	6				2	1	1-1438735-7	2LIT-14A464-SD-061
45	43						38	36	35			31						25	24		21	19			16		14	12					7	6				2	1	1-1438735-6	2LIT-14A464-SD-060	
45	43						38	36	35			31						25	24					18	17	16		14	12					7	6				2	1	1-1438735-5	2LIT-14A464-SD-059
45	43					39	38	37	36	35		31						25	24		21	19	18	17	16		14	13	12		9	7	6				2	1	1-1438735-4	2LIT-14A464-SD-058		
45	43						38	36	35			31						25	24		21	19	18	17	16		14	12					7	6				2	1	1-1438735-3	2LIT-14A464-SD-057	
			42					37													20	18			15	14			11	10	9	8	7			4	3	2	1	1-1438735-2	2LIT-14A464-SD-056	
45	43							36	35			31						24		21	19				16		14	12					7	6				1	1-1438735-1	2LIT-14A464-SD-055		
							35							27																								3		1-1438735-0	2LIT-14A464-SD-054	
		43									31		29											18								9	8					2		1438735-9	2LIT-14A464-SD-053	
							35							27																			7							1438735-8	2LIT-14A464-SD-052	

TERMINAL HOLE POSITION

PART
NUMBER

FORD PART
NUMBER

PIN-OUT CHART KEYING OPTION "A"

DIMENSIONS: mm		TOLERANCES, UNLESS OTHERWISE SPECIFIED: 0 PLC ± 1 PLC ±0.3 2 PLC ±0.10 3 PLC ± 4 PLC ± ANGLES ±°		OWN 01AUG2003 CHE 01AUG2003 D. STRAUSSER APP 01AUG2003 D. STRAUSSER		 Tyco Electronics Harrisburg, PA 17105-3608	
		PRODUCT SPEC - APPLICATION SPEC -		NAME 46 WAY PCM CONNECTOR HARNESS ASSEMBLY		SIZE CAGE CODE DRAWING NO. A 00779 C=1438082	
MATERIAL -		FINISH -		WEIGHT -		RESTRICTED TO -	
CUSTOMER DRAWING				SCALE 4:1		SHEET 3 OF 5	

LOC	DIST	REVISIONS					
FX	00	P	LTR	DESCRIPTION	DATE	DWN	APVD
		-		SEE SHEET 1	-	-	-

45	44	43	42	41		38										27												7	5				7-1438735-7	2LIT-14A464-TD-086											
	44		42			38										27												7	5				7-1438735-6	2LIT-14A464-TD-085											
45	44	43	42	41		38																					7	5	4				7-1438735-5	2LIT-14A464-TD-084											
	44		42			38																					7	5	4				7-1438735-4	2LIT-14A464-TD-083											
	44	43	42	41		38																					7	5	4				7-1438735-3	2LIT-14A464-TD-082											
	44		42			38										27											7	5	4				7-1438735-2	2LIT-14A464-TD-081											
	44		42			38																					7	5	4				7-1438735-1	2LIT-14A464-TD-080											
		43	42														26											7	6	4	3			7-1438735-0	2LIT-14A464-TD-079										
																	26											7	6		3			6-1438735-9	2LIT-14A464-TD-078										
	44	43	42														26										7	6	4				6-1438735-8	2LIT-14A464-TD-077											
45	44	43	42	41		38																					7	5					6-1438735-6	2LIT-14A464-TD-076											
	44		42			38																					7	5					6-1438735-5	2LIT-14A464-TD-075											
	44	43	42	41		38																					7	5					6-1438735-4	2LIT-14A464-TD-074											
	44					38										27											8	6					6-1438735-0	2LIT-14A464-TD-073											
	44					38										27											8	7	6				5-1438735-9	2LIT-14A464-TD-072											
	44																26											6					5-1438735-8	2LIT-14A464-TD-071											
	44																26											7	6				5-1438735-7	2LIT-14A464-TD-070											
	44					38										27	26											6					5-1438735-6	2LIT-14A464-TD-069											
	44					38										27	26											7	6				5-1438735-5	2LIT-14A464-TD-068											
	44																26											7	6				5-1438735-4	2LIT-14A464-TD-067											
	44																26											6					5-1438735-3	2LIT-14A464-TD-066											
		43	42														26											7	6	4				5-1438735-2	2LIT-14A464-TD-065										
																	26											7	6					5-1438735-1	2LIT-14A464-TD-064										
	44	42				38										27												7	5					4-1438735-6	2LIT-14A464-TD-063										
	44	42				38																						7	5					4-1438735-5	2LIT-14A464-TD-062										
	44	42				38										27	26										8	6						4-1438735-4	2LIT-14A464-TD-061										
	44	42				38										27	26										8	7	6					4-1438735-3	2LIT-14A464-TD-060										
	44																26										8	7	6					4-1438735-2	2LIT-14A464-TD-059										
	44																26										8	6						4-1438735-1	2LIT-14A464-TD-058										
		43	42														26											8	7	6	5				4-1438735-0	2LIT-14A464-TD-057									
																	26											8	7	6					3-1438735-9	2LIT-14A464-TD-056									
46	45	44	43													27	25									16	14	13	12	10	9	8	7	6	1	3-1438735-4	2LIT-14A464-TD-055								
46	45		43													27	25									16	14	13	12	10	9	8	7	6	1	2-1438735-7	2LIT-14A464-TD-054								
46	45	44	43	42	40													24											9						2-1438735-3	2LIT-14A464-TD-053									
	45	44	43	42	40																								9						2-1438735-2	2LIT-14A464-TD-052									
	44		42			38											27	26											7	5					1438735-7	2LIT-14A464-TD-051									
																			24										9	8	7	5				1438735-6	2LIT-14A464-TD-050								
	44		42			38											27	26																	1438735-5	2LIT-14A464-TD-049									
	44	42				38												26																	1438735-4	2LIT-14A464-TD-048									
	44	42				38												26											7	5					1438735-3	2LIT-14A464-TD-047									
	44	42				38												26																	1438735-2	2LIT-14A464-TD-046									
	44					38											29	28											7						1438735-1	2LIT-14A464-TD-045									
46	45	44	43	42	41	40	39	38	37	36	35	34	33	32	31	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1
TERMINAL HOLE POSITION																																		PART NUMBER				FORD PART NUMBER							
PIN-OUT CHART KEYING OPTION "B"																																													

THIS DRAWING IS UNPUBLISHED. IT IS SUBJECT TO CHANGE WITHOUT NOTICE. THE USER SHALL BE RESPONSIBLE FOR OBTAINING THE LATEST EDITION.		DWN A. HOLT 22OCT2007		Tyco Electronics Harrisburg, PA 17105-3608	
CHK S. MANKARYOS 22OCT2007		NAME S. MANKARYOS 22OCT2007		46 WAY PCM CONNECTOR HARNESS ASSEMBLY	
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED: 9 PLC ±.3 1 PLC ±0.10 5 PLC ± 4 PLC ± ANGLES ±°		PRODUCT SPEC	
MATERIAL SEE TABLE		FINISH SEE TABLE		WEIGHT -	
CUSTOMER DRAWING				SCALE 4:1 SHEET 5 OF 5 REV 1	

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9