







	WITH HS & WITHOUT LP	2299870-6
	WITHOUT UPPER HS OR LP	2299870-5
	WITHOUT UPPER HS OR LP	2299870-4
	WITH HS & WITHOUT LP	2299870-3
	WITH HS & WITHOUT LP	2299870-2
	WITH HS & WITH LP	2299870-1
CONTACT FINISH	DESCRIPTION	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN: 28JAN2016 TIM XUF CHK: 28JAN2016 SEAN HAN APVD: 28JAN2016 SEAN HAN		 TE Connectivity	
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± 1 PLC ±0.25 2 PLC ±0.15 3 PLC ± 4 PLC ± ANGLES ±		NAME CAGE AND CONNECTOR ASSEMBLY WITH EM1 SPRING FINGERS, THRU BEZEL, 2X2 ZQSFP+ STACKED WITH HS	
		PRODUCT SPEC 108-60102 APPLICATION SPEC 114-60015		SIZE CAGE CODE DRAWING NO A1 00779 C-2299870	
MATERIAL SEE NOTE 1		FINISH SEE NOTE 2		WEIGHT - CUSTOMER DRAWING	
				SCALE 4:1 SHEET 1 of 8 REV B	


LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
GP	00	-	-	SEE SHEET 1	-	-	-




2299870-1 AS SHOWN
SCALE 2:1




2299870-2 AS SHOWN
SAME AS 2299870-1 EXCEPT
W/O LEGHT PIPE AND ORGANIZER
SCALE 2:1




2299870-4 AS SHOWN
SAME AS 2299870-2 EXCEPT
W/O EXTERNAL HEAT SINK AND LP
SCALE 2:1




2299870-5
SCALE 2:1





2299870-1
SCALE 2:1




2299870-2
SCALE 2:1




2299870-4
SCALE 2:1



2299870-6
SCALE 2:1




2299870-6
SCALE 2:1

THIS DRAWING IS A CONTROLLED DOCUMENT.				OWN	TIM XUE		28JAN2016		 TE Connectivity								
				CHK	SEAN HAN		28JAN2016										
DIMENSIONS:		mm		TOLERANCES UNLESS OTHERWISE SPECIFIED:		APPROV		SEAN HAN		28JAN2016		NAME	CAGE AND CONNECTOR ASSEMBLY WITH EMI SPRING FINGERS, THRU BEZEL, 2X2 ZQSFP+ STACKED WITH HS				
						PRODUCT SPEC		108-60102									
				0 P/LC		±		±0.25		±		SIZE	CAGE CODE		DRAWING NO		RESTRICTED TO
				2 P/LC		±		±0.15		±							
				4 P/LC		±		±		±		WEIGHT	A1		00779C=2299870		
				ANGLES		±		±		±							
MATERIAL		FINISH															
SEE NOTE 1																	
SEE NOTE 2																	
				CUSTOMER DRAWING													
												SCALE 4:1 SHEET 2 OF 8 REV B					

LOC		DIST		REVISIONS				
GP		00		P	LTR	DESCRIPTION		DATE
				-		SEE SHEET 1		-

2299870-3 AS SHOWN, KIT PACKAGE



HEAT SINK CLIP
PN: 1-2300832-7



HEAT SINK
PN: 1-2304280-3

CAGE AND CONNECTOR ASSEMBLY
PN: 2299870-4



SCALE 4:1

2		1-2300832-7		HEAT SINK CLIP		3	
2		1-2304280-3		HEAT SINK		2	
1		2299870-4		CAGE AND CONNECTOR ASSEMBLY		1	
2299870-3		PART NUMBER		DESCRIPTION		ITEM	
THIS DRAWING IS A CONTROLLED DOCUMENT.				DWN: TIM XUE 28JAN2016		 TE Connectivity	
				CHK: SEAN HAN 28JAN2016			
				APPD: SEAN HAN 28JAN2016			
DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME		CAGE AND CONNECTOR ASSEMBLY WITH EMI SPRING FINGERS, THRU BEZEL, 2X2 ZQSFP+ STACKED WITH HS	
mm		0 PLC ±.1		PRODUCT SPEC			
		1 PLC ±0.25		108-60102			
		2 PLC ±0.15		APPLICATION SPEC			
		3 PLC ±.1		114-60015			
		4 PLC ±.1					
ANGLES		±.1		SIZE		CAGE CODE	
DRAWING NO		RESTRICTED TO		WEIGHT		DRAWING NO	
MATERIAL		FINISH		-		A100779C=2299870	
SEE NOTE 1		SEE NOTE 2		CUSTOMER DRAWING		SCALE 4:1 SHEET 3 OF 8 REV B	

LOC		DIST		REVISIONS					
GP		00		P	LTR	DESCRIPTION	DATE	DWN	APVD
				-	-	SEE SHEET 1	-	-	-





1-2304280-3 HEAT SINK SHOWN
SCALE 5:1





THIS DRAWING IS A CONTROLLED DOCUMENT.				DWN	TIM XUE	28JAN2016	 TE Connectivity				
				CHK	SEAN HAN	28JAN2016					
DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD	SEAN HAN	28JAN2016	NAME	CAGE AND CONNECTOR ASSEMBLY WITH EMI SPRING FINGERS, THRU BEZEL, 2X2 ZQSFP+ STACKED WITH HS			
mm		0 PLC ±0.25 1 PLC ±0.15 2 PLC ±0.15 3 PLC ±0.15 4 PLC ±0.15		PRODUCT SPEC							
		ANGLES FINISH		APPLICATION SPEC							
MATERIAL		FINISH		WEIGHT		SIZE		CAGE CODE	DRAWING NO	RESTRICTED TO	
SEE NOTE 1		SEE NOTE 2		-		A1		00779	C=2299870	-	
CUSTOMER DRAWING							SCALE		4:1	SHEET 4 of 8	REV B

LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
GP	00	-	-	SEE SHEET 1	-	-	-



1-2300832-7, HEAT SINK CLIP
SCALE 5:1



THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN
TIM XUE
28JAN2016

CHK
SEAN HAN
28JAN2016

APVD
SEAN HAN
28JAN2016

DIMENSIONS:

mm

0 PLC ±
1 PLC ±0.25
2 PLC ±0.15
3 PLC ±
4 PLC ±
ANGLES ±
FINISH ±

MATERIAL

SEE NOTE 1

TOLERANCES UNLESS OTHERWISE SPECIFIED:

SEE NOTE 2

PRODUCT SPEC

108-60102

APPLICATION SPEC

114-60015

WEIGHT

-

CUSTOMER DRAWING

NAME

CAGE AND CONNECTOR ASSEMBLY WITH EMI SPRING FINGERS, THRU BEZEL, 2X2 ZQSFP+ STACKED WITH HS

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

A1

00779

©=2299870

-

SCALE

4:1

SHEET

5

OF


8

REV

B


TE Connectivity

LOC		DIST		REVISIONS					
GP		00		P	LTR	DESCRIPTION	DATE	DWN	APVD
				-	-	SEE SHEET 1	-	-	-




RECOMMENDED PANEL CUTOUT
AND PC BOARD PANEL POSITION
SCALE 5:2


0.10±0.10
BOTTOM OF CUTOUT
IN PANEL TO TOP
OF PC BOARD





SECTION U-U




2299870-1 BEZEL LOCATION AS SHOWN
SECTION V-V
SCALE 3:1








THIS DRAWING IS A CONTROLLED DOCUMENT.				DWN	TIM XUE		28JAN2016		 TE Connectivity																						
				CHK	SEAN HAN		28JAN2016																								
DIMENSIONS:				APVD	SEAN HAN		28JAN2016		NAME		CAGE AND CONNECTOR ASSEMBLY WITH EMI SPRING FINGERS, THRU BEZEL, 2X2 ZQSFP+ STACKED WITH HS																				
mm								PRODUCT SPEC																							
				0 PLC				±0.25																							
				1 PLC				±0.15																							
				2 PLC				±0.15																							
				3 PLC				±																							
				4 PLC				±																							
ANGLES				FINISH				WEIGHT		SIZE		CAGE CODE		DRAWING NO		RESTRICTED TO															
								-		A1		100779		C=2299870		-															
MATERIAL				SEE NOTE 1				SEE NOTE 2				CUSTOMER DRAWING				SCALE		4:1		SHEET		6		OF		8		REV		B	



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN 28JAN2016 CHN SEAN HAN 28JAN2016 APVD SEAN HAN 28JAN2016		 TE Connectivity	
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±. 1 PLC ±0.25 2 PLC ±0.15 3 PLC ±. 4 PLC ±. ANGLES ±.		NAME CAGE AND CONNECTOR ASSEMBLY WITH EMI SPRING FINGERS, THRU BEZEL, 2X2 ZOSFP+ STACKED WITH HS	
		PRODUCT SPEC 108-60102 APPLICATION SPEC 114-60015		SIZE CAGE CODE DRAWING NO A1 100779 C=2299870	
MATERIAL SEE NOTE 1		FINISH WEIGHT CUSTOMER DRAWING		RESTRICTED TO - SCALE 4:1 SHEET 7 OF 8 REV B	



LOC	DIST	REVISIONS					
GP	00	P	LTR	DESCRIPTION	DATE	DWN	APVD
		-	-	SEE SHEET 1	-	-	-



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	28JAN2016	 TE Connectivity							
		CHK	28JAN2016								
DIMENSIONS:		SEAN HAN	28JAN2016	NAME	CAGE AND CONNECTOR ASSEMBLY WITH EM1 SPRING FINGERS, THRU BEZEL, 2X2 ZQSFP+ STACKED WITH HS						
mm		APVD	28JAN2016								
		PRODUCT SPEC									
		108-60102									
		APPLICATION SPEC									
		114-60015									
MATERIAL		FINISH			SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO			
SEE NOTE 1		SEE NOTE 2		WEIGHT	A	100779	C=2299870	-			
CUSTOMER DRAWING				SCALE	4:1	SHEET	8	OF	8	REV	B

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9