





LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
FT	0		R11	DETAIL S CORRECTED-SHEET 2	01DEC2014	PS	JK



796634-3 AS SHOWN



- 1 MATERIALS AND FINISH:
HOUSING: PA 6-6, UL 94-V0, COLOR:GREEN.
CLAMP: BRASS, PLATING: SEE TABLE.
DOUBLE SIDE CONTACT SPRING: PHOSPHOR BRONZE, PLATING: SEE TABLE.
CLAMPING SCREW: M3, BRASS, NICKEL PLATED.
2. END-TO-END STACKABLE WITHOUT LOSS OF CENTERLINE SPACING.
3. WIRE SIZE RANGE: 12-30 AWG.
4. RECOGNIZED UNDER THE COMPONENT PROGRAM OF UNDERWRITERS LABORATORIES INC.FILE N° E60677.
5. IMQ CERTIFICATE WITH SURVEILLANCE IN CONFORMITY WITH IEC 998-1/998-2-1.
- 6 NOT CUMULATIVE TOLERANCE
- 7 INK MARKING, WHITE COLOR
- 8 INK MARKING, BLACK COLOR
- 9 NUMERICAL SEQUENCE: FROM LEFT TO RIGHT UNLESS OTHERWISE SPECIFIED.
10. BUCHANAN LOGO TO APPEAR ON HOUSING, LOCATION OPTIONAL WHERE SPACE PERMITS.
- 11 SELECTIVELY LOADED IN POSITIONS 1,2,4,5,7,8.

REMOVE PIN 3	PRELIMINARY	NICKEL	TIN	7 9	DETAIL AB	86.36±0.30	17	8-796634-4
	PRELIMINARY	NICKEL	TIN	-	-	25.40±0.20	5	8-796634-3
	PRELIMINARY	NICKEL	0.76 µm AU	-	-	106.68 ±0.35	21	8-796634-2
	PRELIMINARY	NICKEL	0.76 µm AU	-	-	86.36±0.30	17	8-796634-1
	PRELIMINARY	NICKEL	0.76 µm AU	-	-	71.12	14	8-796634-0
	PRELIMINARY	NICKEL	0.76 µm AU	-	-	60.96	12	7-796634-9
	PRELIMINARY	NICKEL	0.76 µm AU	-	-	50.80	10	7-796634-8
	PRELIMINARY	NICKEL	0.76 µm AU	-	-	45.72	9	7-796634-7
	PRELIMINARY	NICKEL	0.76 µm AU	-	-	40.64	8	7-796634-6
	PRELIMINARY	NICKEL	0.76 µm AU	-	-	35.56±0.20	7	7-796634-5
	PRELIMINARY	NICKEL	0.76 µm AU	-	-	30.48±0.20	6	7-796634-4
	PRELIMINARY	NICKEL	0.76 µm AU	-	-	25.40±0.20	5	7-796634-3
	PRELIMINARY	NICKEL	0.76 µm AU	-	-	20.32±0.15	4	7-796634-2
	PRELIMINARY	NICKEL	0.76 µm AU	-	-	15.24±0.15	3	7-796634-1
	PRELIMINARY	NICKEL	0.76 µm AU	-	-	10.16±0.15	2	7-796634-0
		NICKEL	TIN	-	DETAIL Z	40.64	8	6-796634-9
		NICKEL	TIN	7 9	DETAIL Y	91.44±0.30	18	6-796634-8
	PRELIMINARY	NICKEL	TIN	7 9	DETAIL X	81.28±0.30	16	6-796634-7
	PRELIMINARY	NICKEL	TIN	7 9	DETAIL W	15.24±0.15	3	6-796634-6
		NICKEL	TIN	8 9	DETAIL V	101.60±0.35	20	6-796634-5
	PRELIMINARY	NICKEL	TIN	7	DETAIL U	15.24±0.15	3	6-796634-4
	PRELIMINARY	NICKEL	TIN	7	DETAIL T	15.24±0.15	3	6-796634-3
	PRELIMINARY	NICKEL	TIN	7	DETAIL S	10.16±0.15	2	6-796634-2
		.000008 GOLD OVER NICKEL	.000008 GOLD OVER NICKEL	-	-	10.16±0.15	2	5-796634-6
	PRELIMINARY	NICKEL	GOLD FLASH	-	-	25.40±0.20	5	5-796634-5
	PRELIMINARY	NICKEL	GOLD FLASH	-	-	20.32±0.15	4	5-796634-4
	PRELIMINARY	NICKEL	GOLD FLASH	-	-	10.16±0.15	2	5-796634-2
	PRELIMINARY	NICKEL	TIN	8	DETAIL P3	45.72	9	5-796634-1
	PRELIMINARY	NICKEL	TIN	8	DETAIL P2	45.72	9	5-796634-0
		NICKEL	TIN	7 9	DETAIL A-A	45.72	9	4-796634-9
	PRELIMINARY	NICKEL	TIN	8	DETAIL PI	20.32±0.15	4	4-796634-5
	PRELIMINARY	NICKEL	TIN	7	DETAIL R	71.12	14	4-796634-4
		NICKEL	TIN	8 9	DETAIL P	55.88	11	4-796634-2
		NICKEL	TIN	7 9	DETAIL P	55.88	11	4-796634-1
		NICKEL	TIN	7 8	DETAIL N	35.56±0.20	7	4-796634-0
		NICKEL	TIN	7 9	DETAIL M	81.28±0.30	16	3-796634-9
		NICKEL	TIN	8 9	DETAIL K	81.28±0.30	16	3-796634-8
		NICKEL	TIN	7 9	DETAIL J	121.92±0.35	24	3-796634-7
		NICKEL	TIN	8 9	DETAIL H	121.92±0.35	24	3-796634-6
		NICKEL	TIN	7 9	DETAIL G	121.92±0.35	24	3-796634-5
		NICKEL	TIN	8 9	DETAIL F	121.92±0.35	24	3-796634-4
		NICKEL	TIN	7 9	DETAIL E	50.80	10	2-796634-8
		NICKEL	TIN	7 9	DETAIL D	40.64	8	2-796634-7
		NICKEL	TIN	-	-	127.00±0.35	25	2-796634-5
		NICKEL	TIN	-	-	121.92±0.35	24	2-796634-4
		NICKEL	TIN	-	-	116.84±0.35	23	2-796634-3
		NICKEL	TIN	-	-	111.76±0.35	22	2-796634-2
		NICKEL	TIN	-	-	106.68±0.35	21	2-796634-1
		NICKEL	TIN	-	-	101.60±0.35	20	2-796634-0
		NICKEL	TIN	-	-	96.52±0.35	19	1-796634-9
		NICKEL	TIN	-	-	91.44±0.30	18	1-796634-8
		NICKEL	TIN	-	-	86.36±0.30	17	1-796634-7
		NICKEL	TIN	-	-	81.28±0.30	16	1-796634-6
		NICKEL	TIN	-	-	76.20±0.30	15	1-796634-5
		NICKEL	TIN	-	-	71.12	14	1-796634-4
		NICKEL	TIN	-	-	66.04	13	1-796634-3
		NICKEL	TIN	-	-	60.96	12	1-796634-2
		NICKEL	TIN	-	-	55.88	11	1-796634-1
		NICKEL	TIN	-	-	50.80	10	1-796634-0
		NICKEL	TIN	-	-	45.72	9	796634-9
		NICKEL	TIN	-	-	40.64	8	796634-8
		NICKEL	TIN	-	-	35.56±0.20	7	796634-7
		NICKEL	TIN	-	-	30.48±0.20	6	796634-6
		NICKEL	TIN	-	-	25.40±0.20	5	796634-5
		NICKEL	TIN	-	-	20.32±0.15	4	796634-4
		NICKEL	TIN	-	-	15.24±0.15	3	796634-3
		NICKEL	TIN	-	-	10.16±0.15	2	796634-2
		CLAMP PLATING	CONTACT PLATING	MARKING	SPECIAL	L	NO OF POSN	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
mm

0 PLC ±.3
1 PLC ±0.25
2 PLC ±.3
3 PLC ±.3
4 PLC ±.3
ANGLES #2°

MATERIAL
FINISH

DWN S.WELDON 18OCT2000
CHK D.BIEVENOUR 18OCT2000
APVD D.BIEVENOUR 18OCT2000

PRODUCT SPEC
APPLICATION SPEC
WEIGHT

CUSTOMER DRAWING

TE Connectivity

NAME
TERMINAL BLOCK, PLUG, STACKING,
5.08mm PITCH

SIZE A1
CAGE CODE
DRAWING NO
C=796634


RESTRICTED TO
-

SCALE 5:1


SHEET 1 OF 3

REV R11


LOC	DIST	REVISIONS					
FT	0	P	LTR	DESCRIPTION	DATE	DWN	APVD
		-		SEE SHEET 1	-	-	-




DETAIL A-A




DETAIL P1




DETAIL P2




DETAIL P3




DETAIL D




DETAIL E




DETAIL N




DETAIL P




DETAIL S




DETAIL F




DETAIL R




DETAIL T




DETAIL G




DETAIL V




DETAIL M




DETAIL H




DETAIL W




DETAIL J




DETAIL X



DETAIL Y



DETAIL K



DETAIL Z

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN
S. WELDON

CHK
D. BIEVENOUR

APVD
D. BIEVENOUR

18OCT2000
18OCT2000
18OCT2000

DIMENSIONS:
mm

0 PLC ±.3
1 PLC ±0.3
2 PLC ±0.25
3 PLC ±.
4 PLC ±.
ANGLES ±°
FINISH -

MATERIAL
-

CUSTOMER DRAWING

NAME
TERMINAL BLOCK, PLUG, STACKING,
5.08mm PITCH

SIZE
A1

CAGE CODE
00779

DRAWING NO
796634

RESTRICTED TO
-

SCALE
4:1

SHEET
2


OF
3

REV
H 1


TE Connectivity

TE

LOC	DIST	REVISIONS					
FT	0	P	LTR	DESCRIPTION	DATE	DWN	APVD
			-	SEE SHEET 1	-	-	-



DETAIL AB



DETAIL AC

PRELIMINARY	NICKEL	TIN	7 9	DETAIL AC	25.40	5	8-796634-5
	CLAMP PLATING	CONTACT PLATING	MARKING	SPECIAL	L	NO OF POSN	PART NUMBER
			THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN S. WELDON18OCT2000 CHK D. BIEVENOUR18OCT2000 APVD D. BIEVENOUR18OCT2000 PRODUCT SPEC- APPLICATION SPEC- WEIGHT- CUSTOMER DRAWING		
			DIMENSIONS:		TE Connectivity		
			TOLERANCES UNLESS OTHERWISE SPECIFIED:				
			mm		NAME TERMINAL BLOCK, PLUG, STACKING, 5.08mm PITCH		
			0 PLC ±.3 1 PLC ±0.3 2 PLC ±0.25 3 PLC ±. 4 PLC ±. ANGLES ±2°				
			MATERIAL		SIZE A100779		
			FINISH				
					CAGE CODE 796634		
					DRAWING NO 796634		
					RESTRICTED TO -		
					SCALE 4:1		
					SHEET 3		
					OF 3		
					REV R1		

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9