



| SIZE | Part Number  | Jack Screw Thread | Packing                          |
|------|--------------|-------------------|----------------------------------|
| 25   | 8655MH2501LF | UNC 4-40          | bulk : Qty 60                    |
|      | 8655MH2511LF |                   | individual set<br>50 sets/carton |
|      | 8655MH2502LF | M3                | bulk : Qty 60                    |
|      | 8655MH2512LF |                   | individual set<br>50 sets/carton |



#### NOTE:RoHS INFORMATIONS

-The LF product meets European union Directives and other country regulations as described in GS-22-009  
 -The product is not intended to be exposed to a manufacturing solder process  
 -Packaging spec:see GS-14-920



JACKSCREW  
THREAD

M3



SCALE 1:1

NOTES : for every sizes

Material and finish : Zinc die-cast  
 nickel plated  
 Cable strain relief : Zinc die-cast  
 Jackscrew : Steel,nickel plated  
 UNC 4-40 or M3 (see tables)  
 Temperature range : -55°C to +125 °C  
 Attenuation factor : >40 dB between 10 MHz

Other size details : see on next pages.



Copyright FCI.

| rev | ecn no    | dr  | date       |
|-----|-----------|-----|------------|
| A   | LS08-0058 | MPE | 2008/02/21 |
| B   | F11-0066  | APA | 2011/05/30 |
|     |           |     |            |
|     |           |     |            |
|     |           |     |            |

|                                                                                       |          |            |                                                                                                 |        |                                            |       |                                                                                                     |              |                                                                                          |              |  |
|---------------------------------------------------------------------------------------|----------|------------|-------------------------------------------------------------------------------------------------|--------|--------------------------------------------|-------|-----------------------------------------------------------------------------------------------------|--------------|------------------------------------------------------------------------------------------|--------------|--|
| www.fciconnect.com                                                                    |          |            | surface -  |        | tolerance std<br>ISO 1302 ISO 406 ISO 1101 |       | projection<br> |              |  mm |              |  |
|                                                                                       |          |            | TOLERANCES UNLESS OTHERWISE SPECIFIED                                                           |        |                                            |       |                                                                                                     |              |                                                                                          |              |  |
| Dr                                                                                    | M PESSON | 2008/02/19 | ANGULAR                                                                                         | LINEAR | 0.X                                        | ±/    | size<br>A3                                                                                          | Scale<br>3:2 |                                                                                          |              |  |
| Eng                                                                                   | M PESSON | 2008/02/19 |                                                                                                 |        | 0.XX                                       | ±/    |                                                                                                     |              |                                                                                          |              |  |
| Chr                                                                                   | P LEGARE | 2008/02/19 |                                                                                                 |        | 0°. ±°                                     | 0.XXX |                                                                                                     |              | ±/                                                                                       |              |  |
| Appr                                                                                  | P LEGARE | 2008/02/19 | Product family                                                                                  |        |                                            |       | - Spec ref                                                                                          |              |                                                                                          |              |  |
|  |          |            | title<br>STRAIGHT METAL HOODS<br>WITH 2 METAL CLAMPS                                            |        |                                            |       | dwg no<br>C-8655-1685C                                                                              |              |                                                                                          | Rev<br>B     |  |
|                                                                                       |          |            | catalog no                                                                                      |        |                                            |       | CUSTOMER                                                                                            |              |                                                                                          | sheet 1 of 4 |  |



REV C - 2006-03-28

PDM: Rev:B

STATUS:Released


Printed: Jun 14, 2011

| SIZE | Part Number  | Jack Screw Thread | Packing                          |
|------|--------------|-------------------|----------------------------------|
| 09   | 8655MH0901LF | UNC 4-40          | bulk : Qty 80                    |
|      | 8655MH0911LF |                   | individual set<br>50 sets/carton |
|      | 8655MH0902LF | M3                | bulk : Qty 80                    |
|      | 8655MH0912LF |                   | individual set<br>50 sets/carton |



PRODUCT WITH  
M3 THREAD  
JACKSCREWS

| SIZE | Part Number  | Jack Screw Thread | Packing                          |
|------|--------------|-------------------|----------------------------------|
| 15   | 8655MH1501LF | UNC 4-40          | bulk : Qty 80                    |
|      | 8655MH1511LF |                   | individual set<br>50 sets/carton |
|      | 8655MH1502LF | M3                | bulk : Qty 80                    |
|      | 8655MH1512LF |                   | individual set<br>50 sets/carton |





|                    |          |            |                                       |        |                                   |                                             |                        |              |
|--------------------|----------|------------|---------------------------------------|--------|-----------------------------------|---------------------------------------------|------------------------|--------------|
| www.fciconnect.com |          |            | surface<br>ISO 1302                   | - ✓    | tolerance std<br>ISO 406 ISO 1101 | projection<br>mm                            | mm                     |              |
|                    |          |            | TOLERANCES UNLESS OTHERWISE SPECIFIED |        |                                   | size<br>A3                                  | Scale<br>3/2           |              |
| Dr                 | M PESSON | 2008/02/19 | ANGULAR                               | LINEAR | 0.X                               | ±/                                          |                        |              |
| Eng                | M PESSON | 2008/02/19 |                                       |        | 0.XX                              | ±/                                          |                        |              |
| Chr                | P LEGARE | 2008/02/19 | 0° ±/°                                |        | 0.XXX                             | ±/                                          |                        |              |
| Appr               | P LEGARE | 2008/02/19 | Product family                        |        |                                   | -                                           | Spec ref               |              |
| FCI                |          |            | Title                                 |        |                                   | STRAIGHT METAL HOODS<br>WITH 2 METAL CLAMPS | dwg no<br>C-8655-1685C | Rev.<br>B    |
|                    |          |            | catalog no                            |        |                                   | -                                           | CUSTOMER               | sheet 2 of 4 |





Copyright FCI.

| SIZE | Part Number  | Jack Screw Thread | Packing                          |
|------|--------------|-------------------|----------------------------------|
| 37   | 8655MH3701LF | UNC 4-40          | bulk : Qty 40                    |
|      | 8655MH3711LF |                   | individual set<br>50 sets/carton |
|      | 8655MH3702LF | M3                | bulk : Qty 40                    |
|      | 8655MH3712LF |                   | individual set<br>50 sets/carton |



PRODUCT WITH  
M3 THREAD  
JACKSCREWS

| SIZE | Part Number  | Jack Screw Thread | Packing                          |
|------|--------------|-------------------|----------------------------------|
| 50   | 8655MH5001LF | UNC 4-40          | bulk : Qty 40                    |
|      | 8655MH5011LF |                   | individual set<br>50 sets/carton |
|      | 8655MH5002LF | M3                | bulk : Qty 40                    |
|      | 8655MH5012LF |                   | individual set<br>50 sets/carton |



|                                                                                       |          |                      |                                       |        |          |                                   |              |                                                                                                     |                                                                                             |
|---------------------------------------------------------------------------------------|----------|----------------------|---------------------------------------|--------|----------|-----------------------------------|--------------|-----------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|
| www.fciconnect.com                                                                    |          |                      | surface<br>ISO 1302                   |        | - ✓      | tolerance std<br>ISO 406 ISO 1101 |              | projection<br> | mm<br> |
|                                                                                       |          |                      | TOLERANCES UNLESS OTHERWISE SPECIFIED |        |          |                                   |              |                                                                                                     |                                                                                             |
| Dr                                                                                    | M PESSON | 2008/02/19           | ANGULAR                               | LINEAR | 0.X      | ±/                                | size         | Scale                                                                                               |                                                                                             |
| Eng                                                                                   | M PESSON | 2008/02/19           |                                       |        | 0.XX     | ±/                                | A3           | 3/2                                                                                                 |                                                                                             |
| Chr                                                                                   | P LEGARE | 2008/02/19           |                                       |        | 0.XXX    | ±/                                | ECN          | F11-0066                                                                                            |                                                                                             |
| Appr                                                                                  | P LEGARE | 2008/02/19           | Product family                        |        |          |                                   |              | Spec ref                                                                                            |                                                                                             |
|  | title    | STRAIGHT METAL HOODS |                                       |        |          | dwg no                            | C-8655-1685C |                                                                                                     | Rev                                                                                         |
|                                                                                       |          | WITH 2 METAL CLAMPS  |                                       |        |          |                                   | B            |                                                                                                     |                                                                                             |
|                                                                                       |          | catalog no           |                                       | -      | CUSTOMER |                                   | sheet 3 of 4 |                                                                                                     |                                                                                             |

REV C - 2006-03-28


PDM: Rev:B

STATUS:Released

Printed: Jun 14, 2011


# CABLING INSTRUCTIONS

1- Strip the cable and solder or crimp the wires




SCALE 3:2

2-Put the connector into a half hood and tighten the jacket with a metal clamp




SCALE 3:2

3-To get the electrical continuity between the cable outer conductor and the hood tighten the outer conductor with the other metal clamp as shown



SCALE 3:2

4-Mount the jackscrews, the other half hood and tighten with 2 screws



Copyright FCI.

|                                                                                       |          |                      |                                       |          |       |                                   |      |                                                                                                     |                                                                                             |
|---------------------------------------------------------------------------------------|----------|----------------------|---------------------------------------|----------|-------|-----------------------------------|------|-----------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|
| www.fciconnect.com                                                                    |          |                      | surface<br>ISO 1302                   |          | - ✓   | tolerance std<br>ISO 406 ISO 1101 |      | projection<br> | mm<br> |
|                                                                                       |          |                      | TOLERANCES UNLESS OTHERWISE SPECIFIED |          |       |                                   |      |                                                                                                     |                                                                                             |
| Dr                                                                                    | M PESSON | 2008/02/19           | ANGULAR                               | LINEAR   | 0.X   | ±/                                | size | Scale                                                                                               |                                                                                             |
| Eng                                                                                   | M PESSON | 2008/02/19           |                                       |          | 0.XX  | ±/                                | A3   | 3:2                                                                                                 |                                                                                             |
| Chr                                                                                   | P LEGARE | 2008/02/19           |                                       |          | 0.XXX | ±/                                | ECN  | F11-0066                                                                                            |                                                                                             |
| Appr                                                                                  | P LEGARE | 2008/02/19           | Product family                        |          |       |                                   |      | -                                                                                                   | Spec ref                                                                                    |
|  | title    | STRAIGHT METAL HOODS |                                       |          |       | dwg no                            |      | C-8655-1685C                                                                                        | Rev<br>B                                                                                    |
|                                                                                       |          | WITH 2 METAL CLAMPS  |                                       |          |       |                                   |      |                                                                                                     |                                                                                             |
|                                                                                       |          | catalog no           | -                                     | CUSTOMER |       | sheet 4 of 4                      |      |                                                                                                     |                                                                                             |

## Данный компонент на территории Российской Федерации

**Вы можете приобрести в компании MosChip.**

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

### Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: [info@moschip.ru](mailto:info@moschip.ru)

Skype отдела продаж:

moschip.ru

moschip.ru\_4

moschip.ru\_6

moschip.ru\_9