



PRODUCT NUMBER  
SEE TABLE-SHEET 2

|        |                                                            |        |
|--------|------------------------------------------------------------|--------|
| -0YYLF | COMES WITH A BRASS SLOTTED PAN HEAD SCREW W/NICKEL PLATING | NOTE 4 |
| -1YYLF | COMES WITH A STAINLESS STEEL COMBO PAN HEAD SCREW          | NOTE 2 |



RECOMMENDED HOLE PATTERN  
COMPONENT SIDE



| rev | ecn no   | dr   | date       |
|-----|----------|------|------------|
| K   | V94406   | HTB  | 1999-12-01 |
| L   | V00746   | LSS  | 2000-03-06 |
| M   | V01293   | JWS  | 2000-06-01 |
| N   | V12634   | EPK  | 2001-09-01 |
| P   | M05-0202 | MHT  | 2005-09-23 |
| R   | M05-0286 | MNR  | 2006-07-27 |
| S   | N10-0424 | A.ZH | 2010-12-29 |

|                                       |            |            |                             |                               |            |              |
|---------------------------------------|------------|------------|-----------------------------|-------------------------------|------------|--------------|
| www.fciconnect.com                    |            |            | surface<br>ISO 1302         | tolerance<br>ISO 406 ISO 1101 | projection | MM           |
| TOLERANCES UNLESS OTHERWISE SPECIFIED |            |            | ANGULAR                     | LINEAR                        | size<br>A4 | Scale<br>1:1 |
| Dr                                    | STU STONER | 1991-12-10 | 0°                          | ±2.0°                         | 0.X        | ± 0.30       |
| Eng                                   | S.DOUTRICH | 1991-12-10 | 0.XX                        | ± 0.15                        | 0.XXX      | ± 0.05       |
| Chr                                   | S.STONER   | 1991-12-10 | Product family              |                               | ECN        | N10-0424     |
| Appr                                  | S.STONER   | 1991-12-10 | METRAL                      |                               | Spec ref   |              |
| FCI                                   |            |            | title                       |                               | dwg no     | Rev.         |
|                                       |            |            | POWER PIN ASSEMBLY<br>12 mm |                               | 91570      | S            |
|                                       |            |            | catalog no                  |                               | CUSTOMER   | sheet 1 of 2 |



Copyright FCI.

| 1              |             | 2            |              | 3       |        | 4                |
|----------------|-------------|--------------|--------------|---------|--------|------------------|
| PRODUCT NUMBER |             | DIM "A"±0.10 | SCREW LENGTH | PIN TIP | NOTES  | LEAD FREE OPTION |
| A              | 91570-X01LF | 11.50        | 7.92         | STYLE A |        | NOTE 5           |
|                | 91570-X02LF | 32.00        | 7.92         | STYLE A | NOTE 3 |                  |
|                | 91570-X03LF | 13.00        | 7.92         | STYLE A | NOTE 3 |                  |
|                | 91570-X04LF | 14.50        | 7.92         | STYLE A | NOTE 3 |                  |
|                | 91570-X05LF | 16.00        | 7.92         | STYLE A | NOTE 3 |                  |
|                | 91570-X06LF | 24.00        | 7.92         | STYLE A | NOTE 3 |                  |
|                | 91570-X07LF | 28.90        | 7.92         | STYLE A | NOTE 3 |                  |
|                | 91570-X08LF | 32.00        | 12.70        | STYLE A | NOTE 3 |                  |
|                | 91570-X09LF | 14.50        | 12.70        | STYLE A | NOTE 3 |                  |
|                | 91570-X10LF | 16.00        | 12.70        | STYLE A | NOTE 3 |                  |
| B              | 91570-X11LF | 11.50        | 12.70        | STYLE A |        |                  |
|                | 91570-X12LF | 32.00        | 12.70        | STYLE B | NOTE 3 |                  |
|                | 91570-X13LF | 14.50        | 12.70        | STYLE B | NOTE 3 |                  |
|                | 91570-X14LF | 11.50        | 12.70        | STYLE B |        |                  |
|                | 91570-X15LF | 32.00        | 7.92         | STYLE B | NOTE 3 |                  |
|                | 91570-X16LF | 14.50        | 7.92         | STYLE B | NOTE 3 |                  |
|                | 91570-X17LF | 16.00        | 7.92         | STYLE B | NOTE 3 |                  |
|                | 91570-X18LF | 24.00        | 7.92         | STYLE B | NOTE 3 |                  |
|                | 91570-X19LF | 16.00        | 12.70        | STYLE B | NOTE 3 |                  |
|                | 91570-X20LF | 11.50        | 7.92         | STYLE B |        |                  |
|                | 91570-X21LF | 28.90        | 7.92         | STYLE B | NOTE 3 |                  |
|                | 91570-X22LF | 13.00        | 7.92         | STYLE B | NOTE 3 |                  |

NOTES:

- 1. HOUSING SHOWN FOR APPLICATION CLARITY AND DOES NOT COME WITH POWER PINS AND PAN HEAD SCREWS
- 2. TORQUE RATING FOR #4 STAINLESS STEEL COMBO PAN HEAD SCREW TO BE 5 IN/LBS. MAX
- 3. MUST BE USED WITH THE METRAL(tm) PASS-THRU POWER CONTACT P.N. 91877
- 4. TORQUE RATING FOR #4 BRASS SLOTTED PAN HEAD SCREW TO BE 3.75 IN/LBS. MAX.
- 5. ADD "LF" SUFFIX AT THE END OF PART NUMBER FOR LEAD FREE OPTION.
- 6. THIS PRODUCT MEETS EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATION AS DESCRIBED IN GS-22-008.

|        |                                                            |        |
|--------|------------------------------------------------------------|--------|
| -0YYLF | COMES WITH A BRASS SLOTTED PAN HEAD SCREW W/NICKEL PLATING | NOTE 4 |
| -1YYLF | COMES WITH A STAINLESS STEEL COMBO PAN HEAD SCREW          | NOTE 2 |

|                    |            |            |                                       |                               |                    |              |  |
|--------------------|------------|------------|---------------------------------------|-------------------------------|--------------------|--------------|--|
| www.fciconnect.com |            |            | surface<br>ISO 1302                   | tolerance<br>ISO 406 ISO 1101 | projection         | MM           |  |
|                    |            |            | TOLERANCES UNLESS OTHERWISE SPECIFIED |                               |                    |              |  |
| Dr                 | STU STONER | 1991-12-10 | ANGULAR                               | LINEAR                        | 0.X                | ± 0.30       |  |
| Eng                | S.DOUTRICH | 1991-12-10 |                                       |                               | 0.XX               | ± 0.15       |  |
| Chr                | S.STONER   | 1991-12-10 |                                       |                               | 0.XXX              | ± 0.05       |  |
| Appr               | S.STONER   | 1991-12-10 | Product family                        |                               | METRAL             | Spec ref     |  |
| FCI                |            |            | title                                 |                               | POWER PIN ASSEMBLY | Rev.         |  |
|                    |            |            |                                       |                               | 12 mm              | S            |  |
|                    |            |            | catalog no                            |                               | CUSTOMER           | sheet 2 of 2 |  |

## Данный компонент на территории Российской Федерации

**Вы можете приобрести в компании MosChip.**

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

### Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: [info@moschip.ru](mailto:info@moschip.ru)

Skype отдела продаж:

moschip.ru

moschip.ru\_4

moschip.ru\_6

moschip.ru\_9