

THIS DRAWING IS UNPUBLISHED.







RELEASED FOR PUBLICATION

© COPYRIGHT BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC
DWDIST
—

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	A2	ECR-12-012115	26OCT12	EL	WK



RECOMMENDED PCB LAYOUT (THICKNESS: 1.6mm)
DIMENSION TOLERANCE: 1 PLC: ±0.1 2PLC: ±0.05

NOTE:

- MATERIAL:
HOUSING: PA46 WITH 30% GF, UL94 V-0, BLACK COLOR.
CONTACTS: PHOSPHOR BRONZE.
SHIELD: BRASS.
- FINISH:
CONTACTS: (SEE TABLE) GOLD PLATED ON CONTACT AREA, GOLD FLASH ON SOLDER TAIL, WITH ENTIRE CONTACT UNDERPLATED 1.27μm [50μ"] MIN. NICKEL.
SHIELD: 0.51μm [20μ"] MIN. NICKEL PLATED.
- WAVE SOLDER CAPABLE TO 265°C PER 109-202, CONDITION B.

4. OBSOLETE PARTS: OBSOLETE CIS STREAMLINING PER D.RENAUD/D.SINISI

OBSOLETE	6P2C	REEL	1.27μm [50μ"]	2-1734723-8
			0.762μm [30μ"]	2-1734723-7
			0.381μm [15μ"]	2-1734723-6
			0.152μm [6μ"]	2-1734723-5
OBSOLETE	6P2C	TRAY	1.27μm [50μ"]	2-1734723-4
			0.762μm [30μ"]	2-1734723-3
			0.381μm [15μ"]	2-1734723-2
			0.152μm [6μ"]	2-1734723-1
OBSOLETE	6P6C	REEL	1.27μm [50μ"]	-1734723-8
			0.762μm [30μ"]	-1734723-7
			0.381μm [15μ"]	1734723-6
			0.152μm [6μ"]	-1734723-5
OBSOLETE	6P6C	TRAY	1.27μm [50μ"]	-1734723-4
			0.762μm [30μ"]	-1734723-3
			0.381μm [15μ"]	-1734723-2
			0.152μm [6μ"]	1734723-1
	RJ11	PACKAGE	MIN. GOLD THICKNESS	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN A. WU 10MAR2008

CHK S. HOU 10MAR2008

APVD W. KODAMA 10MAR2008

PRODUCT SPEC
108-57527

APPLICATION SPEC

WEIGHT 3 GRAMS

CUSTOMER DRAWING



TE Connectivity

MODULAR JACK, RJ11,
SINGLE, DIP TYPE

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A3	—	©=1734723	—

SCALE — SHEET 1 OF 5 REV A2

THIS DRAWING IS UNPUBLISHED.







RELEASED FOR PUBLICATION

© COPYRIGHT BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC
DWDIST
—

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
		SEE SHEET 1.			




RECOMMENDED PCB LAYOUT (THICKNESS: 1.6mm)
DIMENSION TOLERANCE: 1 PLC: ±0.1 2PLC: ±0.05

NOTE:

- MATERIAL:
HOUSING: PA46 WITH 30% GF, UL94 V-0, BLACK COLOR.
CONTACTS: PHOSPHOR BRONZE.
SHIELD: BRASS.
- FINISH:
CONTACTS: (SEE TABLE) GOLD PLATED ON CONTACT AREA, GOLD FLASH ON SOLDER TAIL, WITH ENTIRE CONTACT UNDERPLATED 1.27µm [50µ"] MIN. NICKEL.
- WAVE SOLDER CAPABLE TO 265°C PER 109-202, CONDITION B.

4. OBSOLETE PARTS: OBSOLETE CIS STREAMLINING PER D.RENAUD/D.SINISI

OBSOLETE	6P6C	REEL	1.27µm [50µ"]	1-1734723-8
			0.762µm [30µ"]	1-1734723-7
			0.381µm [15µ"]	1-1734723-6
			0.152µm [6µ"]	1-1734723-5
OBSOLETE	6P6C	TRAY	1.27µm [50µ"]	1-1734723-4
			0.762µm [30µ"]	1-1734723-3
			0.381µm [15µ"]	1-1734723-2
			0.152µm [6µ"]	1-1734723-1
	RJ11	PACKAGE	MIN. GOLD THICKNESS	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN A. WU 10MAR2008	 TE Connectivity	
DIMENSIONS: MM		CHK S. HOU 10MAR2008		
		APVD W. KODAMA 10MAR2008		
		PRODUCT SPEC 108-57527		
MATERIAL SEE NOTE		APPLICATION SPEC —	NAME MODULAR JACK, RJ11, SINGLE, DIP TYPE	
FINISH SEE NOTE		WEIGHT 2.5 GRAMS	SIZE A3	RESTRICTED TO —
		CUSTOMER DRAWING	SCALE —	SHEET 2 OF 5
			REV A2	

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION



COPYRIGHT

BY TYCO ELECTRONICS CORPORATION.

ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

DW

—

P

LTR




DESCRIPTION

DATE




DWN

APVD

SEE SHEET 1.



LOGO

RECOMMENDED PCB LAYOUT (THICKNESS: 1.6mm)
DIMENSION TOLERANCE: 1 PLC: ±0.1 2PLC: ±0.05

NOTE:

- MATERIAL:
HOUSING: PA46 WITH 30% GF, UL94 V-0, BLACK COLOR.
CONTACTS: PHOSPHOR BRONZE.
SHIELD: BRASS.
- FINISH:
CONTACTS: (SEE TABLE) GOLD PLATED ON CONTACT AREA, GOLD FLASH ON SOLDER TAIL, WITH ENTIRE CONTACT UNDERPLATED 1.27μm [50μ"] MIN. NICKEL.
SHIELD: 0.51μm [20μ"] MIN. NICKEL PLATED.
- WAVE SOLDER CAPABLE TO 265°C PER TE TEST SPEC. 109-202, CONDITION B.

OBSOLETE	6P2C	REEL	1.27μm [50μ"]	4-1734723-8
			0.762μm [30μ"]	4-1734723-7
			0.381μm [15μ"]	4-1734723-6
			0.152μm [6μ"]	4-1734723-5
OBSOLETE		TRAY	1.27μm [50μ"]	4-1734723-4
			0.762μm [30μ"]	4-1734723-3
			0.381μm [15μ"]	4-1734723-2
			0.152μm [6μ"]	4-1734723-1
	RJ11	PACKAGE	MIN. GOLD THICKNESS	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN A. WU 10MAR2008

CHK S. HOU 10MAR2008

APVD W. KODAMA 10MAR2008

PRODUCT SPEC

108-57527

APPLICATION SPEC

—

WEIGHT 3 GRAMS

CUSTOMER DRAWING



TE Connectivity


NAME

MODULAR JACK, RJ11,
SINGLE, DIP TYPE

SIZE CAGE CODE DRAWING NO RESTRICTED TO

A3 — C=1734723 —

SCALE SHEET 3 OF 5 REV A2

DIMENSIONS:
MM

MATERIAL

SEE NOTE

TOLERANCES UNLESS
OTHERWISE SPECIFIED:0 PLC ± 0.50
1 PLC ± 0.30
2 PLC ± 0.20
3 PLC ± 0.10
4 PLC ± 0.10
ANGLES ± ±

FINISH

SEE NOTE







4

3

2

1

LOC	DIST	REVISIONS					
DW	—	P	LTR	DESCRIPTION	DATE	DWN	APVD
				SEE SHEET 1.			



13.2 Kg	3960	120	1734723-1
GROSS WEIGHT	TOTAL	PCS/TRAY	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN A. WU 10MAR2008	TE Connectivity	
DIMENSIONS: MM		CHK S. HOU 10MAR2008		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD W. KODAMA 10MAR2008		
0 PLC ± - 1 PLC ± - 2 PLC ± - 3 PLC ± - 4 PLC ± - ANGLES ± -		PRODUCT SPEC — APPLICATION SPEC — WEIGHT —		
MATERIAL		NAME MODULAR JACK, RJ11, SINGLE, DIP TYPE		RESTRICTED TO —
FINISH		SIZE A3	CAGE CODE —	DRAWING NO ©=1734723
CUSTOMER DRAWING		SCALE —	SHEET 4 of 5	REV A2

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

-,-

© COPYRIGHT - BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC
DWDIST
—

REVISIONS

P

LTR


DESCRIPTION

DATE

DWN

APVD

SEE SHEET 1.



THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN A. WU 10MAR2008

CHK S. HOU 10MAR2008

APVD W. KODAMA 10MAR2008

PRODUCT SPEC

APPLICATION SPEC

WEIGHT

CUSTOMER DRAWING

DIMENSIONS:

MM



MATERIAL

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ± -
1 PLC ± -
2 PLC ± -
3 PLC ± -
4 PLC ± -
ANGLES ± -

FINISH



TE Connectivity

MODULAR JACK, RJ11,
SINGLE, DIP TYPE

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

A3

-

C=1734723

-

SCALE

SHEET

5 of 5

REV

A2

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9