

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT

ALL RIGHTS RESERVED.

LOC

DIST


REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	B1	ECR-15-007000	06MAY2015	GK	HMR

REPLACED BY OCEAN STYLE APPLICATOR PART
NUMBER 2266723-1

FOR REPLACEMENT PARTS FOR APPLICATOR 1426345
REFER TO ADDITIONAL PAGE(S). SPARE PARTS KIT (IF LISTED)
WILL REMAIN AVAILABLE.


THE REPLACEMENT OCEAN STYLE APPLICATOR HAS THE
SAME TERMINATOR/PRESS INTERFACE AS APPLICATOR
1426345

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN GOPALAKRISHNA HV		 TE Connectivity			
DIMENSIONS:		CHK RAGHAVENDRA					
		APVD RAGHAVENDRA		NAME SIDE FEED HD-I APPLICATOR			
		PRODUCT SPEC					
		APPLICATION SPEC					
MATERIAL		WEIGHT		SIZE A3	CAGE CODE	DRAWING NO C- 1426345	RESTRICTED TO
FINISH		CUSTOMER DRAWING		SCALE		SHEET 1 OF 2	REV B1

THIS DRAWING IS A CONTROLLED DOCUMENT

LAYOUT L1426345
SET UP GAGE 458637-3
2002
BY AMP INCORPORATED. ALL RIGHTS RESERVED.
THIS DRAWING IS UNPUBLISHED.
© COPYRIGHT 2002



PART NUMBER	REV	FIRST USED	TERMINATOR	FEED TYPE	DESCRIPTION
1426345-1	B	-	LEADMAKER	MECH POST FEED	CUTS CARRIER
1426345-2	B	-	BENCH	MECH PRE FEED	CUTS CARRIER
1426345-6	B	-	LEADMAKER	MECH POST FEED	CONTINUOUS CARRIER
7-1426345-1	B	-	LEADMAKER	MECH POST FEED	-1 AND SPARE PARTS
7-1426345-2	B	-	BENCH	MECH PRE FEED	-2 AND SPARE PARTS
7-1426345-6	B	-	LEADMAKER	MECH POST FEED	-6 AND SPARE PARTS
7-1426345-7	A	-	-	-	SPARE PARTS KIT

CRIMP DATA AMP TERMINAL AMP CRIMP SPECS																																														
TERMINAL NAME: MICRO TIMER MK4 RECEPTACLE.																																														
CRIMP	SIZE	TYPE	RANGE																																											
WIRE	2.03 [.080 IN]	F	0.5mm ² - 1.0mm ²																																											
INSUL	2.79 [.110 IN]	0	2.00 MAX [.079 IN MAX]																																											
WIRE STRIP LENGTH		APPL INSTRUCTION																																												
3.40-4.20 [.134-.165 IN]		408-8322																																												
TERMINAL		-		FEED																																										
APPL SPEC C-185158		-		12.00 [.472 IN]																																										
TERMINALS APPLIED 																																														
185158	-	-	-	-																																										
-	-	-	-	-																																										
-	-	-	-	-																																										
-	-	-	-	-																																										
-	-	-	-	-																																										
-	-	-	-	-																																										
-	-	-	-	-																																										
-	-	-	-	-																																										
WIRE SIZE mm² AWG  CRIMP HEIGHT  PIN PN AND LENGTH [IN] <table><tr><td>1.00mm²</td><td>1.36 ±0.05 [.054 ±.002 IN]</td><td>1-354779-2 [.3050]</td></tr><tr><td>0.75mm²</td><td>1.29 ±0.05 [.051 ±.002 IN]</td><td>1-354779-8 [.3080]</td></tr><tr><td>0.60mm²</td><td>1.22 ±0.05 [.048 ±.002 IN]</td><td>2-354779-5 [.3115]</td></tr><tr><td>0.50mm²</td><td>1.18 ±0.05 [.046 ±.002 IN]</td><td>3-354779-0 [.3140]</td></tr><tr><td>-</td><td>-</td><td>-</td></tr><tr><td>-</td><td>-</td><td>-</td></tr><tr><td>-</td><td>-</td><td>-</td></tr><tr><td>-</td><td>-</td><td>-</td></tr><tr><td>-</td><td>-</td><td>-</td></tr><tr><td>-</td><td>-</td><td>-</td></tr><tr><td>-</td><td>-</td><td>-</td></tr><tr><td>-</td><td>-</td><td>-</td></tr><tr><td>-</td><td>-</td><td>-</td></tr><tr><td>-</td><td>-</td><td>-</td></tr></table>					1.00mm ²	1.36 ±0.05 [.054 ±.002 IN]	1-354779-2 [.3050]	0.75mm ²	1.29 ±0.05 [.051 ±.002 IN]	1-354779-8 [.3080]	0.60mm ²	1.22 ±0.05 [.048 ±.002 IN]	2-354779-5 [.3115]	0.50mm ²	1.18 ±0.05 [.046 ±.002 IN]	3-354779-0 [.3140]	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1.00mm ²	1.36 ±0.05 [.054 ±.002 IN]	1-354779-2 [.3050]																																												
0.75mm ²	1.29 ±0.05 [.051 ±.002 IN]	1-354779-8 [.3080]																																												
0.60mm ²	1.22 ±0.05 [.048 ±.002 IN]	2-354779-5 [.3115]																																												
0.50mm ²	1.18 ±0.05 [.046 ±.002 IN]	3-354779-0 [.3140]																																												
-	-	-																																												
-	-	-																																												
-	-	-																																												
-	-	-																																												
-	-	-																																												
-	-	-																																												
-	-	-																																												
-	-	-																																												
-	-	-																																												
-	-	-																																												

1. RECOMMENDED SPARE PARTS.
2. GREASE RAM, CAM, CAM FOLLOWER AND FEED ROD LIGHTLY.
3. LUBRICATE DAILY PER THE APPLICATOR INSTRUCTION SHEET SUPPLIED WITH THE APPLICATOR.
4. CUSTOMER DRG. RESTRICTED TO RENAULT.

VIEW B ROTATED 180°			
POST FEED 40 mm STROKE	POST FEED 30 mm STROKE	PRE FEED 30 mm STROKE	PRE FEED 40 mm STROKE
LOC A DIST 66			

AMP 1756 REV 3-92 20-DEC-05 05:29:43 us024474



QTY REQD PER ASSY	PARTS LIST
DO NOT SCALE PRINT. TOLERANCES UNLESS OTHERWISE SPECIFIED: 1 PLC DEC ±- 2 PLC DEC ±- 3 PLC DEC ±- ANGLES ±- SURF TEXTURE: REMOVE BURRS, BREAK SHARP EDGES RO.36 MAX	MATL - HT TR - FIN - DR L.LOFTHOUSE 25JUN02 APP 25JUN02 F.BACKHURST CHK - REL 23JUL02 L.LOFTHOUSE NAME SIDE FEED HD-I APPLICATOR SCALE - DWG NO 1426345 SHEET 1 of 1 REV B

-	1	1	1	1	1	1	1426345	PRINT, APPLICATOR LOG SHEET	72
-	1	1	1	1	1	1	1338705-1	DOCUMENTATION PACKAGE	71
-	-	-	-	-	-	-	-	-	70
-	-	-	-	-	-	-	-	-	69
-	-	-	-	-	-	-	-	-	68
-	1	1	1	1	1	1	461264-1	PLATE, IDENTIFICATION	67
-	2	2	2	2	2	2	21017-2	SCR,DRIVE (#2X.19) ID PLATE	66
-	-	-	-	-	-	-	-	-	65
-	1	1	1	1	1	1	986950-1	WASHER, FLAT PRECISION	64
-	1	1	1	1	1	1	3-18031-0	SCR,SKT SET (M6X6) RAM	63
-	1	1	1	1	1	1	18023-9	SCR,SHC (M4X6) INS DISC	62
-	2	2	2	2	2	2	1-18024-5	SCR,BHC (M5X25) DRAG	61
-	1	1	1	1	1	1	18024-7	SCR,BHC (M4X10) ANVIL	60
-	1	1	1	1	1	1	5-18022-2	SCR,HEX (M4X8) FEED FINGER	59
-	-	-	-	-	-	-	-	-	58
-	-	-	-	-	-	-	-	-	57
-	1	1	1	1	1	1	1338685-1	PAWL, FEED	56
-	-	-	-	-	-	-	-	-	55
-	4	4	4	4	4	4	18024-8	SCR,BHC (M4X12) SHEAR HOLDER	54
-	-	-	-	-	-	-	-	-	53
-	1	1	1	1	1	1	18030-1	NUT, HEX (M3) HOLD DOWN	52
-	1	1	1	1	1	1	811242-5	BUMPER, HOLDDOWN	51
-	1	1	1	1	1	1	690753-2	SPACER, TONKER	50
-	1	1	1	1	1	1	18024-3	SCR,BHC (M3X10) CAM	49
-	-	-	-	-	-	-	-	-	48
-	1	-	1	-	-	-	1338675-1	CAM, PRE FEED 30 & 40 mm ST	47
-	1	-	1	-	-	-	1338676-1	CAM, POST FEED 30 & 40 mm ST	46
-	1	1	1	1	1	1	1320999-3	APPLICATOR BASIC SUBASSY	45
-	1	1	1	1	1	1	690191-1	PLUG, NYLON	44
-	1	1	1	1	1	1	1338660-1	RAM	43
-	1	1	1	1	1	1	690125-1	WASHER, LAMINATED	42
-	1	1	1	1	1	1	690124-1	WASHER, RAM	41
-	1	1	1	1	1	1	2-18024-6	SCR,BHC (M8X25) RAM	40
-	1	1	1	1	1	1	23241-1	BALL, STEEL	39
-	1	1	1	1	1	1	2-22278-7	SPRING, COMPRESSION	38
-	1	1	1	1	1	1	1320922-1	DISC, INSULATION	37
-	1	1	1	1	1	1	354777-1	WIRE DISC, PLASTIC	36
-	1	1	1	1	1	1	22480-5	WASHER, SPRING	35
-	1	1	1	1	1	1	690212-1	POST, RAM	34
-	1	1	1	1	1	1	1-1320934-6	SUPPORT, TERMINAL	33
-	2	2	2	2	2	2	1-18024-0	SCR,BHC (M4X20) STRIP GUIDE	32
-	1	1	1	1	1	1	18027-2	WASHER, FLAT (M4)	31
-	3	3	3	3	3	3	1-18023-2	SCR,SKT CAP (M4X12) MOUNT BLOCK	30
-	1	1	1	1	1	1	1320908-1	SPACER, STRIP GUIDE	29
-	1	1	1	1	1	1	1633073-2	STRIP GUIDE PLATE ASSY	28
-	1	1	1	1	1	1	2-455888-1	SPACER, FRONT SHEAR DEP	27
-	2	2	2	2	2	2	1-22284-0	SPRING, DRAG	26
-	1	1	1	1	1	1	356835-1	LEVER, DRAG RELEASE	25
-	1	1	1	1	1	1	240792-1	DRAG, TERMINAL	24
-	1	1	1	1	1	1	1320928-1	PLATE, STRIP GUIDE	23
-	1	1	1	1	1	1	980371-4	SCR,SHC (M4X10) STRIPPER	22
-	1	-	1	-	-	-	690472-2	STRIPPER	21
-	1	1	1	1	1	1	1-18023-1	SCR,SHC (M4X10) STRIPPER	20
-	4	4	4	4	4	4	18025-2	WASHER, LOCK (M4) STRIPPER	19
-	-	1	-	-	1	-	690472-1	STRIPPER	18
-	1	-	-	1	-	-	1338684-1	HOLDER, SHEAR, FRONT (NO-CUT)	17
-	-	-	-	-	-	-	-	-	16
-	-	-	-	-	-	-	-	-	15
-	-	-	-	-	-	-	-	-	14
-	-	-	-	-	-	-	-	-	13
-	1	1	1	1	1	1	5-22280-0	SPRING, SHEAR	12
-	1	1	1	1	1	1	356885-4	STOP, SHEAR	11
-	-	1	1	-	1	1	1320921-1	HOLDER, SHEAR, FRONT (CUT)	10
-	1	1	1	1	1	1	1-454276-9	SHEAR, FLOAT (FRONT)	9
-	1	2	2	2	1	1	5-1333204-4	ANVIL	8
-	-	-	-	-	-	-	-	-	7
-	-	-	-	-	-	-	-	-	6
-	1	1	1	1	1	1	1-455889-4	DEPRESSOR, SHEAR (FRONT)	5
-	1	1	1	1	1	1	238011-4	SPACER, BLOCK CRIMPER	4
-	1	2	2	2	1	1	9-456135-3	CRIMPER, INSULATION	3
-	1	1	1	1	1	1	455888-4	SPACER, CRIMPER	2
-	1	2	2	2	1	1	1-456405-5	CRIMPER, WIRE	1
-77	-76	-72	-71	-6	-2	-1	PART NO	DESCRIPTION	ITEM NO
							REVISION OF EACH ASSY NO (WHEN BLANK, USE DWG REVISION)		
							CUSTOMER AND ASSEMBLY DRAWING		

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9