

D

C

B

A

4X Ø4.5

64

40

(52.8)

16

66

4X M3 THREAD, THREAD LENGTH 10 MIN  
4X M3 螺纹孔, 螺纹长度至少10

PG/M THREAD 2  
PG/M 螺纹孔2  
THREAD LENGTH 10 MIN  
螺纹长度至少10

(17)

(73.5)

57

96

50

3.5

(17)

TYPE 1

HI6A HOUSING,SURFACE MOUNTED,STEEL SINGLE LOCKING,POWDER COATED,GREY

类型 1

HI6A下壳,表面安装,金属单扣,灰色粉末喷涂

OBSELETE TYPE 1 PN

废弃类型1金属扣壳体料号

4X Ø4.5

64

40

(55.9)

16

66

4X M3 THREAD, THREAD LENGTH 10 MIN  
4X M3 螺纹孔, 螺纹长度至少10

PG/M THREAD 2  
PG/M 螺纹孔2  
THREAD LENGTH 10 MIN  
螺纹长度至少10

(17)

(74)

57

96

50

3.5

(17)

TYPE 4

HI6A HOUSING,SURFACE MOUNTED,STAINLESS STEEL SINGLE LOCKING,POWDER COATED,GREY

类型 4

HI6A下壳,表面安装,不锈钢单扣,灰色粉末喷涂

NOTES:  
I. TECHNICAL CHARACTERISTICS:  
BODY MATERIAL: DIE CAST ALUMINIUM ALLOY  
SURFACE TREATMENT: POWDER COATED, GREY  
DEGREE OF PROTECTION: IP65 (MATED)

注释:  
I. 技术参数:  
主体材料: 铝合金  
表面处理: 灰色粉末喷涂  
防护等级: IP65(配合)

TYPE 2

HI6A HOUSING,SURFACE MOUNTED,STEEL SINGLE LOCKING  
ALUMINIUM ALLOY PROTECTION COVER,POWDER COATED, GREY

OTHER SPEC REFER TO TYPE 1

类型 2

HI6A下壳,表面安装,金属单扣,带铝合金保护盖,灰色粉末喷涂  
未标注规格参考类型1

OBSELETE TYPE 2 PN

废弃类型2金属扣壳体料号

TYPE 3

HI6A HOUSING,SURFACE MOUNTED,STEEL SINGLE LOCKING  
PLASTIC PROTECTION COVER,POWDER COATED,GREY

OTHER SPEC REFER TO TYPE 1

类型 3

HI6A下壳,表面安装,金属单扣,带塑料保护盖,灰色粉末喷涂  
未标注规格参考类型1

OBSELETE TYPE 3 PN

废弃类型3金属扣壳体料号

TYPE 5

HI6A HOUSING,SURFACE MOUNTED,STAINLESS STEEL SINGLE LOCKING  
ALUMINIUM ALLOY PROTECTION COVER,POWDER COATED,GREY

OTHER SPEC REFER TO TYPE 4

类型 5

HI6A下壳,表面安装,不锈钢单扣,带铝合金保护盖,灰色粉末喷涂  
未标注规格参考类型4

TYPE 6

HI6A HOUSING,SURFACE MOUNTED,STAINLESS STEEL SINGLE LOCKING  
PLASTIC PROTECTION COVER,POWDER COATED,GREY

OTHER SPEC REFER TO TYPE 4

类型 6

HI6A下壳,表面安装,不锈钢单扣,带塑料保护盖,灰色粉末喷涂  
未标注规格参考类型4

| REVISIONS                                                                                                                  |                 |                                                                                                                                                            |                                                                                                |      |                                                              |                            |            |
|----------------------------------------------------------------------------------------------------------------------------|-----------------|------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------|------|--------------------------------------------------------------|----------------------------|------------|
| P                                                                                                                          | LTR             | DESCRIPTION                                                                                                                                                | DATE                                                                                           | DWN  | APVD                                                         |                            |            |
|                                                                                                                            | A               | INITIAL RELEASE                                                                                                                                            | 08MAY2015                                                                                      | DL   | CW                                                           |                            |            |
|                                                                                                                            | A1              | ECR-16-018055                                                                                                                                              | 19JAN2017                                                                                      | DL   | CW                                                           |                            |            |
|                                                                                                                            | A2              | ECR-17-005386                                                                                                                                              | 08APR2017                                                                                      | CH   | CW                                                           |                            |            |
|                                                                                                                            | B               | ECR-18-012608                                                                                                                                              | 14AUG2018                                                                                      | CH   | CW                                                           |                            |            |
| OBSELETE TYPE 1&2&3 PN<br>废弃类型1/类型2/类型3金属扣壳体料号                                                                             |                 |                                                                                                                                                            |                                                                                                |      |                                                              |                            |            |
| T1619160116-000                                                                                                            | HI6A-SGR-PG16   | HI6A HOUSING, SURFACE MOUNTED, STEEL SINGLE LOCKING, PG16, POWDER COATED, GREY<br>HI6A下壳,表面安装,金属单扣,PG16,灰色粉末喷涂                                             | PG16                                                                                           | -    |                                                              |                            |            |
| T1619160120-000                                                                                                            | HI6A-SGR-M20    | HI6A HOUSING, SURFACE MOUNTED, STEEL SINGLE LOCKING, M20, POWDER COATED, GREY<br>HI6A下壳,表面安装,金属单扣,M20,灰色粉末喷涂                                               | M20                                                                                            | -    |                                                              |                            |            |
| T1619160121-000                                                                                                            | HI6A-SGR-PG21   | HI6A HOUSING, SURFACE MOUNTED, STEEL SINGLE LOCKING, PG21, POWDER COATED, GREY<br>HI6A下壳,表面安装,金属单扣,PG21,灰色粉末喷涂                                             | PG21                                                                                           | -    |                                                              |                            |            |
| T1619160125-000                                                                                                            | HI6A-SGR-M25    | HI6A HOUSING, SURFACE MOUNTED, STEEL SINGLE LOCKING, M25, POWDER COATED, GREY<br>HI6A下壳,表面安装,金属单扣,M25,灰色粉末喷涂                                               | M25                                                                                            | -    |                                                              |                            |            |
| T1619160216-000                                                                                                            | HI6A-SGR-2PG16  | HI6A HOUSING, SURFACE MOUNTED, STEEL SINGLE LOCKING, 2PG16, POWDER COATED, GREY<br>HI6A下壳,表面安装,金属单扣,2PG16,灰色粉末喷涂                                           | PG16                                                                                           | PG16 |                                                              |                            |            |
| T1619160220-000                                                                                                            | HI6A-SGR-2M20   | HI6A HOUSING, SURFACE MOUNTED, STEEL SINGLE LOCKING, 2M20, POWDER COATED, GREY<br>HI6A下壳,表面安装,金属单扣,2M20,灰色粉末喷涂                                             | M20                                                                                            | M20  |                                                              |                            |            |
| T1619160221-000                                                                                                            | HI6A-SGR-2PG21  | HI6A HOUSING, SURFACE MOUNTED, STEEL SINGLE LOCKING, 2PG21, POWDER COATED, GREY<br>HI6A下壳,表面安装,金属单扣,2PG21,灰色粉末喷涂                                           | PG21                                                                                           | PG21 |                                                              |                            |            |
| T1619160225-000                                                                                                            | HI6A-SGR-2M25   | HI6A HOUSING, SURFACE MOUNTED, STEEL SINGLE LOCKING, 2M25, POWDER COATED, GREY<br>HI6A下壳,表面安装,金属单扣,2M25,灰色粉末喷涂                                             | M25                                                                                            | M25  |                                                              |                            |            |
| T1629160116-000                                                                                                            | HI6A-SDRM-PG16  | HI6A HOUSING, SURFACE MOUNTED, STEEL SINGLE LOCKING, PG16, ALUMINIUM ALLOY PROTECTION COVER, POWDER COATED, GREY<br>HI6A下壳,表面安装,金属单扣,PG16,带铝合金保护盖,灰色粉末喷涂   | PG16                                                                                           | -    |                                                              |                            |            |
| T1629160120-000                                                                                                            | HI6A-SDRM-M20   | HI6A HOUSING, SURFACE MOUNTED, STEEL SINGLE LOCKING, M20, ALUMINIUM ALLOY PROTECTION COVER, POWDER COATED, GREY<br>HI6A下壳,表面安装,金属单扣,M20,带铝合金保护盖,灰色粉末喷涂     | M20                                                                                            | -    |                                                              |                            |            |
| T1629160121-000                                                                                                            | HI6A-SDRM-PG21  | HI6A HOUSING, SURFACE MOUNTED, STEEL SINGLE LOCKING, PG21, ALUMINIUM ALLOY PROTECTION COVER, POWDER COATED, GREY<br>HI6A下壳,表面安装,金属单扣,PG21,带铝合金保护盖,灰色粉末喷涂   | PG21                                                                                           | -    |                                                              |                            |            |
| T1629160125-000                                                                                                            | HI6A-SDRM-M25   | HI6A HOUSING, SURFACE MOUNTED, STEEL SINGLE LOCKING, M25, ALUMINIUM ALLOY PROTECTION COVER, POWDER COATED, GREY<br>HI6A下壳,表面安装,金属单扣,M25,带铝合金保护盖,灰色粉末喷涂     | M25                                                                                            | -    |                                                              |                            |            |
| T1629160216-000                                                                                                            | HI6A-SDRM-2PG16 | HI6A HOUSING, SURFACE MOUNTED, STEEL SINGLE LOCKING, 2PG16, ALUMINIUM ALLOY PROTECTION COVER, POWDER COATED, GREY<br>HI6A下壳,表面安装,金属单扣,2PG16,带铝合金保护盖,灰色粉末喷涂 | PG16                                                                                           | PG16 |                                                              |                            |            |
| T1629160220-000                                                                                                            | HI6A-SDRM-2M20  | HI6A HOUSING, SURFACE MOUNTED, STEEL SINGLE LOCKING, 2M20, ALUMINIUM ALLOY PROTECTION COVER, POWDER COATED, GREY<br>HI6A下壳,表面安装,金属单扣,2M20,带铝合金保护盖,灰色粉末喷涂   | M20                                                                                            | M20  |                                                              |                            |            |
| T1629160221-000                                                                                                            | HI6A-SDRM-2PG21 | HI6A HOUSING, SURFACE MOUNTED, STEEL SINGLE LOCKING, 2PG21, ALUMINIUM ALLOY PROTECTION COVER, POWDER COATED, GREY<br>HI6A下壳,表面安装,金属单扣,2PG21,带铝合金保护盖,灰色粉末喷涂 | PG21                                                                                           | PG21 |                                                              |                            |            |
| T1629160225-000                                                                                                            | HI6A-SDRM-2M25  | HI6A HOUSING, SURFACE MOUNTED, STEEL SINGLE LOCKING, 2M25, ALUMINIUM ALLOY PROTECTION COVER, POWDER COATED, GREY<br>HI6A下壳,表面安装,金属单扣,2M25,带铝合金保护盖,灰色粉末喷涂   | M25                                                                                            | M25  |                                                              |                            |            |
| T1629162116-000                                                                                                            | HI6A-SDR-PG16   | HI6A HOUSING, SURFACE MOUNTED, STEEL SINGLE LOCKING, PG16, PLASTIC PROTECTION COVER, POWDER COATED, GREY<br>HI6A下壳,表面安装,金属单扣,PG16,带塑料保护盖,灰色粉末喷涂            | PG16                                                                                           | -    |                                                              |                            |            |
| T1629162120-000                                                                                                            | HI6A-SDR-M20    | HI6A HOUSING, SURFACE MOUNTED, STEEL SINGLE LOCKING, M20, PLASTIC PROTECTION COVER, POWDER COATED, GREY<br>HI6A下壳,表面安装,金属单扣,M20,带塑料保护盖,灰色粉末喷涂              | M20                                                                                            | -    |                                                              |                            |            |
| T1629162121-000                                                                                                            | HI6A-SDR-PG21   | HI6A HOUSING, SURFACE MOUNTED, STEEL SINGLE LOCKING, PG21, PLASTIC PROTECTION COVER, POWDER COATED, GREY<br>HI6A下壳,表面安装,金属单扣,PG21,带塑料保护盖,灰色粉末喷涂            | PG21                                                                                           | -    |                                                              |                            |            |
| T1629162125-000                                                                                                            | HI6A-SDR-M25    | HI6A HOUSING, SURFACE MOUNTED, STEEL SINGLE LOCKING, M25, PLASTIC PROTECTION COVER, POWDER COATED, GREY<br>HI6A下壳,表面安装,金属单扣,M25,带塑料保护盖,灰色粉末喷涂              | M25                                                                                            | -    |                                                              |                            |            |
| T1629162216-000                                                                                                            | HI6A-SDR-2PG16  | HI6A HOUSING, SURFACE MOUNTED, STEEL SINGLE LOCKING, 2PG16, PLASTIC PROTECTION COVER, POWDER COATED, GREY<br>HI6A下壳,表面安装,金属单扣,2PG16,带塑料保护盖,灰色粉末喷涂          | PG16                                                                                           | PG16 |                                                              |                            |            |
| T1629162220-000                                                                                                            | HI6A-SDR-2M20   | HI6A HOUSING, SURFACE MOUNTED, STEEL SINGLE LOCKING, 2M20, PLASTIC PROTECTION COVER, POWDER COATED, GREY<br>HI6A下壳,表面安装,金属单扣,2M20,带塑料保护盖,灰色粉末喷涂            | M20                                                                                            | M20  |                                                              |                            |            |
| T1629162221-000                                                                                                            | HI6A-SDR-2PG21  | HI6A HOUSING, SURFACE MOUNTED, STEEL SINGLE LOCKING, 2PG21, PLASTIC PROTECTION COVER, POWDER COATED, GREY<br>HI6A下壳,表面安装,金属单扣,2PG21,带塑料保护盖,灰色粉末喷涂          | PG21                                                                                           | PG21 |                                                              |                            |            |
| T1629162225-000                                                                                                            | HI6A-SDR-2M25   | HI6A HOUSING, SURFACE MOUNTED, STEEL SINGLE LOCKING, 2M25, PLASTIC PROTECTION COVER, POWDER COATED, GREY<br>HI6A下壳,表面安装,金属单扣,2M25,带塑料保护盖,灰色粉末喷涂            | M25                                                                                            | M25  |                                                              |                            |            |
| PART NUMBER<br>料号                                                                                                          |                 |                                                                                                                                                            | PART DESCRIPTION<br>描述                                                                         |      | PG/M THREAD 1<br>PG/M 螺纹孔1                                   | PG/M THREAD 2<br>PG/M 螺纹孔2 | TYPE<br>类型 |
| THIS DRAWING IS A CONTROLLED DOCUMENT.<br>DWG: DAVID LI 08MAY2015<br>CHK: CHRIS WANG 08MAY2015<br>APVD: XIANG YU 08MAY2015 |                 |                                                                                                                                                            | NAME<br>HI6A-SGR*/SDRM*/SDR*-PG/M                                                              |      | SIZE<br>A1                                                   |                            |            |
| DIMENSIONS:<br>mm                                                                                                          |                 |                                                                                                                                                            | TOLERANCES UNLESS OTHERWISE SPECIFIED:<br>0 PLC ±<br>1 PLC ±<br>3 PLC ±<br>4 PLC ±<br>ANGLES ± |      | PRODUCT SPEC<br>108-137010<br>APPLICATION SPEC<br>114-137010 |                            |            |
| MATERIAL<br>-                                                                                                              |                 |                                                                                                                                                            | FINISH<br>-                                                                                    |      | WEIGHT<br>-                                                  |                            |            |
| CUSTOMER DRAWING                                                                                                           |                 |                                                                                                                                                            | SCALE<br>4:5                                                                                   |      | SHEET<br>1 of 2                                              |                            |            |
|                                                                                                                            |                 |                                                                                                                                                            |                                                                                                |      | REV<br>B                                                     |                            |            |

4805 (3/13)

| REVISIONS |     |             |      |     |      |
|-----------|-----|-------------|------|-----|------|
| P         | LTR | DESCRIPTION | DATE | DWN | APVD |
|           | -   | SEE SHEET 1 | -    | -   | -    |
|           |     |             |      |     |      |
|           |     |             |      |     |      |
|           |     |             |      |     |      |


NOTES:  
SEE SHEET 1

|                    |                         |                                                                                                                                                                            |                            |                            |            |
|--------------------|-------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------|----------------------------|------------|
| TI619161116-000    | HI6A-SGRS-PG16          | HI6A HOUSING, SURFACE MOUNTED, STAINLESS STEEL SINGLE LOCKING, PG16, POWDER COATED, GREY<br>HI6A下壳, 表面安装, 不锈钢单扣, PG16, 灰色粉末喷涂                                              | PG16                       | -                          | TYPE 4     |
| TI619161120-000    | HI6A-SGRS-M20           | HI6A HOUSING, SURFACE MOUNTED, STAINLESS STEEL SINGLE LOCKING, M20, POWDER COATED, GREY<br>HI6A下壳, 表面安装, 不锈钢单扣, M20, 灰色粉末喷涂                                                | M20                        | -                          |            |
| TI619161121-000    | HI6A-SGRS-PG21          | HI6A HOUSING, SURFACE MOUNTED, STAINLESS STEEL SINGLE LOCKING, PG21, POWDER COATED, GREY<br>HI6A下壳, 表面安装, 不锈钢单扣, PG21, 灰色粉末喷涂                                              | PG21                       | -                          |            |
| TI619161125-000    | HI6A-SGRS-M25           | HI6A HOUSING, SURFACE MOUNTED, STAINLESS STEEL SINGLE LOCKING, M25, POWDER COATED, GREY<br>HI6A下壳, 表面安装, 不锈钢单扣, M25, 灰色粉末喷涂                                                | M25                        | -                          |            |
| TI619161216-000    | HI6A-SGRS-2PG16         | HI6A HOUSING, SURFACE MOUNTED, STAINLESS STEEL SINGLE LOCKING, 2PG16, POWDER COATED, GREY<br>HI6A下壳, 表面安装, 不锈钢单扣, 2PG16, 灰色粉末喷涂                                            | PG16                       | PG16                       |            |
| TI619161220-000    | HI6A-SGRS-2M20          | HI6A HOUSING, SURFACE MOUNTED, STAINLESS STEEL SINGLE LOCKING, 2M20, POWDER COATED, GREY<br>HI6A下壳, 表面安装, 不锈钢单扣, 2M20, 灰色粉末喷涂                                              | M20                        | M20                        |            |
| TI619161221-000    | HI6A-SGRS-2PG21         | HI6A HOUSING, SURFACE MOUNTED, STAINLESS STEEL SINGLE LOCKING, 2PG21, POWDER COATED, GREY<br>HI6A下壳, 表面安装, 不锈钢单扣, 2PG21, 灰色粉末喷涂                                            | PG21                       | PG21                       | TYPE 5     |
| TI619161225-000    | HI6A-SGRS-2M25          | HI6A HOUSING, SURFACE MOUNTED, STAINLESS STEEL SINGLE LOCKING, 2M25, POWDER COATED, GREY<br>HI6A下壳, 表面安装, 不锈钢单扣, 2M25, 灰色粉末喷涂                                              | M25                        | M25                        |            |
| TI629161116-000    | HI6A-SDRMS-PG16         | HI6A HOUSING, SURFACE MOUNTED, STAINLESS STEEL SINGLE LOCKING, PG16, ALUMINIUM ALLOY PROTECTION COVER, POWDER COATED, GREY<br>HI6A下壳, 表面安装, 不锈钢单扣, PG16, 带铝合金保护层, 灰色粉末喷涂   | PG16                       | -                          |            |
| TI629161120-000    | HI6A-SDRMS-M20          | HI6A HOUSING, SURFACE MOUNTED, STAINLESS STEEL SINGLE LOCKING, M20, ALUMINIUM ALLOY PROTECTION COVER, POWDER COATED, GREY<br>HI6A下壳, 表面安装, 不锈钢单扣, M20, 带铝合金保护层, 灰色粉末喷涂     | M20                        | -                          |            |
| TI629161121-000    | HI6A-SDRMS-PG21         | HI6A HOUSING, SURFACE MOUNTED, STAINLESS STEEL SINGLE LOCKING, PG21, ALUMINIUM ALLOY PROTECTION COVER, POWDER COATED, GREY<br>HI6A下壳, 表面安装, 不锈钢单扣, PG21, 带铝合金保护层, 灰色粉末喷涂   | PG21                       | -                          |            |
| TI629161125-000    | HI6A-SDRMS-M25          | HI6A HOUSING, SURFACE MOUNTED, STAINLESS STEEL SINGLE LOCKING, M25, ALUMINIUM ALLOY PROTECTION COVER, POWDER COATED, GREY<br>HI6A下壳, 表面安装, 不锈钢单扣, M25, 带铝合金保护层, 灰色粉末喷涂     | M25                        | -                          |            |
| TI629161216-000    | HI6A-SDRMS-2PG16        | HI6A HOUSING, SURFACE MOUNTED, STAINLESS STEEL SINGLE LOCKING, 2PG16, ALUMINIUM ALLOY PROTECTION COVER, POWDER COATED, GREY<br>HI6A下壳, 表面安装, 不锈钢单扣, 2PG16, 带铝合金保护层, 灰色粉末喷涂 | PG16                       | PG16                       | TYPE 6     |
| TI629161220-000    | HI6A-SDRMS-2M20         | HI6A HOUSING, SURFACE MOUNTED, STAINLESS STEEL SINGLE LOCKING, 2M20, ALUMINIUM ALLOY PROTECTION COVER, POWDER COATED, GREY<br>HI6A下壳, 表面安装, 不锈钢单扣, 2M20, 带铝合金保护层, 灰色粉末喷涂   | M20                        | M20                        |            |
| TI629161221-000    | HI6A-SDRMS-2PG21        | HI6A HOUSING, SURFACE MOUNTED, STAINLESS STEEL SINGLE LOCKING, 2PG21, ALUMINIUM ALLOY PROTECTION COVER, POWDER COATED, GREY<br>HI6A下壳, 表面安装, 不锈钢单扣, 2PG21, 带铝合金保护层, 灰色粉末喷涂 | PG21                       | PG21                       |            |
| TI629161225-000    | HI6A-SDRMS-2M25         | HI6A HOUSING, SURFACE MOUNTED, STAINLESS STEEL SINGLE LOCKING, 2M25, ALUMINIUM ALLOY PROTECTION COVER, POWDER COATED, GREY<br>HI6A下壳, 表面安装, 不锈钢单扣, 2M25, 带铝合金保护层, 灰色粉末喷涂   | M25                        | M25                        |            |
| TI629163116-000    | HI6A-SDRS-PG16          | HI6A HOUSING, SURFACE MOUNTED, STAINLESS STEEL SINGLE LOCKING, PG16, PLASTIC PROTECTION COVER, POWDER COATED, GREY<br>HI6A下壳, 表面安装, 不锈钢单扣, PG16, 带塑料保护层, 灰色粉末喷涂            | PG16                       | -                          |            |
| TI629163120-000    | HI6A-SDRS-M20           | HI6A HOUSING, SURFACE MOUNTED, STAINLESS STEEL SINGLE LOCKING, M20, PLASTIC PROTECTION COVER, POWDER COATED, GREY<br>HI6A下壳, 表面安装, 不锈钢单扣, M20, 带塑料保护层, 灰色粉末喷涂              | M20                        | -                          |            |
| TI629163121-000    | HI6A-SDRS-PG21          | HI6A HOUSING, SURFACE MOUNTED, STAINLESS STEEL SINGLE LOCKING, PG21, PLASTIC PROTECTION COVER, POWDER COATED, GREY<br>HI6A下壳, 表面安装, 不锈钢单扣, PG21, 带塑料保护层, 灰色粉末喷涂            | PG21                       | -                          | TYPE 6     |
| TI629163125-000    | HI6A-SDRS-M25           | HI6A HOUSING, SURFACE MOUNTED, STAINLESS STEEL SINGLE LOCKING, M25, PLASTIC PROTECTION COVER, POWDER COATED, GREY<br>HI6A下壳, 表面安装, 不锈钢单扣, M25, 带塑料保护层, 灰色粉末喷涂              | M25                        | -                          |            |
| TI629163216-000    | HI6A-SDRS-2PG16         | HI6A HOUSING, SURFACE MOUNTED, STAINLESS STEEL SINGLE LOCKING, 2PG16, PLASTIC PROTECTION COVER, POWDER COATED, GREY<br>HI6A下壳, 表面安装, 不锈钢单扣, 2PG16, 带塑料保护层, 灰色粉末喷涂          | PG16                       | PG16                       |            |
| TI629163220-000    | HI6A-SDRS-2M20          | HI6A HOUSING, SURFACE MOUNTED, STAINLESS STEEL SINGLE LOCKING, 2M20, PLASTIC PROTECTION COVER, POWDER COATED, GREY<br>HI6A下壳, 表面安装, 不锈钢单扣, 2M20, 带塑料保护层, 灰色粉末喷涂            | M20                        | M20                        |            |
| TI629163221-000    | HI6A-SDRS-2PG21         | HI6A HOUSING, SURFACE MOUNTED, STAINLESS STEEL SINGLE LOCKING, 2PG21, PLASTIC PROTECTION COVER, POWDER COATED, GREY<br>HI6A下壳, 表面安装, 不锈钢单扣, 2PG21, 带塑料保护层, 灰色粉末喷涂          | PG21                       | PG21                       |            |
| TI629163225-000    | HI6A-SDRS-2M25          | HI6A HOUSING, SURFACE MOUNTED, STAINLESS STEEL SINGLE LOCKING, 2M25, PLASTIC PROTECTION COVER, POWDER COATED, GREY<br>HI6A下壳, 表面安装, 不锈钢单扣, 2M25, 带塑料保护层, 灰色粉末喷涂            | M25                        | M25                        |            |
| PART NUMBER<br>料 号 | PART DESCRIPTION<br>描 述 |                                                                                                                                                                            | PG/M THREAD 1<br>PG/M 螺纹孔1 | PG/M THREAD 2<br>PG/M 螺纹孔2 | TYPE<br>类型 |

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:

mm



MATERIAL

-

FINISH

-

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ±°

1 PLC ±°

2 PLC ±°

3 PLC ±°

4 PLC ±°

ANGLES ±°

DAVID LI

08MAY2015

CHRIS WANG

08MAY2015

YIANG YU

08MAY2015

PRODUCT SPEC

108-137010

APPLICATION SPEC

114-137010

WEIGHT

-

CUSTOMER DRAWING

DWN

DAVID LI

08MAY2015

CHK

CHRIS WANG

08MAY2015

APVD

YIANG YU

08MAY2015

TE Connectivity

NAME

HI6A-SGR\*/SDRM\*/SDR\*-PG/M

SIZE

A1

CAGE CODE

-

DRAWING NO

©=T16X916XXX000

RESTRICTED TO

SCALE

4:5

SHEET

2

OF

2

REV

B

4805 (3/13)

## Данный компонент на территории Российской Федерации

**Вы можете приобрести в компании MosChip.**

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

### Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: [info@moschip.ru](mailto:info@moschip.ru)

Skype отдела продаж:

moschip.ru

moschip.ru\_4

moschip.ru\_6

moschip.ru\_9