THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION -,- .
© COPYRIGHT - By - ALL RIGHTS RESERVED.

LOC	DIST
	0

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	C2	UPDATING STATUS OF 2-1776584-6 FROM PRELIMINARY TO ACTIVE	03DEC2015	FP	PS

PHYSICAL PROPERTIES:
- HOUSING: THERMOPLASTIC, UL94V-0, BLACK.
- SCREWS: #6-32 STEEL, ZINC PLATING W/ CLEAR CHROMATE.
- PITCH (TERMINAL SPACING): .375"
- OPERATING TEMP.: 105° C MAX

ELECTRICAL PROPERTIES:
- RATED CURRENT: 20A
- OPERATING VOLTAGE: 300V
- WIRE RANGE: 12-22 AWG

1. SEE FIGURE.
2. OBSOLETE PARTS: OBSOLETE CIS STREAMLINING PER D.RENAUD/D.SINISI









MOUNTING PANEL LAYOUT

	DIM A	NO OF POS	CATALOG NUMBER	PART NUMBER
2 OBSOLETE	9.436	25	JC6-F408-25	~~2-1776584-5~~
1	9.061	24	JC6-F408-24-256	2-1776584-6
	9.061	24	JC6-F408-24	2-1776584-4
OBSOLETE 2	8.686	23	JC6-F408-23	~~2-1776584-3~~
	8.311	22	JC6-F408-22	~~2-1776584-2~~
	7.936	21	JC6-F408-21	~~2-1776584-1~~
	7.561	20	JC6-F408-20	~~2-1776584-0~~
	7.186	19	JC6-F408-19	~~1-1776584-9~~
	6.811	18	JC6-F408-18	~~1-1776584-8~~
	6.436	17	JC6-F408-17	~~1-1776584-7~~
	6.061	16	JC6-F408-16	~~1-1776584-6~~
	5.686	15	JC6-F408-15	~~1-1776584-5~~
	5.311	14	JC6-F408-14	~~1-1776584-4~~
	4.936	13	JC6-F408-13	~~1-1776584-3~~
	4.561	12	JC6-F408-12	~~1-1776584-2~~
	4.186	11	JC6-F408-11	~~1-1776584-1~~
	3.811	10	JC6-F408-10	~~1-1776584-0~~
	3.436	9	JC6-F408-09	~~1776584-9~~
	3.061	8	JC6-F408-08	1776584-8
2 OBSOLETE	2.686	7	JC6-F408-07	~~1776584-7~~
	2.311	6	JC6-F408-06	1776584-6
OBSOLETE 2	1.936	5	JC6-F408-05	~~1776584-5~~
	1.561	4	JC6-F408-04	~~1776584-4~~
	1.186	3	JC6-F408-03	~~1776584-3~~
	.811	2	JC6-F408-02	~~1776584-2~~

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: INCHES

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ± -
1 PLC ± -
2 PLC ± .02
3 PLC ± .010
4 PLC ± -
ANGLES ± -

MATERIAL -
FINISH -

DWN S SCHLEGEL 8/2/05
CHK S YODER 8/2/05
APVD S YODER 8/2/05
PRODUCT SPEC —
APPLICATION SPEC —
WEIGHT —

TE Connectivity

NAME JC6-F408-XX ASSEMBLY

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A3	00779	C-1776584	—

CUSTOMER DRAWING | SCALE 1:1 | SHEET 1 OF 2 | REV C2

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION -,- .
© COPYRIGHT - By - ALL RIGHTS RESERVED.

LOC	DIST
	0

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-



2-1776584-6

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: INCHES

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ± -
1 PLC ± -
2 PLC ± .02
3 PLC ± .010
4 PLC ± -
ANGLES ± -

MATERIAL -

FINISH -

DWN S SCHLEGEL 8/2/05
CHK S YODER 8/2/05
APVD S YODER 8/2/05
PRODUCT SPEC —
APPLICATION SPEC —
WEIGHT —

TE Connectivity

NAME JC6-F408-XX ASSEMBLY

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A3	00779	C-1776584	—

CUSTOMER DRAWING

SCALE	SHEET	REV
1:1	2 OF 2	C2

Общество с ограниченной ответственностью «МосЧип» ИНН 7719860671 / КПП 771901001
Адрес: 105318, г.Москва, ул.Щербаковская д.3, офис 1107

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

http://moschip.ru/get-element

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:
moschip.ru
moschip.ru_4
moschip.ru_6
moschip.ru_9