



M8 Receptacles

Nickel-plated brass body
IP 68 rating on threaded connection

NEW 5 Pole

	3P	4P	5P
MALE FACE VIEW			
COLOR CODE	1- brown 3- blue 4- black	1- brown 2- white 3- blue 4- black	1- brown 2- white 3- blue 4- black 5- gray
VOLTAGE	60V AC / 75V DC	60V AC / 75V DC	60V AC / 75V DC
CURRENT	4A	4A	3A
CONDUCTOR	#24-3	#24-4	#24-5

MALE ACCEPTS SNAP OR THREADED CORDSETS	FIG	RECEPTACLES WITH 30 CENTIMETER #24 AWG PVC LEADS		
M8 X 0.5 MOUNTING THREADS	1	4R3P06A27C300	4R4P06A27C300	4R5P06A27C300
M8 X 1 MOUNTING THREADS	2	4R3F06A27C300	4R4F06A27C300	—
FEMALE ACCEPTS THREADED CORDSETS ONLY	FIG	RECEPTACLES WITH 30 CENTIMETER #24 AWG PVC LEADS		
M8 X 0.5 MOUNTING THREADS	3	4R3P00A27C300	4R4P00A27C300	4R5P00A27C300

CATALOG OPTIONS

Note: For mating cordsets see pages 168-175
Refer to compatibility matrix for
cordset/receptacle combinations

Use the following chart to modify your part's specifications

4R5P06A27C300

LEAD LENGTH

60 CENTIMETER 600

Specifications

**MECHANICAL**

CONNECTOR FACE: PBT
 SHELL: NICKEL-PLATED BRASS
 O-RING: VITON
 WIRE: PVC; #24 AWG (19X #36)

ELECTRICAL

VOLTAGE RATING: 60V AC / 75V DC
 AMPERAGE:
 3P - 4A
 4P - 4A
 5P - 3A

ENVIRONMENTAL

PROTECTION: NEMA 6P, IP 68 (COUPLER)
 NEMA 4, IP 65 (SNAP)

AMBIENT OPERATING TEMP: -4° TO 221°F (-20° TO 105°C) - PVC

CERTIFICATIONS

UL: UL RECOGNIZED, FILE NO. 152210

RECEPTACLE DIMENSIONS

MALE - M8 X 0.5 MOUNTING THREADS
 (ACCOMMODATES SNAP AND THREADED FEMALE CORDSETS)





FIG 1



MALE - M8 X 1 MOUNTING THREADS
 (ACCOMMODATES SNAP AND THREADED FEMALE CORDSETS)





FIG 2



FEMALE - M8 X 0.5 MOUNTING THREADS
 (ACCOMMODATES THREADED MALE CORDSETS ONLY)





FIG 3



SEE PAGE 168-175
 FOR ADDITIONAL
 RECEPTACLES

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9