









spec ref		-		dr		Hai-Ling Liu		2015/03/13		projection		mm		size		A2		scale		1:1	
tolerance std		ISO 406		TOLERANCES UNLESS OTHERWISE SPECIFIED		eng		Hai-Ling Liu		2016/02/04						ecn no		ELX-DG-23219-1			
ISO 1101						chr		-		-						rel level		Released			
						appr		Pei-Ming Zheng		2016/02/04		product family									
surface		✓		linear				title		HPCE VERT		dwg no		10133888		rev		B			
ISO 1302				0.X ±0.5		0.XX ±0.25		36P26S OMITTED 4P AND 12S													
				0.XXX ±0.1																	
				angular		0°		2°													
						www.fci.com		cat. no.				Product - Customer Drw				sheet 1 of 4					

PDS: Rev :B

STATUS:Released

Printed: Feb 04, 2016



spec ref	-	dr	Hai-Ling Liu	2015/03/13	projection	mm	size	A2	scale	1:1
tolerance std	ISO 406 ISO 1101	eng	Hai-Ling Liu	2016/02/04	chr	-	ecn no	ELX-DG-23219-1	rel level	Released
surface	ISO 1302	appr	Pei-Ming Zheng	2016/02/04	product family	HPCE VERT	cat. no.	10133888	rev	B
		TOLERANCES UNLESS OTHERWISE SPECIFIED		www.fci.com		Product - Customer Drw		sheet 3 of 4		
		linear	0.X	±0.5						
			0.XX	±0.25						
			0.XXX	±0.1						
		angular	0°	±2°						


1		2		3		4		5		6		7		8		
HPCE PART NUMBER (TABLE 3) NOT TOOLED																
PART NUMBER		TAIL TYPE	ORIENTATION KEY		DIM "A" TYPICAL TAIL LENGTH		DIM "B" RECOMMENDED BOARD THICKNESS									
10133888-001LF		SOLDER	YES		3.17 ±0.25		2.36±0.13									
10133888-002LF		SOLDER	NO													
10133888-003LF		PRESS-FIT	YES		3.17±0.25		1.57 MIN									
10133888-004LF		PRESS-FIT	NO													

NOTES:

1. CONNECTOR MATERIALS:

HOUSING: HIGH TEMPERATURE THERMAL PLASTIC, BLACK
UL 94V-0 COMPLIANT
CONTACTS: HIGH PERFORMANCE COPPER ALLOY.
2. CONTACT FINISH REF. GS-12-604 SECTION 5.2.
3. PRODUCT SPECIFICATION: GS-12-604.
4. APPLICATION SPECIFICATION: GS-20-128.
5. PRODUCT MARKING ON HOUSING IN AREA SHOWN SHOULD MEET FCI SPECIFICATION GS-24-007.
6. PACKAGING MEETS FCI SPECIFICATION GS-14-937.
7. ALL HOLE SIZES ARE FINISHED HOLE SIZES.
8. MOUNTING HOLES ARE UNPLATED

Ø 2.40 +/- 0.1 FOR PRESS-FIT TAILS
Ø 2.10 +/- 0.03 FOR SOLDER TAILS
9. PRESS FIT APPLICATION TOOL DRAWING : 10119453.



spec ref -				dr		Hai-Ling Liu		2015/03/13		projection		mm		size		A2		scale		1:1							
tolerance std				TOLERANCES UNLESS OTHERWISE SPECIFIED				eng		Hai-Ling Liu		2016/02/04				ecn no		ELX-DG-23219-1		rel level		Released					
ISO 406																											
ISO 1101																											
				appr		Pei-Ming Zheng		2016/02/04		product family																	
surface				linear		0.X		±0.5				title		HPCE VERT 36P26S OMITTED 4P AND 12S						dwg no		10133888		rev		B	
						0.XX		±0.25																			
						0.XXX		±0.1																			
						angular		0°																			
ISO 1302										www.fci.com		cat. no.		Product - Customer Drw						sheet 4 of 4							

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9