




All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of FCI. Copyright FCI.

Tous droits strictement réservés. Reproduction ou communication à des tiers interdite sous quelque forme que ce soit sans autorisation écrite du propriétaire. Propriété de c FCI. Droits de reproduction FCI.

CODE	DIM "M" MATING LENGTH	CONTACT TYPE
N	N/A [N/A]	SIGNAL
P	N/A [N/A]	SIGNAL
R	N/A [N/A]	SIGNAL
S	N/A [N/A]	SIGNAL
PF	.092 [2.34]	POWER
PG	.042 [1.07]	POWER
PH	.092 [2.34]	POWER
HA	N/A [N/A]	HOLD-DOWN

PRODUCT NO.	ROWS	SIGNAL								POWER							E1
		E2	6	5	4	3	2	1	P7	P6	P5	P4	P3	P2	P1		
51923-003-- NOTE: 3	D C B A		S	S	S	S	S	S	P	P	P	P	P	P	P	P	
			R	R	R	R	R	R									
			P	P	P	P	P	P									
			N	N	N	N	N	N									



mat'l code				SEE NOTE 2				tolerances unless otherwise specified				CUSTOMER		FCI		www.fciconnect.com	
litr	ecn no.	dr	date									COPY					
A	V04-1008	TAB	10/06/04	linear				.XX±.01/0.X±0.3				projection					
B	DG05-0570	GuoJM	12/27/05					.XXX±.005/0.XX±0.13									
C	DG08-0273	WD	12/12/08	angles				.XXX±.002/0.XXX±0.051									
								0°±2°									
				dr	T. BRUNGARD	10/06/04											
				enrg	M. GRAY	10/06/04											
				chr	M. GRAY	10/06/04											
				appd	M. GRAY	10/06/04											
sheet index	revision	C	C	C	C	C	C										
	sheet	1	2	3	4												

sheet index	revision	C	C	C	C	C	C										
	sheet	1	2	3	4												

sheet index	revision	C	C	C	C	C	C										
	sheet	1	2	3	4												

sheet index	revision	C	C	C	C	C	C										
	sheet	1	2	3	4												

sheet index	revision	C	C	C	C	C	C										
	sheet	1	2	3	4												

sheet index	revision	C	C	C	C	C	C										
	sheet	1	2	3	4												

sheet index	revision	C	C	C	C	C	C										
	sheet	1	2	3	4												

sheet index	revision	C	C	C	C	C	C										
	sheet	1	2	3	4												

sheet index	revision	C	C	C	C	C	C										
	sheet	1	2	3	4												

sheet index	revision	C	C	C	C	C	C										
	sheet	1	2	3	4												

sheet index	revision	C	C	C	C	C	C										
	sheet	1	2	3	4												

sheet index	revision	C	C	C	C	C	C										
	sheet	1	2	3	4												

sheet index	revision	C	C	C	C	C	C										
	sheet	1	2	3	4												

sheet index	revision	C	C	C	C	C	C										
	sheet	1	2	3	4												

sheet index	revision	C	C	C	C	C	C										
	sheet	1	2	3	4												

sheet index	revision	C	C	C	C	C	C										
	sheet	1	2	3	4												

sheet index	revision	C	C	C	C	C	C										
	sheet	1	2	3	4												

sheet index	revision	C	C	C	C	C	C										
	sheet	1	2	3	4												

sheet index	revision	C	C	C	C	C	C										
	sheet	1	2	3	4												

sheet index	revision	C	C	C	C	C	C										
	sheet	1	2	3	4												

sheet index	revision	C	C	C	C	C	C										
	sheet	1	2	3	4												

sheet index	revision	C	C	C	C	C	C										
	sheet	1	2	3	4												

sheet index	revision	C	C	C	C	C	C										
	sheet	1	2	3	4												

sheet index	revision	C	C	C	C	C	C										
	sheet	1	2	3	4												

sheet index	revision	C	C	C	C	C	C										
	sheet	1	2	3	4												

sheet index	revision	C	C	C	C	C	C										
	sheet	1	2	3	4												

sheet index	revision	C	C	C	C	C	C										
	sheet	1	2	3	4												

sheet index	revision	C	C	C	C	C	C										
	sheet	1	2	3	4												

sheet index	revision	C	C	C	C	C	C										
	sheet	1	2	3	4												

sheet index	revision	C	C	C	C	C	C										
	sheet	1	2	3	4												

sheet index	revision	C	C	C	C	C	C										
	sheet	1	2	3	4												

sheet index	revision	C	C	C	C	C	C										
	sheet	1	2	3	4												

sheet index	revision	C	C	C	C	C	C										
	sheet	1	2	3	4												

sheet index	revision	C	C	C	C	C	C										
	sheet	1	2	3	4												

sheet index	revision	C	C	C	C	C	C										
	sheet	1	2	3	4												

sheet index	revision	C	C	C	C	C	C										
	sheet	1	2	3	4												

sheet index	revision	C	C	C	C	C	C										
	sheet	1	2	3	4												

sheet index	revision	C	C	C	C	C	C										
	sheet	1	2	3	4												

sheet index	revision	C	C	C	C	C	C										
	sheet	1	2	3	4												

sheet index	revision	C	C	C	C	C	C										
	sheet	1	2	3	4												

sheet index	revision	C	C	C	C	C	C										
	sheet	1	2	3	4												

sheet index	revision	C	C	C	C	C	C										
	sheet	1	2	3	4												

sheet index	revision	C	C	C	C	C	C										
	sheet	1	2	3	4												

sheet index	revision	C	C	C	C	C	C										
	sheet	1	2	3	4												

sheet index	revision	C	C	C	C	C	C										
	sheet	1	2	3	4												

sheet index	revision	C	C	C	C	C	C										
	sheet	1	2	3	4												

sheet index	revision	C	C	C	C	C	C										
	sheet	1	2	3	4												





sheet index	revision	C
-------------	----------	---



All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of FCI. Copyright FCI.

Tous droits strictement réservés. Reproduction ou communication à des tiers interdite sous quelque forme que ce soit sans autorisation écrite du propriétaire. Propriété de c FCI. Droits de reproduction FCI.

PRODUCT NUMBER
51923-003--
NOTE: 3



mat'l code SEE NOTE 2				tolerances unless otherwise specified		CUSTOMER		 www.fciconnect.com	
ltr	ecn no.	dr	date	linear	.XX±.01/0.X±0.3	projection 	COPY	title 3ACP + 4P + 24S R/A PF RCPT CABLE PORT	
C					.XXX±.005/0.XX±0.13 .XXX±.0020/0.XXX±0.051			 INCH/MM	scale 1:1
				angles 0°±2°	size 213				
				dr T. BRUNGARD 10/06/04	sheet 2 of 4				
				enrg M. GRAY 10/06/04					
				chr M. GRAY 10/06/04			A 51923-003		
				appd M. GRAY 10/06/04					
sheet index		revision sheet							


Pro/E



All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of FCI. Copyright FCI.

Tous droits strictement réservés. Reproduction ou communication à des tiers interdite sous quelque forme que ce soit sans autorisation écrite du propriétaire. Propriété de c FCI. Droits de reproduction FCI.

PRODUCT NUMBER
51923-003--
NOTE: 3



mat'l code SEE NOTE 2				tolerances unless otherwise specified		CUSTOMER		 www.fciconnect.com				
ltr	ecn no.	dr	date	linear	.XX±.01/0.X±0.3	COPY		projection		title		
C					.XXX±.005/0.XX±0.13					3ACP + 4P + 24S		
				angles	.XXX±.0020/0.XXX±0.051					R/A PF RCPT CABLE PORT		
				dr	0°±2°			INCH/MM		product family		
				T. BRUNGARD	10/06/04					PwrBlade		code
				M. GRAY	10/06/04					size		dwg no
				enr	0°±2°			scale	1:1	A		
				M. GRAY	10/06/04					51923-003		213
				chr	M. GRAY	10/06/04				sheet		
				appd	M. GRAY	10/06/04					3 of 4	
sheet index	revision	sheet										

cage code 22526

Tous droits strictement reserves. Reproduction ou communication a des tiers interdite sous quelque forme que ce soit sans autorisation écrite du propriétaire.
Propriete de c FCI. Droits de reproduction FCI.



All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor.
Property of FCI. Copyright FCI.

PRODUCT NUMBER
51923-003--
NOTE: 3

NOTES:

1. DIMENSIONS AND TOLERANCES ARE IN ACCORDANCE WITH
ASME Y14.5M, 1994 UNLESS OTHERWISE SPECIFIED.

CONNECTOR NOTES:

- (2) HOUSING MATERIAL: UL 94 V-0 GLASS FILLED HIGH-TEMP THERMOPLASTIC
POWER CONTACT MATERIAL: COPPER ALLOY
SIGNAL PIN MATERIAL: COPPER ALLOY

- △ 3. SEE ITEM 5 & 5 IN PRINT 10064183 FOR PLATING SPEC OF 51923-003 AND 51923-003LF RESPECTIVELY.

- (4) MANUFACTURER'S NAME, P/N, AND DATE CODE TO APPEAR ON THIS SURFACE.

5. PRODUCT SPECIFICATION GS-12-149.
APPLICATION SPECIFICATION BUS-20-067.

6. PACKAGED IN TRAYS.

PCB NOTES:

7. ALL HOLE DIAMETERS ARE FINISHED HOLE SIZE.

- (8) MOUNTING HOLES, WHERE APPLICABLE, ARE UNPLATED.

- (9) $\varnothing .0453 \pm .0010$ [1.151 $\pm$ 0.025] DRILLED HOLES PLATED WITH
.0003 [0.008] MIN SnPb OVER .001 [0.03]
TO .003 [0.08] Cu PLATING TO ACHIEVE
 $\varnothing .040 \pm .003$ [1.02 $\pm$.07] HOLE.

- (10) "DIM XXX" TO BE DETERMINED BY THE CUSTOMER.

- (11) CONNECTOR KEEP-OUT ZONE.

12. USE FCI CAM TOOL 430140-019 TO APPLY CONNECTOR TO PCB.

13. A △ SYMBOL WILL BE NEXT TO ANY DIMENSION, VIEW, OR NOTE WHICH HAS BEEN MODIFIED
WITH THE CURRENT DRAWING REVISION.

mat'l code				SEE NOTE 2				tolerances unless otherwise specified				CUSTOMER								www.fciconnect.com											
ltr		ecn no.		dr		date		linear		.XX±.01/0.X±0.3		COPY				projection				title 3ACP + 4P + 24S R/A PF RCPT CABLE PORT											
C										.XXX±.005/0.XX±0.13																					
								angles		.XXX±.0020/0.XXX±0.051						product family PwrBlade				code 213											
										0°±2°																					
								dr		T. BRUNGARD 10/06/04		INCH/MM				scale				size A				dwg no 51923-003				sheet 4 of 4			
								enrg		M. GRAY 10/06/04																					
										chr		M. GRAY 10/06/04																			
										appd		M. GRAY 10/06/04																			
sheet index		revision sheet																													

cage code 22526

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9