



RG-174 RF COAX CABLE ASSEMBLIES



RG174 50 Ohm Coaxial Cables

- SMA / SMA [Straight/Straight]
- SMA / SMA [Straight/Right Angle]
- SMA / SMA [Right Angle/Right Angle]
- SMA / BNC [Straight/Straight]
- SMA / Alligator Clips
- BNC / Alligator Clips
- SMA / 2.1mm Adapter



Features:

- Strain Relief:** Adhesive shrink tubing over crimp area
- Center Conductor:** 26 AWG bare copper covered steel
- Shielding:** Tinned copper braid (90% coverage)
- Insulation:** Polyethylene
- Jacket:** Black PVC
- Operating Temperature:** -40°C to +85°C

SMA / SMA [Straight/Straight]

Part Number	Description	Length
CCSMA-MM-RG174-6	RG174 Shielded Cable, SMA Male/Male, Straight/Straight	6"
CCSMA-MM-RG174-12	RG174 Shielded Cable, SMA Male/Male, Straight/Straight	12"
CCSMA-MM-RG174-24	RG174 Shielded Cable, SMA Male/Male, Straight/Straight	24"
CCSMA-MM-RG174-36	RG174 Shielded Cable, SMA Male/Male, Straight/Straight	36"
CCSMA-MM-RG174-48	RG174 Shielded Cable, SMA Male/Male, Straight/Straight	48"

SMA / SMA [Straight/Right Angle]

Part Number	Description	Length
CCSMA1-MM-RG174-6	RG174 Shielded Cable, SMA Male/Male, Straight/RA	6"
CCSMA1-MM-RG174-12	RG174 Shielded Cable, SMA Male/Male, Straight/RA	12"
CCSMA1-MM-RG174-24	RG174 Shielded Cable, SMA Male/Male, Straight/RA	24"
CCSMA1-MM-RG174-36	RG174 Shielded Cable, SMA Male/Male, Straight/RA	36"

SMA / SMA [Right Angle/Right Angle]

Part Number	Description	Length
CCSMA2-MM-RG174-6	RG174 Shielded Cable, SMA Male/Male, RA/RA	6"
CCSMA2-MM-RG174-12	RG174 Shielded Cable, SMA Male/Male, RA/RA	12"
CCSMA2-MM-RG174-24	RG174 Shielded Cable, SMA Male/Male, RA/RA	24"
CCSMA2-MM-RG174-36	RG174 Shielded Cable, SMA Male/Male, RA/RA	36"





P/N: CCBNS-MM-RG174-XX



RG174/U Cable
SMA to BNC
Male/Male
Length(in): 18, 36
Features: Strain relief to both
SMA and BNC Connector

P/N: CCADP-MM-6



RG174/U Cable
SMA to 2.1 mm Adapter Plug
Male/Male
Length(in): 6
Features: Strain relief to both
SMA and Plug Connector

SMA / BNC [Straight/Straight]

Part Number	Description	Length
CCBNS-MM-RG174-18	RG174 Shielded Cable, SMA/BNC Male/Male, Straight/Straight	18"
CCBNS-MM-RG174-36	RG174 Shielded Cable, SMA/BNC Male/Male, Straight/Straight	36"

SMA / 2.1mm Adapter

Part Number	Description	Length
CCADP-MM-6	RG174 Shielded Cable, SMA Male /2.1mm Adapter, Straight	6"

P/N: CCBNCCL-MC-30



RG174/U Cable
BNC to Alligator Clips
Male/Clips
Length(in): 30
Features: Strain relief to both
Clip and SMA Connector

P/N: CCSMACL-MC-24



RG174/U Cable
SMA to Alligator Clips
Male/Clips
Length(in): 24
Features: Strain relief to both
Clip and SMA Connector

BNC / Alligator Clips

Part Number	Description	Length
CCBNCCL-MC-30	RG174 Shielded Cable, BNC Male /Alligator Clips, Straight	30"

SMA / Alligator Clips

Part Number	Description	Length
CCSMACL-MC-24	RG174 Shielded Cable, SMA Male /Alligator Clips, Straight	24"

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9