

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT

ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	B1	ECR-14-018880	08JAN2015	GK	HMR

REPLACED BY OCEAN STYLE APPLICATOR PART
NUMBER 2150459-2

FOR REPLACEMENT PARTS FOR APPLICATOR 1339616
REFER TO ADDITIONAL PAGE(S). SPARE PARTS KIT (IF LISTED)
WILL REMAIN AVAILABLE.

THE REPLACEMENT OCEAN STYLE APPLICATOR HAS THE
SAME TERMINATOR/PRESS INTERFACE AS APPLICATOR
1339616

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN GOPALAKRISHNA HV		 TE Connectivity			
DIMENSIONS:		CHK RAGHAVENDRA					
		APVD RAGHAVENDRA		NAME			
		PRODUCT SPEC		END FEED HD-I APPLICATOR			
		APPLICATION SPEC					
MATERIAL		WEIGHT		SIZE A3	CAGE CODE	DRAWING NO C- 1339616	RESTRICTED TO
FINISH		CUSTOMER DRAWING		SCALE		SHEET 1 OF 2	REV B1

DRAWING MADE IN THIRD ANGLE PROJECTION

PART NUMBER	REV	FIRST USED	TERMINATOR	FEED TYPE	DESCRIPTION
1339616-1	B	-	BENCH & LEADMAKER	MECH POST FEED	HD-I APPLICATOR
7-1339616-1	B	-	BENCH & LEADMAKER	MECH POST FEED	-1 AND SPARE PARTS
7-1339616-7	A	-	-	-	SPARE PARTS KIT

CRIMP DATA AMP TERMINAL AMP CRIMP SPECS

TERMINAL NAME: .250" SRS FAASTIN-ON CONNECTOR

CRIMP	SIZE	TYPE	RANGE
WIRE	4.06 [1.60 IN]	F	4.00-6.00mm ²
INSUL	5.33 [2.10 IN]	F	3.43-5.08 [1.35-.200 IN]

WIRE STRIP LENGTH SEE APPL SPEC.

APPL INSTRUCTION 408-8323

TERMINAL - FEED 30.15 [1.187 IN]

TERMINALS APPLIED

WIRE SIZE mm ² AWG	CRIMP HEIGHT	PIN PN AND LENGTH [IN]
6.00mm ²	2.34 ±0.05 [.092 ±.002 IN]	1-354778-8 [.2585]
5.00mm ²	2.16 ±0.05 [.085 ±.002 IN]	3-354778-5 [.2670]
4.00mm ²	1.96 ±0.05 [.077 ±.002 IN]	5-354778-3 [.2760]

1. RECOMMENDED SPARE PARTS.

2. GREASE RAM, CAM, CAM FOLLOWER AND FEED ROD LIGHTLY.

3. LUBRICATE DAILY PER THE APPLICATOR INSTRUCTION SHEET SUPPLIED WITH THE APPLICATOR.

4. CUT TO LENGTH AT ASSY.

VIEW B ROTATED 180°

POST-FEED 40 mm STROKE

POST-FEED 30 mm STROKE

LOC A DIST 66 LEADMAKER OR BENCH G

K TERMINATOR BENCH MACHINE

-	1	1	1490525-1	DEPRESSOR, WIRE	73
-	1	1	1339616	PRINT, APPLICATOR LOG SHEET	72
-	1	1	1338705-2	DOCUMENTATION PACKAGE	71
-	3	3	2-23147-2	SPRING, DEPRESSOR	70
-	1	1	1490524-2	SPACER, DEPRESSOR	69
-	1	1	461264-1	PLATE, IDENTIFICATION	67
-	2	2	21017-2	SCR, DRIVE (#2X.19) ID PLATE	66
-	1	1	1424350-1	HOLDER, PIN, WIRED	65
-	1	1	986950-1	WASHER, FLAT PRECISION	64
-	1	1	3-18031-0	SCR, SKT SET (M6X6) RAM	63
-	1	1	18023-9	SCR, SKT CAP (M4X6) CP DSC	62
-	1	1	18024-7	SCR, BHC (M4X10) ANVIL	61
-	6	6	1-18023-0	SCR, SHC (M4X8) STRIP GUIDE	57
-	2	2	1-18023-5	SCR, SHC (M4X25) SLUG BLADE	56
-	2	2	18029-1	NUT, HEX (M3) DRAG	54
-	2	2	986965-1	NUT, HEX SL (M4) DRAG STUD	53
-	2	2	2-18032-2	SCR, SKT SET (M3X10) DRAG	52
-	1	1	18024-3	SCR, BHC (M3X10) CAM	49
-	1	1	1338676-1	CAM, POST-FEED 30 & 40 mm ST	47
-	1	1	1338662-2	APPLICATOR, BASIC (SUBASSY)	46
-	1	1	690191-1	PLUG, NYLON	45
-	1	1	1320998-1	RAM	44
-	1	1	690125-1	WASHER, LAMINATED	43
-	1	1	690124-4	WASHER, RAM	42
-	1	1	2-18024-6	SCREW, BHC (M8X25) CRIMPER	41
-	1	1	23241-1	BALL, STEEL	40
-	1	1	2-22278-7	SPRING, COMPRESSION	39
-	1	1	1320922-1	DISC, INSULATION	38
-	1	1	354777-1	WIRE DISC, PLASTIC	37
-	1	1	22480-5	WASHER, SPRING	36
-	1	1	690212-1	POST, RAM	35
-	8	8	18025-2	WASHER, LOCK (M4) SHEAR BL	32
-	2	2	1-18024-0	SCR, BHC (M4X20) SHEAR PL	31
-	2	2	18024-8	SCR, BHC (M4X12) STRIPPER	29
-	1	1	690455-1	STRIPPER	27
-	2	2	1320906-1	DRAG, STUD	25
-	1	1	1-1320995-6	STRIP GUIDE	24
-	2	2	2-22281-6	SPRING, DRAG	22
-	1	1	1338665-1	DRAG, STOCK	20
-	2	2	1338664-1	GUIDE, UPPER STRIP	19
-	2	2	1338663-6	GUIDE, LOWER STRIP	18
-	4	4	1-18024-8	SCR, BHC (M6X12) STRIP GD PL	17
-	1	1	2-240641-6	SPACER, SLUG BLADE	14
-	1	1	1-240644-7	PLATE, REAR SHEAR	11
-	1	1	5-690482-1	PLATE, FRONT SHEAR	9
-	1	2	1333223-7	ANVIL	8
-	1	1	690474-4	BLADE, SLUG	7
-	1	1	240641-2	SPACER, SLUG BLADE	5
-	1	1	238009-1	SPACER, BLOCK CRIMPER	4
-	1	2	6-683453-8	CRIMPER, INSULATION	3
-	1	1	455888-4	SPACER, CRIMPER	2
-	1	2	1	CRIMPER, WIRE	1
-	-77	-71	-1	PART NO	ITEM NO
REVISION OF EACH ASSY NO (WHEN BLANK, USE DWG REVISION)					
QTY REQD PER ASSY					
PARTS LIST					
DIMENSIONS: mm [INCHES]					
DO NOT SCALE PRINT.					
TOLERANCES UNLESS OTHERWISE SPECIFIED:					
1 PLC DEC ±-					
2 PLC DEC ±-					
3 PLC DEC ±-					
ANGLES ±-					
SURF TEXTURE: REMOVE BURRS, BREAK SHARP EDGES RO.36 MAX					
NAME END FEED HD-I APPLICATOR					
SCALE 1:1					
DWG NO 1339616					
CUSTOMER AND ASSEMBLY DRAWING					
MACHINE REF HD-I APPL					
SHEET 1 OF 1					
REV B					
RESTRICTED TO					

CUSTOMER DRAWING

DRAWING NUMBER - 1339616 SHEET 2 OF 2 REV. B1

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9