




| LOC | DIST | REVISIONS |     |             |      |     |      |
|-----|------|-----------|-----|-------------|------|-----|------|
| AD  | 00   | IF        | LTR | DESCRIPTION | DATE | DWN | APVD |
|     |      | —         |     | SEE SHEET 1 | —    | —   | —    |

- 1

MATERIAL:  
CONTACT: PHOSPHOR BRONZE.  
HOUSING: GLASS-FILLED POLYESTER.
- 2

GENERAL PLATING SPECIFICATION: UNDERPLATING  
(ENTIRE CONTACT): 1.27µm MIN NICKEL AND ACTION  
PIN: 0.5µm MIN TIN.  
FOR PLATING OF MATING SURFACES SEE APPLICABLE  
SPECIFICATION REFERENCE FOR EACH DASH NUMBER.
- 3

CONFORMS TO ALL TESTING ACCORDING TO IEC 61076-4-101  
PERFORMANCE LEVEL 2.
- 4

CONFORMS TO ALL TESTING ACCORDING TO IEC 61076-4-101  
PERFORMANCE LEVEL 1.
- 5

CONNECTOR TESTED AND QUALIFIED AGAINST TELCORDIA GR-1217-CORE QUALITY LEVEL 3,  
CENTRAL OFFICE APPLICATIONS.
- 6

CONNECTOR TESTED AND QUALIFIED AGAINST TELCORDIA GR-1217-CORE QUALITY LEVEL 3,  
UNCONTROLLED ENVIROMENT APPLICATIONS.
- 7

CONNECTOR MARKED WITH PART NUMBER AND DATE CODE.  
ADDITIONAL CHARACTERS OR MARKINGS, AS WELL AS THE LOCATION OF THE MARKINGS,  
MAY BE ADDED FOR TRACEABILITY BASED UPON MANUFACTURERS DISCRETION.
- 8

PLATED-THROUGH HOLES AT 2x2mm SQUARE GRID  
PATTERN DEFINED BY CONTACT LAYOUT.
- 9

FOR ACTUAL PIN LOADING SEE "CONTACT LAYOUT".
- 10

FOR ACTUAL PIN DIMENSIONS SEE "CONTACT DIMENSIONS".
- 11

TO BE MEASURED AT BOTTOM OF SHROUD.
- 12

CONNECTOR LUBRICATED WITH BELCORE APPROVED LUBRICANT,  
TECHNICAL REFERENCE: TR-NWT-001217 ISSUE 1, SEP 1992.

|                                        |  |                                           |        |                                                           |                                           |                    |                       |
|----------------------------------------|--|-------------------------------------------|--------|-----------------------------------------------------------|-------------------------------------------|--------------------|-----------------------|
| THIS DRAWING IS A CONTROLLED DOCUMENT. |  | DMN<br>R. RICHARDSON                      | BAUG05 | Tyco Electronics Corporation<br>Harrisburg, Pa 17105-3608 |                                           |                    |                       |
|                                        |  | CHK<br>G. SKIPPER                         | BAUG05 |                                                           |                                           |                    |                       |
| DIMENSIONS:<br>mm                      |  | TOLERANCES UNLESS<br>OTHERWISE SPECIFIED: |        | NAME                                                      | MALE ASSEMBLY, Z-PACK 2mm HM,<br>TYPE D/E |                    |                       |
|                                        |  | APVD<br>G. SKIPPER                        |        | BAUG05                                                    |                                           |                    |                       |
|                                        |  | PRODUCT SPEC                              |        |                                                           |                                           |                    |                       |
|                                        |  | APPLICATION SPEC                          |        |                                                           |                                           |                    |                       |
| MATERIAL<br>SEE SHEET 1                |  | FINISH<br>SEE SHEET 1                     |        | WEIGHT<br>—                                               | SIZE<br>A1                                | CAGE CODE<br>00779 | DRAWING NO<br>5646951 |
|                                        |  |                                           |        | CUSTOMER DRAWING                                          |                                           |                    | RESTRICTED TO<br>—    |
|                                        |  |                                           |        | SCALE 4:1                                                 |                                           |                    | SHEET 2 OF 2          |
|                                        |  |                                           |        |                                                           |                                           |                    | REV B                 |

## Данный компонент на территории Российской Федерации

**Вы можете приобрести в компании MosChip.**

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

### Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: [info@moschip.ru](mailto:info@moschip.ru)

Skype отдела продаж:

moschip.ru

moschip.ru\_4

moschip.ru\_6

moschip.ru\_9